

Parser A to C — DONE Transition Report — 25 September 2026, 10:55

1. Introduction

This document compares parser A (BEFORE) with parser C (AFTER) for DONE sentences. It contains every improvement, regression, and persistent structural case recorded in the transition TSV. Improvement and regression sections show both parser trees; the persistent section shows the gold reference together with both parser trees. All trees are provided in LISP and graphical formats for human inspection.

DONE improvements: 12.

DONE regressions: 5.

DONE persistent structural cases: 9.

Total DONE cases documented: 26.

2. DONE improvements


hil-data,0.42

Field	Value
Dataset	hil-data
Status	DONE
Text	niGidiwa okokodi ligetedi midi niwigo libinienaGa
Portuguese	Estes ovos da fotografia dela estão bonitos .
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGidiwa)
      (NP
        (N okokodi))
        (N$ ligetedi))
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (D @idi)
            (NP
              (N niwigo))
              (N$ libinienaGa))))))
  (ID hil-data,
    0.42))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.42

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGidiwa)
      (NP
        (N okokodi))
      (N$ ligetedi)
    )
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @idi)
          (N niwigo))))))
  (NP-PRD
    (N$ libinienaGa)))
(ID hil-data,
0.42))
```

AFTER — parser C — graphical tree



AFTER tree for hil-data,0.42


hil-data,0.8

Field	Value
Dataset	hil-data
Status	DONE
Text	NiGijo liwenigi libinienigi
Portuguese	Aquela comida dela é bonita .
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D NiGijo)
      (N$ liwenigi)
      (NP
        (N$ libinienigi))))
  (ID hil-data,
    0.8))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.8

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D NiGijo)  
  (N$ liwenigi))  
(NP-PRD  
  (N$ libinienigi)))  
(ID hil-data,  
0.8))
```

AFTER — parser C — graphical tree



AFTER tree for hil-data,0.8


ped-gramm,0.11

Field	Value
Dataset	ped-gramm
Status	DONE
Text	ica Maria looligi alidi
Portuguese	a comida da Maria não está deliciosa (a não gostosura da comida da Maria)
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D ica)
      (NPR Maria)
      (N$ looligi))
    (NEG aG@)
    (NP-PRD
      (N$ @lidi)))
  (ID ped-gramm,
    0.11))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.11

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D ica)
      (NP
        (NPR Maria))
        (N$ looligi))
      (NEG aG@)
      (NP-PRD
        (N$ @lidi)))
    (ID ped-gramm,
      0.11))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.11


ped-gramm,0.12

Field	Value
Dataset	ped-gramm
Status	DONE
Text	ica looligi lidi
Portuguese	A comida está/é deliciosa (A gostosura da comida da Maria)
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ looligi)
      (NP
        (N$ lidi))))
  (ID ped-gramm,
    0.12))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.12

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D ica)  
  (N$ looligi))  
(NP-PRD  
  (N$ lidi)))  
(ID ped-gramm,  
0.12))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.12


ped-gramm,0.15

Field	Value
Dataset	ped-gramm
Status	DONE
Text	ica looligi lideGegi
Portuguese	A comida é deliciosa (a gostosura da comida dela)
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ looligi)
      (NP
        (N$ lideGegi))))
  (ID ped-gramm,
    0.15))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.15

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D ica)  
  (N$ looligi))  
(NP-PRD  
  (N$ lideGegi)))  
(ID ped-gramm,  
0.15))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.15


ped-gramm,0.16

Field	Value
Dataset	ped-gramm
Status	DONE
Text	loigipodi libinienigipi
Portuguese A	comunidade dele/dela é bonita
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (N$ loigipodi)
      (NP
        (N$ libinienigipi))))
  (ID ped-gramm,
    0.16))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.16

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-SBJ
```

```
(N$ loigipodi))  
(NP-PRD  
  (N$ libinienigipi)))  
(ID ped-gramm,  
  0.16))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.16


ped-gramm,0.17

Field	Value
Dataset	ped-gramm
Status	DONE
Text	ica loigi ijo niganigi ipegitegi GanigotGa
Portuguese	A comunidade do menino é perto da cidade de vocês
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (D ica)
        (N$ loigi))
      (D ijo)
      (N niganigi))
    (VBAPL ipegitegi)
    (NP-APL
      (N$ GanigotGa)))
  (ID ped-gramm,
    0.17))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.17

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ loigi)
      (NP
        (D ijo)
        (N niganigi)))
    (VBAPL ipegitegi)
    (NP-APL
      (N$ GanigotGa)))
  (ID ped-gramm,
    0.17))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.17


ped-gramm,0.19

Field	Value
Dataset	ped-gramm
Status	DONE
Text	ica liwigo libinienigi
Portuguese	a fotografia dela/dele é/está bonita
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ liwigo)
      (NP
        (N$ libinienigi))))
  (ID ped-gramm,
    0.19))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.19

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D ica)  
  (N$ liwigo))  
(NP-PRD  
  (N$ libinienigi)))  
(ID ped-gramm,  
0.19))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.19


ped-gramm,0.40

Field	Value
Dataset	ped-gramm
Status	DONE
Text	iGeladi digoida weiigi .
Portuguese	Minha casa é no rio.
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (N$ iGeladi))
        (D digoida)
        (N weiigi))
      (PUNC .))
    (ID ped-gramm,
      0.40))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.40

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (N$ iGeladi))  
    (NP-PRD  
      (D digoida)  
      (N weiigi))  
    (PUNC .))  
  (ID ped-gramm,  
    0.40))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.40


van-data,0.1

Field	Value
Dataset	van-data
Status	DONE
Text	iGeladi digoida weiigi
Portuguese	Minha casa é no rio
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (N$ iGeladi))
        (D digoida)
        (N weiigi)))
    (ID van-data,
      0.1))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.1

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ
  (N$ iGeladi))
(NP-PRD
  (D digoida)
  (N weiigi)))
(ID van-data,
0.1))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.1


van-data,0.11

Field	Value
Dataset	van-data
Status	DONE
Text	niGida liwenigi libinienigi
Portuguese	aquela comida dela é bonita
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D niGida)
      (N$ liwenigi)
      (NP
        (N$ libinienigi))))
  (ID van-data,
    0.11))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.11

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ
  (D niGida)
  (N$ liwenigi))
(NP-PRD
  (N$ libinienigi)))
(ID van-data,
0.11))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.11


van-data,0.43

Field	Value
Dataset	van-data
Status	DONE
Text	ijo niwigo libinienigi ijowa nigetedi
Portuguese	estes ovos da fotografia dela estão bonitos
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (NP
        (D ijo)
        (NP
          (N niwigo))
          (N$ libinienigi))
        (D ijowa))
      (NP-PRD
        (N$ nigetedi)))
    (ID van-data,
      0.43))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.43

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijo)  
      (NP  
        (N niwigo))  
        (N$ libinienigi))  
      (NP-PRD  
        (D ijowa)  
        (N$ nigetedi)))  
    (ID van-data,  
      0.43))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.43

3. DONE regressions

hil-data,0.11

Field	Value
-------	-------

Dataset	hil-data
---------	----------

Status	DONE
--------	------

Text	NaGajo lomigo niganigawanigi madi niwatece
------	--

Portuguese	Aquele anzol do menino é na canoa .
------------	-------------------------------------


A result	EXACT_MATCH
----------	-------------

C result	STRUCTURAL_DIFFERENCE
----------	-----------------------

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D NaGajo)
      (N$ lomigo)
      (NP
        (N niganigawanigi)))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @adi)
          (N$ niwatece))))))
  (ID hil-data,
    0.11))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.11

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (D NaGajo)
      (N$ lomigo)
      (NP
        (N niganigawanigi)))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @adi)
          (N$ niwatece))))))
  (ID hil-data,
    0.11))
```

AFTER — parser C — graphical tree



AFTER tree for hil-data,0.11


ped-gramm,0.56

Field	Value
Dataset	ped-gramm
Status	DONE
Text	liGeladi midi akiidi
Portuguese	A casa dele/dela é no rio.
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (N$ IiGeladi))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @idi)
          (N akiidi))))))
  (ID ped-gramm,
    0.56))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.56

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ IiGeladi)  
      (CP-me  
        (C me@)  
        (IP-SUB  
          (NP  
            (D @idi)  
            (N akiidi))))))  
  (ID ped-gramm,  
    0.56))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.56


van-data,0.14

Field	Value
Dataset	van-data
Status	DONE
Text	naGajo lomiigo nigaanigawaanigi manitaGa niwatece
Portuguese	Aquele anzol do menino está na canoa.
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D naGajo)
      (N$ lomiigo)
      (NP
        (N nigaanigawaanigi)))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (DAPL @anitaGa)
          (N niwatece))))))
  (ID van-data,
    0.14))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.14

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (D naGajo)
      (N$ lomiigo)
      (NP
        (N nigaanigawaanigi))
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (DAPL @anitaGa)
            (N niwatece))))))
  (ID van-data,
    0.14))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.14


van-data,0.18

Field	Value
Dataset	van-data
Status	DONE
Text	Eyo manitaGa nigotaGa
Portuguese	Estou na cidade
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (PRO Eyo))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (DAPL @anitaGa)
          (N nigotaGa))))))
  (ID van-data,
    0.18))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.18

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (PRO Eyo)  
      (CP-me  
        (C me@)  
        (IP-SUB  
          (NP  
            (DAPL @anitaGa)  
            (N nigotaGa))))))  
  (ID van-data,  
    0.18))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.18


van-data,0.62

Field	Value
Dataset	van-data
Status	DONE
Text	aGeyo mica inikGigi
Portuguese	não sou muito feliz
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NEG aG@)
    (NP-SBJ
      (PRO @eyo))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @ica)
          (N$ inikGigi))))))
  (ID van-data,
    0.62))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.62

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NEG aG@)
    (NP
      (PRO @eyo)
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (D @ica)
            (N$ inikGigi))))))
  (ID van-data,
    0.62))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.62

4. DONE persistent structural cases

In these cases, both parsers remain structurally different from the gold tree. The A and C outputs may nevertheless be identical to or different from one another.


ped-gramm,0.20

Field	Value
Dataset	ped-gramm
Status	DONE
Text	ica niwigo libinienigi
Portuguese	a fotografia é/está bonita
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ica)  
      (N niwigo))  
    (NP-PRD  
      (N$ libinienigi)))  
  (ID ped-gramm,  
    0.20))
```

REFERENCE — GOLD — graphical tree



REFERENCE tree for ped-gramm,0.20

BEFORE — parser A — LISP


```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ica)  
      (NP  
        (N niwigo)))
```

```

(NP-PRD
  (N$ libinienigi)))
(ID ped-gramm,
0.20))

```

BEFORE — parser A — graphical tree



BEFORE tree for ped-gramm,0.20


AFTER — parser C — LISP

```

(
  (IP-MAT
    (NP-SBJ
      (D ica)
      (NP
        (N niwigo)))
    (NP-PRD
      (N$ libinienigi)))
  (ID ped-gramm,
0.20))

```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.20


ped-gramm,0.26

Field	Value
Dataset	ped-gramm
Status	DONE
Text	João liGeladi ane napioi
Portuguese	a casa do João, que é suja
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (NPR João))
        (N$ liGeladi)
        (CP-REL
          (WNP-1
            (WPRO ane))
            (IP-SUB
              (NP-TRACE
                (-NONE-
                  *T*-1)))
            (NP
              (N napioi))))))
    (ID ped-gramm,
      0.26))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for ped-gramm,0.26

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NPR João)
      (N$ liGeladi)
      (CP-REL
        (WNP-1
          (WPRO ane))
        (IP-SUB
          (NP-TRACE
            *T*-1)
          (NP
            (N napioi))))))
  (ID ped-gramm,
    0.26))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.26

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (NPR João))  
    (NP-PRD  
      (N$ liGeladi)  
      (CP-REL  
  
        (WNP-1  
          (WPRO ane))  
        (IP-SUB  
          (NP-TRACE  
            *T*-1)  
          (NP  
            (N napioi))))))  
  (ID ped-gramm,  
    0.26))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.26


ped-gramm,0.47

Field	Value
Dataset	ped-gramm
Status	DONE
Text	liGeladi ipegitege niweiigi nigotaGa .
Portuguese	A casa dele/dela é perto da cidade da lagoa.
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (N$ liGeladi))
      (VBAPL ipegitege)
      (NP-APL
        (NP
          (N niweiigi))
          (N$ nigotaGa))
      (PUNC .))
    (ID ped-gramm,
      0.47))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for ped-gramm,0.47

BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ liGeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi)  
        (N$ nigotaGa))  
      (PUNC .))  
    (ID ped-gramm,  
      0.47))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.47

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ liGeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi))  
        (NP  
          (N$ nigotaGa))  
        (PUNC .))  
    (ID ped-gramm,  
      0.47))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.47


van-data,0.30

Field	Value
Dataset	van-data
Status	DONE
Text	niGijo lodaajo ajo lodowa aGica digoida liGeladi
Portuguese	esta faca da esposa dele não está na casa
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGijo)
      (N$ lodaajo)
      (NP
        (D ajo)
        (N$ lodowa)))
    (NEG aG@)
    (NP-PRD
      (Q @ica)
      (D digoida)
      (N$ liGeladi)))
  (ID van-data,
    0.30))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.30

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (NP
        (D niGijo)
        (N$ lodaaajo))
      (D ajo)
      (N$ lodowa))
    (NEG aG@)
    (NP-PRD
      (Q @ica)
      (D digoida)
      (N$ liGeladi)))
  (ID van-data,
    0.30))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.30

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGijo)
      (N$ lodaaajo))
    (NP-SBJ-PRD
      (D ajo)
      (N$ lodowa))
    (NEG aG@)
    (NP-PRD
      (Q @ica)
      (D digoida)
      (N$ liGeladi)))
  (ID van-data,
    0.30))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.30


van-data,0.32

Field	Value
Dataset	van-data
Status	DONE
Text	naGani wetiGa liwaGatena
Portuguese	esta pedra está muito pesada
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D naGani)
      (N wetiGa))
    (NP-PRD
      (N$ liwaGatena)))
  (ID van-data,
    0.32))
```

REFERENCE — GOLD — graphical tree



REFERENCE tree for van-data,0.32

BEFORE — parser A — LISP


```
(
  (IP-MAT
    (NP-SBJ
      (D naGani)
      (NP
        (N wetiGa))))
```

```

(NP-PRD
  (N$ liwaGatena)))
(ID van-data,
0.32))

```

BEFORE — parser A — graphical tree



BEFORE tree for van-data,0.32


AFTER — parser C — LISP

```

(
  (IP-MAT
    (NP-SBJ
      (D naGani)
      (NP
        (N wetiGa)))
    (NP-PRD
      (N$ liwaGatena)))
  (ID van-data,
0.32))

```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.32


van-data,0.37

Field	Value
Dataset	van-data
Status	DONE
Text	ani wetiGa me iwaGadi eniteloco iGonagi
Portuguese	esta pedra que é pesada caiu no meu pé
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(  
  (IP-MAT  
    (NP  
      (D ani)  
      (N wetiGa)  
      (CP-me  
        (C me)  
        (IP-SUB  
          (VB iwaGadi))))  
    (VBAPL eniteloco)  
    (NP-APL  
      (N$ iGonagi)))  
  (ID van-data,  
    0.37))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.37

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ani)
      (N wetiGa))
    (CP-me
      (C me)
      (IP-SUB
        (VB iwaGadi)))
    (VBAPL eniteloco)
    (NP-APL
      (N$ iGonagi)))
  (ID van-data,
    0.37))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.37

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (D ani)
      (N wetiGa))
    (CP-me
      (C me)
      (IP-SUB
        (VB iwaGadi)))
    (VBAPL eniteloco)
    (NP-APL
      (N$ iGonagi)))
  (ID van-data,
    0.37))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.37


van-data,0.44

Field	Value
Dataset	van-data
Status	DONE
Text	ijoa nigetedi niwigo libinienigipi
Portuguese	estes ovos da fotografia estão bonitos
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D ijoa)
      (N nigetedi)
      (NP
        (N niwigo)))
    (NP-PRD
      (N$ libinienigipi)))
  (ID van-data,
    0.44))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.44

BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijoa)  
      (N nigetedi))  
    (NP-PRD  
      (N niwigo)  
      (N$ libinienigipi)))  
  (ID van-data,  
0.44))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.44

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijoa)  
      (N nigetedi))  
    (NP-SBJ-PRD  
      (N niwigo))  
    (NP-PRD  
      (N$ libinienigipi)))  
  (ID van-data,  
0.44))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.44


van-data,0.72

Field	Value
Dataset	van-data
Status	DONE
Text	ijowa leonigipi iwaalo idi metaGa
Portuguese	os filhos da mulher estão com ele
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (D ijowa)
      (N$ leonigipi)
      (NP
        (N iwaalo)))
    (CP
      (NP
        (D idi))
      (CAPL metaGa)))
  (ID van-data,
    0.72))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.72

BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijowa)  
      (N$ leonigipi)  
      (NP  
        (N iwaalo)))  
    (CP-me  
      (IP-SUB  
        (NP  
          (D idi)))  
      (CAPL metaGa)))  
  (ID van-data,  
  0.72))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.72

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijowa)  
      (N$ leonigipi)
```

```
(NP
  (N iwaalo)))
(NP-PRD
  (D idi))
(CAPL metaGa))
(ID van-data,
0.72))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.72


van-data,0.73

Field	Value
Dataset	van-data
Status	DONE
Text	ligeladi ipegitege niweiigi nigotaGa
Portuguese	a casa dela é perto da cidade do rio
A result	STRUCTURAL_DIFFERENCE
C result	STRUCTURAL_DIFFERENCE

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (N$ ligeladi))
      (VBAPL ipegitege)
      (NP-APL
        (NP
          (N niweiigi))
          (N$ nigotaGa)))
    (ID van-data,
      0.73))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.73

BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ ligeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi)  
        (N$ nigotaGa)))  
    (ID van-data,  
      0.73))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.73

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ ligeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi))  
        (NP  
          (N$ nigotaGa)))  
    (ID van-data,  
      0.73))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.73