

DONE Parser Improvements and Regressions

1. Introduction

This document compares parser A (BEFORE) with parser C (AFTER) for DONE sentences whose classification changed. It contains every improvement and regression recorded in the transition TSV, with both parser trees shown in LISP and graphical formats for human inspection.

DONE improvements: 5.

DONE regressions: 9.

2. DONE improvements


ped-gramm,0.40

Field	Value
Dataset	ped-gramm
Status	DONE
Text	iGeladi digoida weiigi .
Portuguese	Minha casa é no rio.
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (N$ iGeladi))
        (D digoida)
        (N weiigi))
      (PUNC .))
    (ID ped-gramm,
      0.40))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.40

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (N$ iGeladi))  
    (NP-PRD  
      (D digoida)  
      (N weiigi))  
    (PUNC .))  
  (ID ped-gramm,  
    0.40))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.40


ped-gramm,0.47

Field	Value
Dataset	ped-gramm
Status	DONE
Text	liGeladi ipegitege niweiigi nigotaGa .
Portuguese	A casa dele/dela é perto da cidade da lagoa.
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ liGeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi)  
        (N$ nigotaGa))  
      (PUNC .))  
    (ID ped-gramm,  
      0.47))
```

BEFORE — parser A — graphical tree



BEFORE tree for ped-gramm,0.47

AFTER — parser C — LISP


```
(  
  (IP-MAT
```

```

(NP
  (N$ liGeladi))
(VBAPL ipegitege)
(NP-APL
  (NP
    (N niweiigi))
    (N$ nigotaGa))
(PUNC .))
(ID ped-gramm,
0.47))

```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.47


van-data,0.1

Field	Value
Dataset	van-data
Status	DONE
Text	iGeladi digoida weiigi
Portuguese	Minha casa é no rio
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (N$ iGeladi))
        (D digoida)
        (N weiigi)))
    (ID van-data,
      0.1))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.1

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ
  (N$ iGeladi))
(NP-PRD
  (D digoida)
  (N weiigi)))
(ID van-data,
0.1))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.1


van-data,0.43

Field	Value
Dataset	van-data
Status	DONE
Text	ijo niwigo libinienigi ijowa nigetedi
Portuguese	estes ovos da fotografia dela estão bonitos
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (NP
        (D ijo)
        (NP
          (N niwigo))
          (N$ libinienigi))
        (D ijowa))
      (NP-PRD
        (N$ nigetedi)))
    (ID van-data,
      0.43))
```


BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.43

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijo)  
      (NP  
        (N niwigo))  
        (N$ libinienigi))  
      (NP-PRD  
        (D ijowa)  
        (N$ nigetedi)))  
    (ID van-data,  
      0.43))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.43


van-data,0.73

Field	Value
Dataset	van-data
Status	DONE
Text	ligeladi ipegitege niweiigi nigotaGa
Portuguese	a casa dela é perto da cidade do rio
A result	STRUCTURAL_DIFFERENCE
C result	EXACT_MATCH

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (N$ ligeladi))
      (VBAPL ipegitege)
      (NP-APL
        (N niweiigi)
        (N$ nigotaGa)))
    (ID van-data,
      0.73))
```

BEFORE — parser A — graphical tree



BEFORE tree for van-data,0.73

AFTER — parser C — LISP


```
(
  (IP-MAT
    (NP
```

```

(N$ ligeladi))
(VBAPL ipegitege)
(NP-APL
  (NP
    (N niweiigi))
    (N$ nigotaGa)))
(ID van-data,
0.73))

```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.73

3. DONE regressions

hil-data,0.11

Field	Value
-------	-------

Dataset	hil-data
---------	----------

Status	DONE
--------	------

Text	NaGajo lomigo niganigawanigi madi niwatece
------	--

Portuguese	Aquele anzol do menino é na canoa .
------------	-------------------------------------


A result	EXACT_MATCH
----------	-------------

C result	STRUCTURAL_DIFFERENCE
----------	-----------------------

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D NaGajo)
      (N$ lomigo)
      (NP
        (N niganigawanigi)))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @adi)
          (N$ niwatece))))))
  (ID hil-data,
    0.11))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.11

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (D NaGajo)
      (N$ lomigo)
      (NP
        (N niganigawanigi)))
    (CP
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (D @adi)
            (N$ niwatece))))))
  (ID hil-data,
    0.11))
```

AFTER — parser C — graphical tree



AFTER tree for hil-data,0.11


hil-data,0.7

Field	Value
Dataset	hil-data
Status	DONE
Text	Gawenigi eliodi me libinienigi
Portuguese	A sua comida é muito bonita .
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (N$ Gawenigi))
    (CP-me
      (Q eliodi)
      (C me)
      (IP-SUB
        (NP
          (N$ libinienigi))))))
  (ID hil-data,
    0.7))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.7

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ Gawenigi))  
    (CP  
      (CP-me  
        (Q eliodi)  
        (C me)  
        (IP-SUB  
          (NP  
            (N$ libinienigi))))))  
  (ID hil-data,  
    0.7))
```

AFTER — parser C — graphical tree



AFTER tree for hil-data,0.7


ped-gramm,0.35

Field	Value
Dataset	ped-gramm
Status	DONE
Text	iGeladi ipegitegi naigi ane napioi
Portuguese	Minha casa está perto desta rua suja (que está suja)
A result	TRACE_EQUIVALENT
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (N$ iGeladi))
      (VBAPL ipegitegi)
      (NP-APL
        (N naigi)
        (CP-REL
          (WNP-1
            (WPRO ane))
            (IP-SUB
              (NP-TRACE
                *T*-1)
                (NP
                  (N napioi))))))
      (ID ped-gramm,
        0.35))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.35

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (N$ iGeladi))
    (VBAPL ipegitegi)
    (NP-APL
      (N naigi))
    (NP
      (CP-FRL
        (WNP-1
          (WPRO ane))
          (IP-SUB
            (NP-TRACE
              *T*-1)
            (NP
```

```
(N napioi))))))
(ID ped-gramm,
0.35))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.35


ped-gramm,0.56

Field	Value
Dataset	ped-gramm
Status	DONE
Text	liGeladi midi akiidi
Portuguese	A casa dele/dela é no rio.
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (N$ IiGeladi))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @idi)
          (N akiidi))))))
  (ID ped-gramm,
    0.56))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.56

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ IiGeladi))  
    (CP  
      (CP-me  
        (C me@)  
        (IP-SUB  
          (NP  
            (D @idi)  
            (N akiidi))))))  
  (ID ped-gramm,  
    0.56))
```

AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.56


van-data,0.10

Field	Value
Dataset	van-data
Status	DONE
Text	Gawenigi eliodi me libinienigi
Portuguese	a sua comida é muito bonita
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (N$ Gawenigi))
    (CP-me
      (Q eliodi)
      (C me)
      (IP-SUB
        (NP
          (N$ libinienigi))))))
  (ID van-data,
    0.10))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.10

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ Gawenigi))  
    (CP  
      (CP-me  
        (Q eliodi)  
        (C me)  
        (IP-SUB  
          (NP  
            (N$ libinienigi))))))  
  (ID van-data,  
    0.10))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.10


van-data,0.14

Field	Value
Dataset	van-data
Status	DONE
Text	naGajo lomiigo nigaanigawaanigi manitaGa niwatece
Portuguese	Aquele anzol do menino está na canoa.
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D naGajo)
      (N$ lomiigo)
      (NP
        (N nigaanigawaanigi)))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (DAPL @anitaGa)
          (N niwatece))))))
  (ID van-data,
    0.14))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.14

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP
      (D naGajo)
      (N$ lomiigo)
      (NP
        (N nigaanigawaanigi)))
    (CP
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (DAPL @anitaGa)
            (N niwatece))))))
  (ID van-data,
    0.14))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.14


van-data,0.18

Field	Value
Dataset	van-data
Status	DONE
Text	Eyo manitaGa nigotaGa
Portuguese	Estou na cidade
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (PRO Eyo))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (DAPL @anitaGa)
          (N nigotaGa))))))
  (ID van-data,
    0.18))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.18

AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (PRO Eyo))  
    (CP  
      (CP-me  
        (C me@)  
        (IP-SUB  
          (NP  
            (DAPL @anitaGa)  
            (N nigotaGa))))))  
  (ID van-data,  
    0.18))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.18


van-data,0.61

Field	Value
Dataset	van-data
Status	DONE
Text	aGeewi mica iniKGigi
Portuguese	não sou muito feliz (não é verdade que eu sou feliz)
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NEG aG@)  
    (NP  
      (PRO @ee))  
      (ADJ @ewi)  
      (CP-me  
        (C me@)  
        (IP-SUB  
          (NP  
            (D @ica)  
            (N$ iniKGigi))))))  
  (ID van-data,  
    0.61))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.61

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NEG aG@)
    (NP
      (PRO @ee))
    (ADJ @ewi)
    (CP
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (D @ica)
            (N$ iniKGigi))))))
  (ID van-data,
    0.61))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.61


van-data,0.62

Field	Value
Dataset	van-data
Status	DONE
Text	aGeyo mica inikGigi
Portuguese	não sou muito feliz
A result	EXACT_MATCH
C result	STRUCTURAL_DIFFERENCE

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NEG aG@)
    (NP-SBJ
      (PRO @eyo))
    (CP-me
      (C me@)
      (IP-SUB
        (NP
          (D @ica)
          (N$ inikGigi))))))
  (ID van-data,
    0.62))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.62

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NEG aG@)
    (NP
      (PRO @eyo))
    (CP
      (CP-me
        (C me@)
        (IP-SUB
          (NP
            (D @ica)
            (N$ inikGigi))))))
  (ID van-data,
    0.62))
```

AFTER — parser C — graphical tree



AFTER tree for van-data,0.62