

# DONE Parser Transition Report

## 1. Introduction

This document compares parser A (BEFORE) with parser C (AFTER) for DONE sentences. It contains every improvement, regression, and persistent structural case recorded in the transition TSV. Improvement and regression sections show both parser trees; the persistent section shows the gold reference together with both parser trees. All trees are provided in LISP and graphical formats for human inspection.

**DONE improvements:** 9.

**DONE regressions:** 3.

**DONE persistent structural cases:** 11.

**Total DONE cases documented:** 23.

## 2. DONE improvements


hil-data,0.8

| Field      | Value                         |
|------------|-------------------------------|
| Dataset    | hil-data                      |
| Status     | DONE                          |
| Text       | NiGijo liwenigi libinienigi   |
| Portuguese | Aquela comida dela é bonita . |
| A result   | STRUCTURAL_DIFFERENCE         |
| C result   | EXACT_MATCH                   |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D NiGijo)
      (N$ liwenigi)
      (NP
        (N$ libinienigi))))
  (ID hil-data,
    0.8))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.8

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D NiGijo)  
  (N$ liwenigi))  
(NP-PRD  
  (N$ libinienigi)))  
(ID hil-data,  
0.8))
```

**AFTER — parser C — graphical tree**



AFTER tree for hil-data,0.8


ped-gramm,0.12

| Field      | Value                                                      |
|------------|------------------------------------------------------------|
| Dataset    | ped-gramm                                                  |
| Status     | DONE                                                       |
| Text       | ica looligi lidi                                           |
| Portuguese | A comida está/é deliciosa (A gostosura da comida da Maria) |
| A result   | STRUCTURAL_DIFFERENCE                                      |
| C result   | EXACT_MATCH                                                |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ looligi)
      (NP
        (N$ lidi))))
  (ID ped-gramm,
    0.12))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.12

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D ica)  
  (N$ looligi))  
(NP-PRD  
  (N$ lidi)))  
(ID ped-gramm,  
0.12))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.12


ped-gramm,0.15

| Field      | Value                                             |
|------------|---------------------------------------------------|
| Dataset    | ped-gramm                                         |
| Status     | DONE                                              |
| Text       | ica looligi lideGegi                              |
| Portuguese | A comida é deliciosa (a gostosura da comida dela) |
| A result   | STRUCTURAL_DIFFERENCE                             |
| C result   | EXACT_MATCH                                       |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ looligi)
      (NP
        (N$ lideGegi))))
  (ID ped-gramm,
    0.15))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.15

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D ica)  
  (N$ looligi))  
(NP-PRD  
  (N$ lideGegi)))  
(ID ped-gramm,  
0.15))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.15


ped-gramm,0.16

| Field        | Value                         |
|--------------|-------------------------------|
| Dataset      | ped-gramm                     |
| Status       | DONE                          |
| Text         | loigipodi libinienigipi       |
| Portuguese A | comunidade dele/dela é bonita |
| A result     | STRUCTURAL_DIFFERENCE         |
| C result     | EXACT_MATCH                   |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (N$ loigipodi)
      (NP
        (N$ libinienigipi))))
  (ID ped-gramm,
    0.16))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.16

AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-SBJ
```

```
(N$ loigipodi))  
(NP-PRD  
  (N$ libinienigipi)))  
(ID ped-gramm,  
  0.16))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.16


ped-gramm,0.17

| Field      | Value                                             |
|------------|---------------------------------------------------|
| Dataset    | ped-gramm                                         |
| Status     | DONE                                              |
| Text       | ica loigi ijo niganigi ipegitegi GanigotGa        |
| Portuguese | A comunidade do menino é perto da cidade de vocês |
| A result   | STRUCTURAL_DIFFERENCE                             |
| C result   | EXACT_MATCH                                       |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (D ica)
        (N$ loigi))
      (D ijo)
      (N niganigi))
    (VBAPL ipegitegi)
    (NP-APL
      (N$ GanigotGa)))
  (ID ped-gramm,
    0.17))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.17

**AFTER — parser C — LISP**

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ loigi)
      (NP
        (D ijo)
        (N niganigi)))
    (VBAPL ipegitegi)
    (NP-APL
      (N$ GanigotGa)))
  (ID ped-gramm,
    0.17))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.17


ped-gramm,0.19

| Field      | Value                                |
|------------|--------------------------------------|
| Dataset    | ped-gramm                            |
| Status     | DONE                                 |
| Text       | ica liwigo libinienigi               |
| Portuguese | a fotografia dela/dele é/está bonita |
| A result   | STRUCTURAL_DIFFERENCE                |
| C result   | EXACT_MATCH                          |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ica)
      (N$ liwigo)
      (NP
        (N$ libinienigi))))
  (ID ped-gramm,
    0.19))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.19

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D ica)  
  (N$ liwigo))  
(NP-PRD  
  (N$ libinienigi)))  
(ID ped-gramm,  
0.19))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.19


ped-gramm,0.20

| Field      | Value                      |
|------------|----------------------------|
| Dataset    | ped-gramm                  |
| Status     | DONE                       |
| Text       | ica niwigo libinienigi     |
| Portuguese | a fotografia é/está bonita |
| A result   | STRUCTURAL_DIFFERENCE      |
| C result   | EXACT_MATCH                |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D ica)
      (NP
        (N niwigo)))
    (NP-PRD
      (N$ libinienigi)))
  (ID ped-gramm,
    0.20))
```

BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.20

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ica)  
      (N niwigo))  
    (NP-PRD  
      (N$ libinienigi)))  
  (ID ped-gramm,  
    0.20))
```

## AFTER — parser C — graphical tree



AFTER tree for ped-gramm,0.20


van-data,0.11

| Field      | Value                       |
|------------|-----------------------------|
| Dataset    | van-data                    |
| Status     | DONE                        |
| Text       | niGida liwenigi libinienigi |
| Portuguese | aquela comida dela é bonita |
| A result   | STRUCTURAL_DIFFERENCE       |
| C result   | EXACT_MATCH                 |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D niGida)
      (N$ liwenigi)
      (NP
        (N$ libinienigi))))
  (ID van-data,
    0.11))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.11

AFTER — parser C — LISP

```
(
  (IP-MAT
```

```
(NP-SBJ  
  (D niGida)  
  (N$ liwenigi))  
(NP-PRD  
  (N$ libinienigi)))  
(ID van-data,  
0.11))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.11


van-data,0.32

| Field      | Value                        |
|------------|------------------------------|
| Dataset    | van-data                     |
| Status     | DONE                         |
| Text       | naGani wetiGa liwaGatena     |
| Portuguese | esta pedra está muito pesada |
| A result   | STRUCTURAL_DIFFERENCE        |
| C result   | EXACT_MATCH                  |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D naGani)
      (NP
        (N wetiGa)))
    (NP-PRD
      (N$ liwaGatena)))
  (ID van-data,
    0.32))
```

BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.32

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D naGani)  
      (N wetiGa))  
    (NP-PRD  
      (N$ liwaGatena)))  
  (ID van-data,  
    0.32))
```

## AFTER — parser C — graphical tree



AFTER tree for van-data,0.32

## 3. DONE regressions


hil-data,0.43

| Field      | Value                                        |
|------------|----------------------------------------------|
| Dataset    | hil-data                                     |
| Status     | DONE                                         |
| Text       | niGidiwa okokodi ligetedi liwigo libinienaGa |
| Portuguese | Estes ovos da fotografia estão bonitos .     |
| A result   | EXACT_MATCH                                  |
| C result   | STRUCTURAL_DIFFERENCE                        |

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGidiwa)
      (NP
        (N okokodi))
      (N$ ligetedi)
      (NP
        (N$ liwigo)))
    (NP-PRD
      (N$ libinienaGa)))
  (ID hil-data,
    0.43))
```

BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.43

**AFTER — parser C — LISP**

```
(
  (IP-MAT
    (NP-SBJ
      (NP
        (D niGidiwa)
        (NP
          (N okokodi))
          (N$ ligetedi))
        (N$ liwigo))
      (NP-PRD
        (N$ libinienaGa)))
    (ID hil-data,
      0.43))
```

**AFTER — parser C — graphical tree**



AFTER tree for hil-data,0.43

## hil-data,0.44


| Field      | Value                                          |
|------------|------------------------------------------------|
| Dataset    | hil-data                                       |
| Status     | DONE                                           |
| Text       | NiGidiwa noGojedi lixagotaGaGa adakake loojedi |
| Portuguese | Estes peixes vermelhos estão baratos .         |
| A result   | TRACE_EQUIVALENT                               |
| C result   | STRUCTURAL_DIFFERENCE                          |

### BEFORE — parser A — LISP

```
(
  (IP-MAT

    (NP-1
      (D NiGidiwa)
      (NP
        (N noGojedi))
        (N$ lixagotaGaGa))
      (NEG aG@)
      (VBU @dakake)
      (NP
        (NP-GEN
          *T*-1)
          (N$ loojedi)))
      (ID hil-data,
        0.44))
```

## BEFORE — parser A — graphical tree




BEFORE tree for hil-data,0.44

## AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-1
      (D NiGidiwa)
      (N noGojedi))
    (NP-3
      (NP-GEN
        *T*-1)
      (N$ lixagotaGaGa))
    (NEG aG@)
    (VBU @dakake)
    (NP
      (NP-GEN
        *T*-2)
      (N$ loojedi)))
  (ID hil-data,
    0.44))
```

**AFTER — parser C — graphical tree**



AFTER tree for hil-data,0.44

## van-data,0.47


| Field      | Value                                       |
|------------|---------------------------------------------|
| Dataset    | van-data                                    |
| Status     | DONE                                        |
| Text       | idiwa noGojedi lixagotaGaGa adakake loojedi |
| Portuguese | estes peixes vermelhos estão baratos        |
| A result   | TRACE_EQUIVALENT                            |
| C result   | STRUCTURAL_DIFFERENCE                       |

### BEFORE — parser A — LISP

```
(
  (IP-MAT

    (NP-1
      (D idiwa)
      (NP
        (N noGojedi))
        (N$ lixagotaGaGa))
      (NEG aG@)
      (VBU @dakake)
      (NP
        (NP-GEN
          *T*-1)
          (N$ loojedi)))
    (ID van-data,
      0.47))
```

## BEFORE — parser A — graphical tree



BEFORE tree for van-data,0.47


## AFTER — parser C — LISP

```
(
  (IP-MAT

    (NP-1
      (D idiwa)
      (N noGojedi))

    (NP-3
      (NP-GEN
        *T*-1)
      (N$ lixagotaGaGa))
    (NEG aG@)
    (VBU @dakake)
    (NP
      (NP-GEN
        *T*-2)
      (N$ loojedi)))
  (ID van-data,
    0.47))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.47

**4. DONE persistent structural cases**

In these cases, both parsers remain structurally different from the gold tree. The A and C outputs may nevertheless be identical to or different from one another.


ped-gramm,0.11

| Field      | Value                                                                        |
|------------|------------------------------------------------------------------------------|
| Dataset    | ped-gramm                                                                    |
| Status     | DONE                                                                         |
| Text       | ica Maria looligi alidi                                                      |
| Portuguese | a comida da Maria não está deliciosa<br>(a não gostosura da comida da Maria) |
| A result   | STRUCTURAL_DIFFERENCE                                                        |
| C result   | STRUCTURAL_DIFFERENCE                                                        |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (NP
        (D ica)
        (NPR Maria))
      (N$ looligi))
    (NEG aG@)
    (NP-PRD
      (N$ @lidi)))
  (ID ped-gramm,
    0.11))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for ped-gramm,0.11

**BEFORE — parser A — LISP**

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ica)  
      (NPR Maria)  
      (N$ looligi))  
    (NEG aG@)  
    (NP-PRD  
      (N$ @lidi)))  
  (ID ped-gramm,  
    0.11))
```

**BEFORE — parser A — graphical tree**




BEFORE tree for ped-gramm,0.11

**AFTER — parser C — LISP**

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ica)  
      (NPR Maria))  
    (NP-SBJ-PRD  
      (N$ looligi))  
    (NEG aG@)  
    (NP-PRD  
      (N$ @lidi)))  
  (ID ped-gramm,  
    0.11))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.11


## ped-gramm,0.26

| Field      | Value                      |
|------------|----------------------------|
| Dataset    | ped-gramm                  |
| Status     | DONE                       |
| Text       | João liGeladi ane napioi   |
| Portuguese | a casa do João, que é suja |
| A result   | STRUCTURAL_DIFFERENCE      |
| C result   | STRUCTURAL_DIFFERENCE      |

## REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (NPR João))
        (N$ liGeladi)
        (CP-REL
          (WNP-1
            (WPRO ane))
            (IP-SUB
              (NP-TRACE
                (-NONE-
                  *T*-1)))
            (NP
              (N napioi))))))
  (ID ped-gramm,
    0.26))
```

## REFERENCE — GOLD — graphical tree




REFERENCE tree for ped-gramm,0.26

## BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NPR João)
      (N$ liGeladi)
      (CP-REL
        (WNP-1
          (WPRO ane))
          (IP-SUB
            (NP-TRACE
              *T*-1)
            (NP
              (N napioi))))))
    (ID ped-gramm,
      0.26))
```

## BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.26

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (NPR João))  
    (NP-PRD  
      (N$ liGeladi)  
      (CP-REL  
  
        (WNP-1  
          (WPRO ane))  
        (IP-SUB  
          (NP-TRACE  
            *T*-1)  
          (NP  
            (N napioi))))))  
  (ID ped-gramm,  
    0.26))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.26


ped-gramm,0.40

| Field      | Value                    |
|------------|--------------------------|
| Dataset    | ped-gramm                |
| Status     | DONE                     |
| Text       | iGeladi digoida weiigi . |
| Portuguese | Minha casa é no rio.     |
| A result   | STRUCTURAL_DIFFERENCE    |
| C result   | STRUCTURAL_DIFFERENCE    |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (N$ iGeladi))
    (NP-PRD
      (D digoida)
      (N weiigi))
    (PUNC .))
  (ID ped-gramm,
    0.40))
```

REFERENCE — GOLD — graphical tree



REFERENCE tree for ped-gramm,0.40

BEFORE — parser A — LISP


```
(
  (IP-MAT
    (NP
```

```

(NP
  (N$ iGeladi))
(D digoida)
(N weiigi))
(PUNC .))
(ID ped-gramm,
0.40))

```

**BEFORE — parser A — graphical tree**



BEFORE tree for ped-gramm,0.40


**AFTER — parser C — LISP**

```

(
  (IP-MAT
    (NP
      (N$ iGeladi)
      (NP
        (D digoida)
        (N weiigi)))
    (PUNC .))
  (ID ped-gramm,
0.40))

```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.40


ped-gramm,0.47

| Field      | Value                                        |
|------------|----------------------------------------------|
| Dataset    | ped-gramm                                    |
| Status     | DONE                                         |
| Text       | liGeladi ipegitege niweiigi nigotaGa .       |
| Portuguese | A casa dele/dela é perto da cidade da lagoa. |
| A result   | STRUCTURAL_DIFFERENCE                        |
| C result   | STRUCTURAL_DIFFERENCE                        |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (N$ liGeladi))
      (VBAPL ipegitege)
      (NP-APL
        (NP
          (N niweiigi))
          (N$ nigotaGa))
        (PUNC .))
    (ID ped-gramm,
      0.47))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for ped-gramm,0.47

## BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ liGeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi)  
        (N$ nigotaGa))  
      (PUNC .))  
    (ID ped-gramm,  
      0.47))
```

## BEFORE — parser A — graphical tree




BEFORE tree for ped-gramm,0.47

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ liGeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi))  
        (NP  
          (N$ nigotaGa))  
        (PUNC .))  
    (ID ped-gramm,  
      0.47))
```

**AFTER — parser C — graphical tree**



AFTER tree for ped-gramm,0.47


van-data,0.1

| Field      | Value                  |
|------------|------------------------|
| Dataset    | van-data               |
| Status     | DONE                   |
| Text       | iGeladi digoida weiigi |
| Portuguese | Minha casa é no rio    |
| A result   | STRUCTURAL_DIFFERENCE  |
| C result   | STRUCTURAL_DIFFERENCE  |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (N$ iGeladi))
    (NP-PRD
      (D digoida)
      (N weiigi)))
  (ID van-data,
    0.1))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.1

BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (NP
        (N$ iGeladi))
      (D digoida)
```

```
(N weiigi)))  
(ID van-data,  
0.1))
```

### BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.1

### AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ iGeladi)  
      (NP  
        (D digoida)  
        (N weiigi))))  
  (ID van-data,  
0.1))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.1


## van-data,0.30

| Field      | Value                                            |
|------------|--------------------------------------------------|
| Dataset    | van-data                                         |
| Status     | DONE                                             |
| Text       | niGijo lodaajo ajo lodowa aGica digoida liGeladi |
| Portuguese | esta faca da esposa dele não está na casa        |
| A result   | STRUCTURAL_DIFFERENCE                            |
| C result   | STRUCTURAL_DIFFERENCE                            |

## REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGijo)
      (N$ lodaajo)
      (NP
        (D ajo)
        (N$ lodowa)))
    (NEG aG@)
    (NP-PRD
      (Q @ica)
      (D digoida)
      (N$ liGeladi)))
  (ID van-data,
    0.30))
```

**REFERENCE — GOLD — graphical tree**




REFERENCE tree for van-data,0.30

**BEFORE — parser A — LISP**

```
(
  (IP-MAT
    (NP-SBJ
      (NP
        (D niGijo)
        (N$ lodaaajo))
      (D ajo)
      (N$ lodowa))
    (NEG aG@)
    (NP-PRD
      (Q @ica)
      (D digoida)
      (N$ liGeladi)))
  (ID van-data,
    0.30))
```

## BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.30

## AFTER — parser C — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D niGijo)
      (N$ lodaaajo))
    (NP-SBJ-PRD
      (D ajo)
      (N$ lodowa))
    (NEG aG@)
    (NP-PRD
      (Q @ica)
      (D digoida)
      (N$ liGeladi)))
  (ID van-data,
    0.30))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.30


## van-data,0.37

| Field      | Value                                   |
|------------|-----------------------------------------|
| Dataset    | van-data                                |
| Status     | DONE                                    |
| Text       | ani wetiGa me iwaGadi eniteloco iGonagi |
| Portuguese | esta pedra que é pesada caiu no meu pé  |
| A result   | STRUCTURAL_DIFFERENCE                   |
| C result   | STRUCTURAL_DIFFERENCE                   |

## REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (D ani)
      (N wetiGa)
      (CP-me
        (C me)
        (IP-SUB
          (VB iwaGadi))))
    (VBAPL eniteloco)
    (NP-APL
      (N$ iGonagi)))
  (ID van-data,
    0.37))
```

## REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.37

## BEFORE — parser A — LISP

```
(
  (IP-MAT
    (NP
      (D ani)
      (N wetiGa))
    (CP-me
      (C me)
      (IP-SUB
        (VB iwaGadi)))
    (VBAPL eniteloco)
    (NP-APL
      (N$ iGonagi)))
  (ID van-data,
    0.37))
```

## BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.37

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (D ani)  
      (N wetiGa))  
    (CP-me  
      (C me)  
      (IP-SUB  
        (VB iwaGadi)))  
    (VBAPL eniteloco)  
    (NP-APL  
      (N$ iGonagi)))  
  (ID van-data,  
    0.37))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.37


van-data,0.43

| Field      | Value                                       |
|------------|---------------------------------------------|
| Dataset    | van-data                                    |
| Status     | DONE                                        |
| Text       | ijo niwigo libinienigi ijowa nigetedi       |
| Portuguese | estes ovos da fotografia dela estão bonitos |
| A result   | STRUCTURAL_DIFFERENCE                       |
| C result   | STRUCTURAL_DIFFERENCE                       |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D ijo)
      (NP
        (N niwigo))
        (N$ libinienigi))
      (NP-PRD
        (D ijowa)
        (N$ nigetedi)))
    (ID van-data,
      0.43))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.43

## BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (NP  
        (D ijo)  
        (NP  
          (N niwigo))  
          (N$ libinienigi))  
        (D ijowa))  
      (NP-PRD  
        (N$ nigetedi)))  
    (ID van-data,  
      0.43))
```

## BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.43

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijo)  
      (N niwigo))  
    (NP-SBJ-PRD
```

```
(N$ libinienigi))  
(NP-PRD  
  (D ijowa)  
  (N$ nigetedi)))  
(ID van-data,  
0.43))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.43


van-data,0.44

| Field      | Value                                  |
|------------|----------------------------------------|
| Dataset    | van-data                               |
| Status     | DONE                                   |
| Text       | ijoa nigetedi niwigo libinienigipi     |
| Portuguese | estes ovos da fotografia estão bonitos |
| A result   | STRUCTURAL_DIFFERENCE                  |
| C result   | STRUCTURAL_DIFFERENCE                  |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP-SBJ
      (D ijoa)
      (N nigetedi)
      (NP
        (N niwigo)))
    (NP-PRD
      (N$ libinienigipi)))
  (ID van-data,
    0.44))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.44

## BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijoa)  
      (N nigetedi))  
    (NP-PRD  
      (N niwigo)  
      (N$ libinienigipi)))  
  (ID van-data,  
0.44))
```

## BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.44

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijoa)  
      (N nigetedi))  
    (NP-SBJ-PRD  
      (N niwigo))  
    (NP-PRD  
      (N$ libinienigipi)))  
  (ID van-data,  
0.44))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.44


van-data,0.72

| Field      | Value                             |
|------------|-----------------------------------|
| Dataset    | van-data                          |
| Status     | DONE                              |
| Text       | ijowa leonigipi iwaalo idi metaGa |
| Portuguese | os filhos da mulher estão com ele |
| A result   | STRUCTURAL_DIFFERENCE             |
| C result   | STRUCTURAL_DIFFERENCE             |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (D ijowa)
      (N$ leonigipi)
      (NP
        (N iwaalo)))
    (CP
      (NP
        (D idi))
      (CAPL metaGa)))
  (ID van-data,
    0.72))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.72

## BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijowa)  
      (N$ leonigipi)  
      (NP  
        (N iwaalo)))  
    (CP-me  
      (IP-SUB  
        (NP  
          (D idi)))  
      (CAPL metaGa)))  
  (ID van-data,  
  0.72))
```

## BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.72

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP-SBJ  
      (D ijowa)  
      (N$ leonigipi)
```

```
(NP
  (N iwaalo)))
(NP-PRD
  (D idi))
(CAPL metaGa))
(ID van-data,
0.72))
```

### AFTER — parser C — graphical tree



AFTER tree for van-data,0.72


van-data,0.73

| Field      | Value                                |
|------------|--------------------------------------|
| Dataset    | van-data                             |
| Status     | DONE                                 |
| Text       | ligeladi ipegitege niweiigi nigotaGa |
| Portuguese | a casa dela é perto da cidade do rio |
| A result   | STRUCTURAL_DIFFERENCE                |
| C result   | STRUCTURAL_DIFFERENCE                |

REFERENCE — GOLD — LISP

```
(
  (IP-MAT
    (NP
      (N$ ligeladi))
      (VBAPL ipegitege)
      (NP-APL
        (NP
          (N niweiigi))
          (N$ nigotaGa)))
    (ID van-data,
      0.73))
```

REFERENCE — GOLD — graphical tree




REFERENCE tree for van-data,0.73

## BEFORE — parser A — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ ligeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi)  
        (N$ nigotaGa)))  
    (ID van-data,  
      0.73))
```

## BEFORE — parser A — graphical tree




BEFORE tree for van-data,0.73

## AFTER — parser C — LISP

```
(  
  (IP-MAT  
    (NP  
      (N$ ligeladi))  
      (VBAPL ipegitege)  
      (NP-APL  
        (N niweiigi))  
        (NP  
          (N$ nigotaGa)))  
    (ID van-data,  
      0.73))
```

**AFTER — parser C — graphical tree**



AFTER tree for van-data,0.73