VYRAX LABS

RESEARCH PEPTIDES · VYRAXLABS.CO.UK

CERTIFICATE OF ANALYSIS

ARA-290 10mg

Lyophilised powder · For in-vitro research use only

CERTIFICATE DETAILS	
PRODUCT	ARA-290 10mg
FORM	Lyophilised powder
BATCH	ARA-7208
ANALYSIS DATE	09/09/2026
METHOD	HPLC
EXPIRY	September 2028
STORAGE	-20°C, dry, protected from light

ANALYTICAL RESULTS

TEST PARAMETER	RESULT	SPECIFICATION	STATUS
Chromatographic Purity (HPLC)	98.44	≥ 98.0%	PASS
Net Content	10.78 mg (declared 10mg)	≥ 90.0% of label claim	PASS

STORAGE & HANDLING

Keep at -20°C, dry and protected from light. Avoid repeated freeze-thaw cycles and reseal the vial immediately after each use. Reconstituted peptide should be kept refrigerated and used promptly.

vyraxlabs.co.uk/verify/ARA-7208

ANALYSIS PERFORMED BY

Marfleet Analytical

This certificate applies only to the batch identified above. Vyrax Labs products are supplied strictly for laboratory research and are not for human consumption. The results shown are provided for in-vitro research use only and do not constitute a recommendation, prescription or claim of suitability for any human or veterinary use.