VYRAX LABS

RESEARCH PEPTIDES · VYRAXLABS.CO.UK

CERTIFICATE OF ANALYSIS

DSIP 5mg

Lyophilised powder · For in-vitro research use only

CERTIFICATE DETAILS	
PRODUCT	DSIP 5mg
FORM	Lyophilised powder
BATCH	DSP-2707
ANALYSIS DATE	01/08/2026
METHOD	HPLC
EXPIRY	August 2028
STORAGE	-20°C, dry, protected from light

ANALYTICAL RESULTS

TEST PARAMETER	RESULT	SPECIFICATION	STATUS
Chromatographic Purity (HPLC)	98.98	≥ 98.0%	PASS
Net Content	5.05 mg (declared 5mg)	≥ 90.0% of label claim	PASS

STORAGE & HANDLING

Keep at -20°C, dry and protected from light. Avoid repeated freeze-thaw cycles and reseal the vial immediately after each use. Reconstituted peptide should be kept refrigerated and used promptly.

vyraxlabs.co.uk/verify/DSP-2707

ANALYSIS PERFORMED BY

Marfleet Analytical

This certificate applies only to the batch identified above. Vyrax Labs products are supplied strictly for laboratory research and are not for human consumption. The results shown are provided for in-vitro research use only and do not constitute a recommendation, prescription or claim of suitability for any human or veterinary use.