

List :: Contao Developer Docun

docs.contao.org/dev/reference/dca/list/

Contao

Developer Documentation

Search...

Getting Started

Framework

Reference

Data Container Array

Config

List

Fields

Palettes

Callbacks

Hooks

Commands

Config

Services

Contao Developer Documentation > Reference > ...

Sorting

// contao/dca/tl_example.php

\$GLOBALS['TL_DCA']['tl_example']['list']['sorting'] = [

// ...

];

Key	Value	Description
mode	Sorting mode (integer)	<div>0 Records are not sorted</div> <div>1 Records are sorted by a fixed field</div> <div>2 Records are sorted by a switchable field</div> <div>3 Records are sorted by the parent table</div> <div>4 Displays the child records of a parent record (see style sheets module)</div> <div>5 Records are displayed as tree (see site structure)</div> <div>6 Displays the child records within a tree structure (see articles module)</div>
		<div>1 Sort by initial letter ascending</div> <div>2 Sort by initial letter descending</div>

activateAccount :: Contao Dev

docs.contao.org/dev/reference/hooks/activateaccount/

Contao

Developer Documentation

Search...

Getting Started

Framework

Reference

Data Container Array

Hooks

Commands

Config

Services

Guides

Internals

Clear History

Contao Developer Documentation > Reference > Hooks > activa...

hook-module

hook-member

activateAccount

The activateAccount hook is triggered when a new front end account is activated. It passes the MemberModel of the activated account and the Module object of the calling front end module as arguments and does not expect a return value.

Parameters

1. |Contao|MemberModel \$member

A model of the activated user account.

2. |Contao|Module \$module

The registration module that was used to activate the account.