


Ansible Developer Journey

Financial Services



What makes a comprehensive Automation Platform?



Authoring : Typical Starting Point



Quality and Security

- Managing code quality
- Enforcing best practices
- No testing framework
- Many tools and frameworks,
- No observability for success/improvements in quality and deployments

Time


- Managing execution environments
- Developer onboarding takes time
- Projects in controller are maintained manual
- Multiple internal processes in parallel
- Troubleshooting time for platform owner and automaton consumer




Putting the Pieces Together

Ansible SDLC

Development: Inner Loop



Development: Outer Loop



Demo

<https://github.com/aoyawale/ansible-devspaces-demo>



Recommended Next Steps

Solution

What should I do next?

Development Assessment	Initial 1 day workshop in-person to whiteboard status quo and whiteboard potential solution. Led by your Ansible SSP and SSA.
Proof of Concept	Red Hat demonstrates that your desired solution is feasible within your specific boundaries and desired target state. Led by the Launch team or Red Hat Consulting.
Implementation and Onboarding	Based on the previous discussion, implement the target solution and begin onboarding new users. Led by you or Red Hat Consulting.
Data Driven Performance & Improvement	Based on the Grafana data and user feedback, reiterate over the current solution and make improvements as needed. Led by you or Red Hat Consulting.

Contacts

Chris Hammer Ansible Architect	Adébísí òyàwálé Ansible Architect	Louis Lopez Ansible Architect	Florian Moss Ansible FSI
--	---	---	------------------------------------



Appendix

Molecule : Testing frameworks and scenarios

`molecule test`

Dependency

Create

Converge

Verify

Idempotence


Cleanup

Destroy

Molecule scenario

- Tests roles, playbooks, anything really
- Supports testing against multiple instances, operating systems and distributions
- Various virtualization providers are supported
- Able to validate idempotency
- Define your automation testing 'as code'


Grafana : GitHub Dashboard Monitoring



OpenShift Platform

Monitoring Development Workflows

- Uses GitHub Data Source
- Colocate on Openshift running DevSpaces
- Annotating events like releases, commits, issues, and pull requests
- Displays tabular GitHub data
- Use dashboard variables to monitor different datasets using the same panels




Leveraging OpenShift AI with Ansible


Code Transformation & Version Upgrades



Leveraging OpenShift AI and Ansible




Leveraging OpenShift AI and Ansible



Migration: x to AAP

The time estimates and outcomes you can expect from us at every stage of the project








Getting Technical

Technical Architecture

Technical Architecture





- ☐ simple
- ☒ agentic

Agentic(LLS)

✓ Agentic backend configured. Ready to select files.

Advanced Settings

Choose File Source

Source

- ☐ Upload Files
- ☒ Browse Existing
- ☐ Git Repo

Folder to browse

uploads

Select files

puppet_... x

Ansible Converter

Transform IaC into Ansible playbooks with AI

Start Conversion

Analysis Summary

Let's break down this Puppet code step by step:

Package Management

The first line:

```
package { ['httpd', 'git', 'curl']:  
  ensure => installed,  
}
```

This code uses the `package` resource to manage package installations on the system. The syntax is called a "resource" in Puppet.

Here's what it does:

- `package` : This is the resource type.
- `['httpd', 'git', 'curl']` : This is an array of packages that should be installed. In this case, three packages are specified: `httpd`, `git`, and `curl`.
- `ensure => installed` : This specifies the desired state for each package.

Generated Ansible Playbook


```
``yaml  
---  
- name: Install and configure Apache web server  
  hosts: all  
  become: yes  
  
  tasks:  
    - name: Ensure required packages are installed  
      apt:  
        name:  
          - httpd  
          - git  
          - curl  
        state: present  
  
    - name: Start and enable Apache service  
      service:  
        name: httpd  
        enabled: yes  
        state: started
```



Migrations

Migration: x to AAP

Red Hat leverages consulting framework for modernizing legacy automation tooling, which is tested in large scale enterprises.



Migration: x to AAP

The time estimates and outcomes you can expect from us at every stage of the project

