Status	Finished
Started	Wednesday, 28 October 2026, 8:11 PM
Completed	Wednesday, 28 October 2026, 8:24 PM
Duration	13 mins 22 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **2**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

- a. Moves the file cursor to the specified position ✓
- b. Writes data to the file
- c. Reads the file line by line
- d. Deletes the file

The correct answer is: Moves the file cursor to the specified position

Question **3**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

- a. r
- b. wb+
- c. rw+ ✓
- d. ab+

The correct answer is: rw+

Question **4**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for binary read and write, w+ is for text read and write
b. r+ is for read and append, w+ is for read and write
c. r+ is for read and write, w+ is for append only
d. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **5**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the file is opened or not
b. tells you the end position within the file
c. tells you the current position within the file ✓
d. none of the mentioned

The correct answer is:
tells you the current position within the file

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Creates a new file for writing ✓
b. Opens an existing file in read mode
c. Opens a file in binary mode
d. Appends to an existing file

The correct answer is: Creates a new file for writing

Question **7**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlist()
b. readline()
c. read()
d. readlines() ✓

The correct answer is: readlines()

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. read()
b. readline(size)
c. readline() ✓
d. readlines()

The correct answer is: readline()

Question **9**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. write(list)
b. writelines(list) ✓
c. writelist(list)
d. None of the mentioned

The correct answer is: writelines(list)

Question **10**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file
b. Deletes the file content
c. Moves the file cursor to the beginning
d. Flushes the internal buffer to the file ✓

The correct answer is: Flushes the internal buffer to the file

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised
b. Python ✓
c. Python Programming
d. Program

The correct answer is: Python

Question **12**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. openfile()
b. open() ✓
c. file()
d. open_file()

The correct answer is: open()

Question **13**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode

b. Overwrites the file with "Adding new data"

c. Appends "Adding new data" to the end of the file ✓

d. Opens the file in read mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **14**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The access mode of the file

b. The file's read/write position

c. The encoding of the file

d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **15**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position

b. move the file pointer to beginning of the file

c. moves the file pointer to the end of a file

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position