Status	Finished
Started	Friday, 23 October 2026, 8:46 PM
Completed	Friday, 23 October 2026, 9:02 PM
Duration	15 mins 40 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Jump search
b. Hashing
c. Binary search
d. Linear search ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search can be applied to both sorted and unsorted lists. ✓
b. Linear search requires the list to be sorted.
c. Linear search divides the list into halves.
d. Linear search is more efficient than binary search on large lists.

Question **3**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Linear search ✓
b. Binary search
c. Both (1) & (3)
d. Hash search

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

- a. It requires the list to be sorted ✓
- b. It can only be applied to large lists
- c. It is slower than linear search for small lists
- d. It does not work with negative numbers

Question **5**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The search continues in the left or right sublist ✓
- b. The search continues from the beginning
- c. The list is sorted
- d. The search stops

Question **6**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

- a. 89 and 99
- b. 90 and 94
- c. 89 and 94
- d. 90 and 99 ✓

Question **7**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

- a. log n
- b. n/2
- c. 1
- d. n ✓

Question **8**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the search algorithm finishes
b. When the list is sorted
c. When the list contains duplicate elements
d. When the element is found in the list ✓

Question **9**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is not the array at all
b. When the item is the last element in the array
c. Item is the last element in the array or item is not there at all
d. When the item is somewhere in the middle of the array ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Binary search
b. Hash search
c. Linear search ✓
d. Interpolation search

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is unsorted
b. When the list is very small
c. When the list contains duplicate elements
d. When the list is sorted ✓

Question **12**

Incorrect

Mark 0.00 out of 1.00

What is the first step in binary search?

a. Divide the list into two equal parts
b. Sort the list ✗
c. Compare the target element with the first element in the list
d. Compare the target element with the middle element in the list

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Dynamic search
b. Hashing
c. Binary search
d. Linear search ✓

Question **14**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Bubble ✓
b. Selection
c. Insertion
d. Complexity

Question **15**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the right sublist ✓
b. In the left sublist
c. In the middle of the list
d. At the beginning of the list