SeeWandel Climate

Interreg
Alpenrhein-Bodensee-Hochrhein

Kofinanziert von der Europäischen Union

Regime Shifts in Plankton Dynamics: What Drives Them and Can We Predict Them?

Dr. Leonardo Capitani
Department of Aquatic Ecology, Eawag · SeeWandel-Climate

www.seewandel.org

Ecomeets at Eawag, Dübendorf
28 October 2026 · 11:00–12:00

Interreg
Alpenrhein-Bodensee-Hochrhein

Kofinanziert von der Europäischen Union

SeeWandel Climate

Slides and links

Scan to download the slides

SORTEE
Society for Open, Reliable, and Transparent Ecology and Evolutionary Biology

Slides, code and data shared openly
leomarameo7.github.io/science_communication.html

Interreg
Alpenrhein-Bodensee-Hochrhein
Kofinanziert von der Europäischen Union

SeeWandel Climate

The Pomati lab



Plankton Ecology Group
PI Dr. Francesco Pomati, Eawag

SeeWandel-Climate
Lake Constance plankton and fish under climate change

Co-funded by the European Union (Interreg Alpenrhein-Bodensee-Hochrhein)

Take home message


Plankton regime shifts can be detected and partly explained by biotic drivers. Whether they propagate and can be predicted is still open.



Outline

1. What we know: background
2. Research questions
3. Methods: our pipeline
4. Results: detection of regime shifts
5. Explain regime shifts
6. Propagation of regime shifts
7. Conclusions

What we know: background




Lake Constance
473 km², 252 m deep, warm-monomictic

Phosphate: peak around 1980 (~85 µg/L), back to ~6 µg/L: **re-oligotrophication**

Temperature: warming of about 1 °C since the 1960s

Figure: Dietmar Straile, University of Konstanz (UKON sampling location, total phosphorus TP, annual temperature)

What we know: the plankton community



2005

Spotlight: what we expect to drive the omnivores (Om)

Network: Merz et al. 2023, Nat. Clim. Change · hypotheses: notebook 18 · Ci, Ro: not in the data

Research questions



1 · Detect

Do plankton guilds show abrupt regime shifts?



2 · Explain

Which drivers explain a regime shift?



3 · Propagate

Did the shift of one guild cause the shift of another?



4 · Predict

Can we forecast regime shifts? (work in progress)

Methods: our pipeline

1 Data

Monthly IGKB monitoring, 1975–2022: 13 plankton guilds, temperature, phosphate, whitefish

→

2 Detect

BEAST change point, Bayesian difference in means, abruptness > 1

→

3 Explain

GP-EDM of each guild; hypotheses from the literature tested with heat maps and partial dependence

→

4 Propagate

Shift-removal test: re-predict with 100 shift-free surrogates of the driver

→


5 Predict

Forward validation of the models

WORK IN PROGRESS

Gilarranz et al. 2022 · Munch et al. 2017 (GPEDM) · Merz et al. 2023

Results: detection of regime shifts



Omnivores (copepods), Lake Constance, monthly biovolume 1975–2022. Dashed: detected shift; red: mean of each period.




Omnivores: shift in Aug 2014

abruptness **1.19** · change-point prob. **0.87**

Also: small green algae, 1984 and 1993

The omnivores dropped abruptly in 2014

Explain regime shifts






GP-EDM, LOO R^2 = **0.81**

Omnivores **decrease** with cyanobacteria (×2.2–2.4), small diatoms (×1.7–1.8), large gold algae (×1.6–1.7)

Prey hypothesis: more prey, more omnivores. **Not supported**

Heat maps: axes in log10(mm³ m⁻² + 1); dots: observed months

Explain regime shifts: partial dependence





x axis: one predictor
lines: levels of a second one

Cyanobacteria **lower** the omnivores at every level of the second predictor

Lines do not cross: no change of sign

Other predictors at their median; axes in log10(mm³ m⁻² + 1); lines: 5th to 95th percentile of the second predictor

Propagation of regime shifts

1 · Real predictor



2 · Shift-free surrogate (× 100)



Gap between real and surrogate prediction = evidence for propagation

2 candidate pairs

0 testable: the model must reproduce the shift

Both predictors shifted **after** the response

No evidence of propagation yet: too few shifts

Conclusions



Shifts are detectable



Biotic drivers matter



Propagation, prediction: open

Take home message

Plankton regime shifts can be detected and partly explained by biotic drivers. Whether they propagate and can be predicted is still open.



Acknowledgments

Interreg Alpenrhein-Bodensee-Hochrhein

Kofinanziert von der Europäischen Union

SeeWandel Climate

igkb Internationale Gewässerschutzkommission für den Bodensee

IBKF

SeeWandel-Climate · Pomati lab and colleagues at Eawag

Luis J. Gilarranz · Stefanie Eyring · Stephan B. Munch · Tanya L. Rogers · Francesco Pomati

Data: IGKB, IBKF, University of Konstanz (D. Straile)