Algebraic Topology Notes

Made by Leon:) Note: Any reference numbers are to the lecture notes

1 Introduction

Recall 1.1.1: Topology

An (open) topology on X is a collection of subsets $\tau \subset P(X)$ such that

- $\emptyset \in \tau$ and $X \in \tau$
- τ is closed under finite intersections: If $\{U_1,\ldots,U_n\}\subset \tau$ then

$$\bigcap_{i=1,\ldots,n} U_i \in \tau$$

• τ is closed under arbitrary unions: If $\{U_1,\ldots,U_n\}\subset \tau$ is a family of open subsets then

$$\bigcup_{i=1,\ldots,n} U_i \in \tau$$

The subsets $U \in \mathcal{T}$ are called **open** and their complements in X define **closed subsets**.

Two examples of a topology on a set X are the following:

- The Trivial Topology: $\tau_{\mathrm{triv}} = \{\emptyset, X\}$
- The Discrete Topology: $\tau_{dis} = P(X)$

A subset $A \subset X$ is clopen if it is both closed and open

Definition 1: Connected Spaces

A topological space X is **connected** if $X = A \cup B$ with $A, B \subset X$ open implies that $A = \emptyset$ or A = X.

Proposition 1: Connectedness and Clopens

A topological space X is connected iff the only clopens are \emptyset and X.

Example 1: Examples of Connected Topologies

- \bullet Every X with the trivial topology is connected.
- Every X with the discrete topology is not connected unless
 X = Ø or X = {*} (in which it coincides with the trivial topology).
- The real line \mathbb{R} with the standard topology is connected.

Proposition 2: Continuous Maps

Let $f: X \to Y$ be a continuous map of topological spaces and let X be connected. Then f(X) is connected.

Proposition 3: Connected Equivalence Relation

For a topological space X, define $x\sim y$ if there exists some connected subset that contains both. The relation $x\sim y$ is an equivalence relation.

Definition 2: Connected Components

The equivalence classes of this relation are called **connected components**. In particular, a space X is connected iff it only has a single connected component.

Definition 3: Path

Let I denote the closed unit interval [0,1]. A **path** in X is a continuous map $\alpha: I \to X$. The points $\alpha(0) \in X$ and $\alpha(1) \in X$ will be called **start** and **end** points respectively.

We define a path relation between points in X be declaring $x \sim y$ if there exists some path $\alpha: I \to X$ that starts at x and ends in y, i.e. $\alpha(0) = x$ and $\alpha(1) = y$. This is an equivalence relation from the following properties:

- 1. Constant Path: For all $x \in X$ there exists the constant path $c_x : I \to X$ defined by $c_x(t) = x$ for all $t \in I$
- 2. Path reversal: Let $\alpha: I \to X$ be a pth in X. Define its reversed path by

$$\overline{\alpha}: I \to X, \quad t \mapsto \alpha(1-t)$$
 (1)

3. Path Concatenation: Let α , $\beta: I \to X$ be two paths in X s.t. $\alpha(1) = \beta(0)$. Their concatenated path is defined by:

$$\alpha * \beta(t) := \begin{cases} \alpha(2t), & 0 \le t \le 1/2\\ \beta(2t-1) & 1/2 \le t \le 1 \end{cases}$$
 (2)

Definition 4: Path-Connected Components

The equivalence clases are called **path-connected components** and their set is denoted by $\pi_0(X)$. A space X is called **path-connected** if $\pi_0(X)$ is a one-point set, i.e. any two points x, y can be related by a path in X.

Remark 1: Random examples

The following statements are true:

- A homeomorphism $X \cong Y$ induces a bijection $\pi_0(X) \cong \pi_0(Y)$.
- If X is path-connected, it is also connected.
- The topologist's sine curve defined by $X=\{0\}\times[-1,1]\times\{(x,\sin(1/x))\mid 0< x\}$ is connected but not path-connected.

Definition 5: Homotopy

A **homotopy** of maps $f, g: X \to Y$ is a continuous map $h: X \times I \to Y$ such that h(-,0) = f and h(-,1) = g.



If such a homotopy exists, f is called **homotopic** to g. This defines an equivalence relation $f \simeq g$ on the space of maps $\operatorname{Map}(X,Y)$.

Example 2: Paths as Homotopies

Points in X are the same as maps $* \to X$ from the one-point set * to X. A path $\alpha: I \to K$ corresponds to a homotopy $* \times I \to X$.

Remark 1.5: Composition of Homotopies

• Horizontal Composition: Let $h,h':X\times I\to Y$ be two homotopies in X such that $h(-,1)=h'(-,0):X\to Y$. Their concatenated homotopy is defined by


$$h * h'(-,t) := \begin{cases} h(-,2t) & 0 \le t \le 1/2 \\ h'(-,2t-1) & 1/2 \le t \le 1 \end{cases}$$
 (5)


• Vertical Composition: Let $h: X \times I \to Y$ and $k: Y \times I \to Z$ be two homotopies on maps from X to Y, and Y to Z. Then

$$k \circ h := [X \times I \xrightarrow{\operatorname{id} \times \Delta} X \times I^2 \xrightarrow{h \times \operatorname{id}} Y \times I \xrightarrow{k} Z]$$
 (6)

where $\Delta:I\rightarrow I^2,\,t\mapsto (t,t)$ is the diagonal map, or explicitly,

$$k \circ h(x,t) = k(h(x,t),t)$$





Lemma 1: Concatenation Relation

Let $f, f': X \to Y$ and $g, g': Y \to Z$ be maps such that $f \simeq f'$ and $g \simeq g'$. Then $f' \circ f \simeq g' \circ g$ as maps from X to Z. In particular, $g' \circ f \sim g \circ f$ and $g \circ f' \sim g \circ f$.

Definition 6: Homotopy Equivalence

A map $f: X \to Y$ is called a **homotopy equivalence** if there exists a map $g: Y \to X$ and homotopies $f \circ g \simeq \operatorname{id}_Y, g \circ f \simeq \operatorname{id}_X$. In other words, g satisfies the properties of an inverse up to homotopy. It is called a **homotopy inverse** of f.

Example 3: Circle to \mathbb{R}^2

The inclusion map $\mathbb{S}^1 \hookrightarrow \mathbb{R}^2$ is not a homotopy equivalence, but the inclusion $\mathbb{S}^1 \hookrightarrow \mathbb{R}^2 \setminus \{0\}$ is a homotopy equivalence.

Proposition 4: Unique Inverses of Homotopy

Homotopy inverses are unique up to homotopy.

Definition 7: Homotopic Spaces

Two spaces X and Y are called **homotopy equivalent**, or **of the same homotopy type**, and denoted by $X \simeq Y$ if there exists a homotopy equivalence $f: X \to Y$.

Notation: We use \cong for homeomorphisms and \simeq for homotopy equivalence.

Lemma 2: Composition of Inverses

Let $f: X \to y$ and $g: Y \to Z$ with homotopy inverses $\overline{f}: Y \to X$ and $\overline{g}: Z \to Y$ respectively. Then $\overline{f} \circ \overline{g}: Z \to X$ is a homotopy inverse of $g \circ f: X \to Z$. In particular, $X \simeq Y$ and $Y \simeq Z$ implies $X \simeq Z$.

Definition 8: Contractible Space

A space X is called ${\bf contractible}$ if it is homotopy equivalent to a point, i.e. $X \simeq *.$

The **terminal map** is the unique map $X \to *$. Contractibility requires that there is a homotopy inverse of that map, i.e. a map $* \to x$ along with homotopies

$$h: [* \to X \to *] \simeq \mathrm{id}_*, \quad k: [X \to * \to X] \simeq \mathrm{id}_X$$
 (7)

Example 4: Examples of Contractible Spaces

1. \mathbb{R}^n is contractible. Let x_0 be a fixed point in \mathbb{R}^n and define the (straight line) homotopy $h: c_{x_0} \simeq \mathrm{id}_{\mathbb{R}^n}$ by

$$h(x,t) = (1-t)x_0 + tx.$$

2. $\mathbb{S}^{n-1}\simeq \mathbb{R}^n\backslash\{0\}$. The inclusion $\mathbb{S}^{n-1}\hookrightarrow \mathbb{R}^n\backslash\{0\}$ and the shrinking map

$$\mathbb{R}^n \setminus \{0\} \to \mathbb{S}^{n-1}, \quad x \mapsto \frac{x}{|x|}$$

are homotopy inverses.

Remark 3: Remarks about Contractible Spaces

- 1. Contractible spaces are path-connected. Let x_0 be the point where the space X contracts to. In particular, we are given with a homotopy $h: c_{x_0} \simeq \operatorname{id}_X$. For any $x \in X$, the map $h(x,-): I \to X$ defines a path from x_0 to x and thus every element $x \in X$ is path-connected to x_0 .
- 2. The converse does not hold, for example $X = \mathbb{S}^1$.
- 3. A contractible space X is contractible at any point x_0 . Since X is path-connected, a path from x to x' defines a homotopy $c_x \simeq c_{x'}$.
- 4. Any two maps $f, g: X \to Y$ are homotopic if Y is contractible.

Definition 9: Retracts and Deformation Retracts

- A **retract** of X onto a subspace $A \subset X$ is a map $r: X \to A$ such that $r|_A = \mathrm{id}_A$. Equivalently, this is a map $r: X \to X$ such that $r^2 = r$ and r(X) = A.
- A deformation retract of X onto A is the additional datum of a homotopy h: id_X ≃ i ∘ r.

In other words, a deformation retract is a homotopy $h: X \times I \to X$ such that h(x,0) = x and $h(x,1) \in A$ for all $x \in X$ and h(a,1) = a for all $a \in A$. Not all retracts can form deformation retracts. For instance, the retract X onto a point $\{x_0\}$ can be a deformation retract iff X is contractible.

This notion is called **weak** deformation retract. A **strong** deformation retract has the condition h(a,t) = a for all $t \in I$, $a \in A$. i.e. Our notion of a (weak) deformation retract deforms X into A while allowing to deform A to do so, while a strong deformation retract deforms X into A while keeping A fixed at all times

Proposition 5: Deformation Retracts and Homotopies

A deformation retract of X onto A induces a homotopy equivalence $X \simeq A$.

Recall 2: Quotient Space

Let X be a topological space and let \sim be an equivalence relation on X. Then, X/\sim is equipped with the quotient topology and called a **quotient space**. If Z is a closed subset in X, then we can also define the quotient space X/Z.

Another form of quotient spaces: Let $f:Z\to Y$ be a continuous map between a closed subset $Z\subset X$ and Y. Then

$$X \cup_f Y = X \cup Y/z \sim f(z).$$

Example 5: Examples of Quotient Spaces

- The quotient of the *n*-dimensional closed disk by its boundary is the *n*-sphere, i.e. $\mathbb{D}^n/\partial \mathbb{D}^n \cong \mathbb{S}^n$.
- The 2-torus: $\mathbb{R}^2/\mathbb{Z}^2$. The projective space:

 $\mathbb{RP}^n = \mathbb{R}^{n+1} \setminus \{0\} / \sim$ by the relation $x \sim y$ iff there exists some $\lambda \in \mathbb{R}^{\times}$ such that $x = \lambda y$. This corresponds to the space of lines through the origin in \mathbb{R}^{n+1} .

Definition 10: Mapping Quotients

Let $f: X \to Y$ be a continuous map.

• Its mapping cylinder is defined as the topological space

$$M_f := (X \times I) \cup Y/\sim$$

where the quotient identifies $(x,0) \sim f(x)$ for any $x \in X$.


• Its **cone** is the further quotient:

$$C_f = M_f/X \times \{1\}.$$

• The **cone** of a topological space X is

$$C_X := C_{\mathrm{id}_X} = X \times I/X \times \{1\}.$$

In other words, the mapping cylinder of $f: X \times Y$ is the pushout of the diagram



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus.

Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique

arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.