

Equilibrium Terminal

Complete Platform User Guide

Version: 1.0 · May 2026

Product: Institutional Hyperliquid execution desk & expanded crypto operating terminal

Production URL: <https://equilibrium-terminal-three.vercel.app>

Disclaimer: This guide describes platform capabilities for operational training. Nothing herein is financial advice. The human trader remains in control. Equilibrium does not execute autonomous trades.

Table of Contents

1. [What Equilibrium Terminal Is](#)
 2. [Step-by-Step: How the Platform Works](#)
 3. [Access, Login & First Session](#)
 4. [Header, Experience Bar & Workspace Modes](#)
 5. [Core Execution Desk \(V1 Wedge\)](#)
 6. [OmniBar Command System](#)
 7. [Alerts, Intelligence & Notifications](#)
 8. [Wallet, Execution & Hyperliquid Connection](#)
 9. [Expanded Workspace — All Panels](#)
 10. [Keyboard Shortcuts & Quick Reference](#)
 11. [Troubleshooting](#)
 12. [Appendix: Alpha Codes & Environment](#)
-
-

1. What Equilibrium Terminal Is

Equilibrium Terminal is built to become **the Bloomberg Terminal for crypto** — an institutional-grade environment for digital asset markets.

Core mission

Pillar	Meaning for you
Information superiority	Book, tape, intel, alerts, and newswire in one surface
Execution superiority	Native Hyperliquid ticket, DOM, slippage awareness
Workflow superiority	Command-first navigation (OmniBar), draggable panels
Operational clarity	Calm institutional UI — no retail clutter
Human-centered	AI summarizes and organizes — you decide and execute

What Equilibrium is NOT

- Not an auto-trading bot
- Not “AI tells you what to buy”
- Not a social or gamified retail app

Two workspace modes

Mode	Label	Who it is for
Desk focus (default)	HL EXECUTION DESK	Day-to-day Hyperliquid trading — 9 core panels
Full workspace	EQUILIBRIUM TERMINAL	Power users, desks, research — 40+ panels via EXPAND

Toggle between them with **EXPAND** in the header or OmniBar `/desk` and `/expand`.

2. Step-by-Step: How the Platform Works

Follow this sequence every session. Numbers match the operational flow inside the product.

Step 1 — Open the terminal & unlock alpha

1. Navigate to the production URL (or your deployment).
2. If the **Alpha Invite Gate** appears, enter an invite code (see [Appendix](#)) or use `?invite=YOUR-CODE` in the URL.
3. Click **UNLOCK TERMINAL**.
4. *Note:* Invite unlock is separate from wallet connection.

Step 2 — Confirm live data connection

1. Check the header **stream status** (connected / reconnecting / offline).
2. Core panels (HyperBook, Chart) should update within seconds.
3. If offline, wait for reconnect or refresh — execution should not proceed on stale data.

Step 3 — Select your market (active coin)

1. Use the **asset picker** or press **Ctrl+K** (OmniBar).
2. Type a symbol (e.g. `BTC`, `ETH`, `HYPE`) and press **Enter**.
3. **All coin-scoped panels sync:** chart, L2 book, trade tape subscription, alerts, DOM, slippage.

Step 4 — Read the market (pre-trade)

1. **HyperBook** — liquidity, spread, depth imbalance.
2. **Chart** — price structure; HUD shows regime, stress, stream pulse.
3. **TAPE (Tactical Wire)** — intelligence vectors (whales, funding, clusters).
4. **Surveillance** — regime and stress gauge.
5. **Slippage radar** — estimated impact before you size an order.

Step 5 — Configure & submit an order

1. Open **Trade ticket** (EXEC panel).
2. Choose side, size, order type (limit/market per product support).
3. Read **Execution warning banner** if liquidity is thin.
4. **Connect wallet** if not connected; approve Hyperliquid agent when prompted.
5. Submit — confirm **ORDER SUBMITTING** state; verify fill in ticket/positions.

Step 6 — Monitor risk & events

1. **Positions** — live PnL, size, liquidation proximity.
2. **ALERTS** — rule triggers (OI, funding flip, whale $\geq \$75k$, liq clusters).
3. Click any alert row to **focus chart** on that symbol.

Step 7 — Use commands for speed

1. **Ctrl+K** → `/depth`, `/chart`, `/exec`, `/monitor`, `/alerts`.
2. `/desk` resets wedge layout; `/expand` opens full platform.

Step 8 — Optional: expand for research & ops

1. Click **EXPAND** when you need reliability, newswire, portfolio desk, etc.
2. Scroll workspace or use OmniBar to focus specific panels.
3. Return to desk with **EXPAND** off or `/desk`.

Data flow (simplified)

Hyperliquid WebSocket

- Terminal streams (book, trades, candles, clearinghouse)
 - Panels (HyperBook, Chart, TAPE, Positions)
- Alert engine (tape → rules → ALERTS panel)
- Intelligence wire (whale prints → TAPE)
- Optional: distribution newswire, mobile desk, APIs

3. Access, Login & First Session

Alpha invite gate

Production may require invite validation.

Default code	Use
EQ-ALPHA-2026	General alpha
EQ-HL-DESK	Hyperliquid desk cohort
EQ-EXEC	Execution-focused users

URL unlock: `https://equilibrium-terminal-three.vercel.app/?invite=EQ-ALPHA-2026`

Operator / dev bypass (environment)

- `NEXT_PUBLIC_EQ_OPERATOR_ACCESS=true`
- `NEXT_PUBLIC_EQ_ALPHA_INVITE_REQUIRED=false`
- Development mode skips invite locally.

In-app onboarding walkthrough

- Open **PRODUCT** panel (commercial console).
- Tab **ONBOARD** → **RESUME WALKTHROUGH**.
- Steps: welcome → workspace → exchange connect → execution desk → OmniBar → expand.

4. Header, Experience Bar & Workspace Modes

Header controls

Control	Function
EXPAND	Toggle full workspace vs HL execution desk
Stream status	WebSocket health to Hyperliquid
Asset / coin	Active symbol for scoped panels
Wallet	Connect / disconnect trading wallet
OmniBar trigger	Opens command palette (also Ctrl+K)

Terminal Experience Bar

Scores and toggles across institutional subsystems (environment, reliability, execution, etc.). Key **user-facing** controls:

Control	Effect
Density	COMPACT / STANDARD / COMFORT row height
CALM	Suppresses aggressive price flashes
MOTION	Reduces animation; respects reduced-motion preference

Terminal modes (adaptive workspace)

Modes (execution, research, macro, quant, etc.) adjust **chrome and emphasis** — subtle header accent and panel priority, not a different product.

5. Core Execution Desk (V1 Wedge)

Default layout when **desk focus** is on. Nine panels — always visible in wedge mode.

5.1 HyperBook — L2 DEPTH

Purpose: Real-time level-2 order book for the active coin.

How it works:

- Subscribes to Hyperliquid L2 via terminal WebSocket.
- Normalizes bids/asks into price levels with cumulative size.
- Mid price flash indicates tick direction.

How to use:

1. Select coin (Step 3 above).
 2. Read top-of-book spread and depth walls.
 3. Large resting liquidity may indicate support/resistance.
 4. OmniBar: `/liq BTC` focuses book context for BTC.
-

5.2 Chart — OHLCV

Purpose: Price chart with institutional operational HUD.

How it works:

- Candle/stream data from Hyperliquid.
- **Chart operational HUD:** regime ribbon, stress, spread, live pulse.
- Equilibrium chart color system; optional event overlays from intel/execution.
- Tactical overlay on canvas (grid, volatility veil) via presence engine.

How to use:

1. Select timeframe from chart controls (if exposed).
 2. Use HUD chips before sizing risk.
 3. Alert click or OmniBar `/chart ETH` jumps here.
 4. Advanced: replay/overlays in expanded chart analytics (see `ADVANCED_CHARTING.md`).
-

5.3 TAPE — Tactical Intelligence Wire

Panel ID: `intelligence` · **Header:** TACTICAL WIRE

Purpose: Live stream of ranked tactical vectors — whale prints, funding, agentic fusion, alert bridges.

How it works:

- Large tape prints ($\geq$ **\$75,000** notional) become intelligence items → wire entries.
- `useMarketPresence` maps intelligence into wire with severity and flash.
- New items scroll to top; click row to select coin.

How to use:

1. Watch **TIME · SYM · DIR · CNF · ACC** columns.
 2. Critical severity = fastest flash.
 3. Pair with **ALERTS** for rule-based follow-up.
 4. OmniBar: `/intel` or asset search.
-

5.4 Trade Ticket — EXEC

Purpose: Submit orders to Hyperliquid.

How it works:

- Prefill via OmniBar `/exec buy BTC 0.5`.
- Reads book mid/spread for context.
- **Execution warning banner** when liquidity quality is poor.
- Wallet + agent approval required for live submit.

How to use:

1. Connect wallet (header).
 2. Set side, size, price type.
 3. Check slippage radar.
 4. Submit; watch positions panel for fill truth.
-

5.5 Positions — RISK

Purpose: Open positions, margin, unrealized PnL.

How it works:

- Clearinghouse state normalized from Hyperliquid.
- PnL flash on change (unless CALM mode suppresses).

How to use:

1. Verify size and coin match intent after every fill.
 2. Use as source of truth — not ticket alone.
-

5.6 DOM Ladder — DOM OFA

Purpose: Depth-of-market ladder / microstructure view.

How it works:

- Order flow and ladder visualization tied to active book.
- Complements HyperBook for tick-level execution decisions.

How to use:

1. OmniBar `/depth SOL` opens ladder + selects SOL.
 2. Use when scaling in/out at specific levels.
-

5.7 Slippage Radar — SLIP RADAR

Purpose: Pre-trade execution quality — spread, estimated slippage, impact.

How it works:

- Composes book state + recent trade volatility.
- Feeds execution intelligence pipeline (Phase 43).

How to use:

1. **Always check before market orders.**
 2. OmniBar `/monitor funding` routes to monitoring surfaces.
 3. Wide radar = reduce size or use limits.
-

5.8 Alert Engine — RULE ENGINE

Purpose: Rule-based market event triggers on live tape.

Default rules (enabled):

Rule	Trigger
OI surge	Open-interest proxy +8% (rolling window)
Funding flip	Funding crosses negative
Whale transfer	Single print ≥ \$75,000 on active coin
Liquidation cluster	3+ sells ≥\$40k in 60s, total ≥\$250k

How it works:

- `useAlertEngine` listens to latest trade on selected coin.
- `MetricsTracker` emits events → `Evaluator` matches rules → row in panel.
- AI explanation line attaches asynchronously (context only).
- Click row → focus asset + workflow bridge.

How to use:

1. Keep panel visible in wedge (bottom area).
2. Watch for green flash on new triggers.
3. Do not disable rules unless you understand blind spots.

5.9 Surveillance — SURVEILLANCE

Purpose: Market regime, stress gauge, atmosphere monitoring.

How it works:

- `useMarketPresence` computes stress from book + trades.
- Regime inference (trend/range/stress labels).
- Complements chart HUD.

How to use:

1. Glance before increasing size in fast markets.
2. Pair with TAPE for narrative + quantitative stress.

6. OmniBar Command System

Open: `Ctrl+K` or `Cmd+K` · Type `/` when not in an input field.

V1 (desk) commands

Command	Action
BTC / ETH-PERP	Select asset, focus chart
/chart ETH	Chart + asset
/depth SOL	DOM ladder + asset
/liq SOL	HyperBook focus
/exec buy BTC 0.5	Prefill ticket
/monitor funding	Slippage / funding monitor
/alerts BTC	Alerts panel + asset
/intel	Intelligence / tape focus
/vol	Volatility surfaces
/summarize	AI summary (facts only)
/watch /unwatch	Watchlist
/desk	Reset HL execution desk layout
/expand	Full workspace
/help	Command catalog
/focus	Focus specific widget

Advanced commands (require EXPAND / full workspace)

/macro · /graph · /journal · /research · /workspace · /briefing · /coverage · /reliability · /newswire · /incidents · /ingest · /collab · /team · /enterprise · /integrations · /routine · and more.

AI boundary

/summarize and copilot paths provide **structure and facts** — not trade recommendations.

7. Alerts, Intelligence & Notifications

Three layers of “notification”

Layer	Where	What you see
Tape / wire	TAPE panel	Whale buy/sell lines, tactical vectors
Alert engine	ALERTS panel	Rule triggers with AI context line
Distribution	NEWSWIRE panel (advanced)	Critical newswire → optional desktop notification

Whale alerts (not removed)

- Threshold: **\$75,000** notional on **active coin** tape.
- Surfaces: ALERTS + TAPE (+ optional wire flash).
- Cooldown: 60 seconds per whale rule.

Desktop notifications

Enable in **MARKET NEWSWIRE** → **DELIVERY** tab (advanced). Requires browser permission. Fires on **critical** distribution items, not every tape print.

Mobile companion (advanced)

MOBILE OPS panel aggregates alerts for continuous awareness — see MOBILE_OPERATIONAL.md.

8. Wallet, Execution & Hyperliquid Connection

Connection steps

1. Click **Connect wallet** in header.
2. Approve wallet provider (e.g. MetaMask / WalletConnect per deployment).
3. Approve **Hyperliquid agent** when prompted (one-time per agent policy).
4. Confirm address matches intended trading account.

Execution truth

- **Positions panel** = authoritative open risk.
- Ticket confirmation = intent only until clearinghouse confirms.
- Never trade on **offline** or **reconnecting** stream without acknowledgment.

Kill switches (alpha)

Feature flags in **PRODUCT** → **ALPHA** can disable execution, intel, or alerts without redeploy.

9. Expanded Workspace — All Panels

Enable via **EXPAND**. Panels append below the core desk. Grouped by function.

9.1 Market & macro

Panel	ID	Purpose	How to use
MACRO MATRIX	macro	Cross-asset macro tickers (DXY, yields, indices)	Top ribbon context before risk-on/off
GLOBAL STRAT	globalstrategy	Global strategy desk — regional/session framing	/globalstrategy
GLOBAL INTEL	globaldesk	Global intelligence orchestration	Expanded ops review

9.2 AI & decision support

Panel	ID	Purpose	How to use
AI LAYER	copilot	Contextual Q&A — funding, OI, whale flow	Ask factual questions; no auto-trade
AGENTIC	proactive	Fused agent opportunities (whale, liq, funding agents)	Click row → load workspace on coin
CONTEXT	decision	Decision command center	Scenario context before size
OPERATOR AI	operatordesk	Operator-grade AI desk responses	Desk operator queries

AI organizes information; human decides.

9.3 Research & knowledge

Panel	ID	Purpose	How to use
KNOWLEDGE GRAPH	knowledgegraph	Entity graph — assets, whales, narratives	/graph whale
JOURNAL	traderjournal	Trade journal & session notes	/journal
RESEARCH	research	Research workspace	/research
RESEARCH DESK	researchdesk	Institutional research operating desk	Deep dive workflows
MARKET MEMORY	memorydesk	Historical pattern / memory signals	Compare to prior regimes
EQ INTEL	propintel	Proprietary intelligence layer	Internal signals
INTEL	intelengine	Market intelligence console — events per asset	Asset-level event detection

9.4 Coverage, ingestion & newswire

Panel	ID	Purpose	How to use
COVERAGE	marketcoverage	On-chain, macro, narrative coverage map	Universe scan
INGEST	ingestion	Data ingestion health & pipelines	Ops verification
NEWSWIRE	newswire	Operational newswire — tape, incidents, briefings	/newswire · Ctrl+N focus
DAILY OPS	dailyops	Daily operating console — prioritized alerts	Morning routine

Newswire tabs: TAPE · INCIDENTS · BRIEFINGS · PERSONAL · DELIVERY · SYNDICATE

9.5 Execution & analytics

Panel	ID	Purpose	How to use
EXEC INTEL	execintel	Order flow, liquidity heatmap, execution quality	Post-trade and pre-trade analytics
LIVE EXEC	liveexec	Live execution desk — multi-asset, desk presets	Scalping / MM / treasury presets
DERIVATIVES DESK	derivdesk	Funding, OI, vol surfaces	Perp-focused workflows
PORTFOLIO DESK	portfoliodesk	Portfolio risk & treasury view	Multi-asset exposure

9.6 Systemic & ecosystem

Panel	ID	Purpose	How to use
SYSTEMIC INTEL	systemicintel	Systemic risk, contagion, narratives	Risk-off planning
ECOSYSTEM	ecosystem	Crypto financial ecosystem map	Strategic context
MARKET CMD	marketcmd	Market command — situational vitals	Command-layer snapshot
MARKET MEMORY	memorydesk	Regime memory (see above)	

9.7 Reliability, platform & ops

Panel	ID	Purpose	How to use
RELIABILITY	reliability	Trust, latency, data integrity	Before trusting live size
TOTE	diagnostics	Telemetry & diagnostics	Debug stream issues
QUANT	alphalab	Alpha lab / quant experiments	Research only
PLATFORM	infra	Infrastructure diagnostics	Engineering
OPS COMMAND	opscommand	Unified ops command vitals	Desk lead monitoring
UNIFIED OPS	unifiedops	Cross-system propagation desk	Enterprise coordination
DESK OPS	deskops	Desk operations console	Session ops
LIVE DEPLOY	livedeploy	Deployment & launch readiness	Go-live checklist
TERMINAL POLISH	maturitydesk	Product maturity / UX polish scores	QA & polish review

9.8 Enterprise, team & commercial

Panel	ID	Purpose	How to use
TEAM NET	teamdesk	Team desk grid	Multi-trader coordination
COLLAB	collab	Collaboration console	Shared context
ENTERPRISE	enterpriseops	Enterprise operations	Org-level ops
INTEGRATE	integrations	Industry integrations	External system hooks
PRODUCT	commercial	Packaging, onboarding, alpha, billing tabs	Onboarding & commercial
BILLING DESK	billingdesk	Commercial billing vitals	Finance ops
PLATFORM DESK	platformdesk	API, SDK, extensibility	Institutional API consumers
MOBILE OPS	mobiledesk	Mobile companion & alert delivery	Away-from-desk monitoring


9.9 Security & performance notes

- Panels compose **read-only intelligence** unless explicitly execution (ticket).
- API routes (`/api/*/vitals`) back many desks — scores also appear on experience bar.
- See `docs/` for phase-specific deep dives (EXECUTION_ANALYTICS.md, SECURITY_TRUST.md, etc.).

10. Keyboard Shortcuts & Quick Reference

Shortcut	Action
Ctrl+K / Cmd+K	Open OmniBar
/	Open OmniBar (when not typing in input)
Ctrl+N	Focus newswire (advanced)
Drag panel header	Move panel in grid
Resize panel corner	Resize in grid

Wedge panel map (default positions)



11. Troubleshooting

Problem	Likely cause	Fix
Locked at login	Alpha invite required	Use invite code or URL <code>?invite=</code>
No whale alerts	Wrong coin / quiet tape / below \$75k	Select liquid pair; check ALERTS + TAPE
Book/chart frozen	Stream disconnected	Check header status; refresh
Order won't submit	Wallet not connected / agent	Connect wallet; approve agent
Panels missing	Desk focus mode	Click EXPAND
OmniBar command ignored	Advanced command in desk mode	<code>/expand</code> first
Flashes too aggressive	CALM off	Enable CALM in experience bar

12. Appendix: Alpha Codes & Environment

Default alpha codes

- EQ-ALPHA-2026
- EQ-HL-DESK
- EQ-EXEC

Documentation index (repo `docs/`)

Topic	File
Wedge strategy	WEDGE_STRATEGY.md
Onboarding	ONBOARDING.md
OmniBar	OMNIBAR_COMMAND_SYSTEM.md
Terminal UX	TERMINAL_EXPERIENCE.md
Alpha launch	ALPHA_LAUNCH.md
Live deployment	LIVE_DEPLOYMENT.md
Video tutorial script	VIDEO_TUTORIAL.md

Support workflow for desks

1. Reproduce in desk mode (`/desk`).
2. Capture stream status + active coin.
3. Note panel ID from header (e.g. ALERTS = `alerts`).
4. Check RELIABILITY + TOTE if data truth is questioned.

© Equilibrium Terminal · Institutional use · Human trader remains central

End of guide