PREACT-digital: Feature Database Documentation

Leona Hammelrath   Tessa Meyer

2025-03-03

Introduction

Welcome to the documentation for the PREACT-digital study (study protocol).

Design

## Longitudinal study design (PREACT-digital)

Figure 1: Caption describing the figure

> 💡 **Glossary**
>
> - **beep =**
> - **measurement burst =**

- …

Data Structure

Folder Structure on High Performance Cluster (HPC) [wip]

```
SP6/
    |- processed/
        |- passive/
            |- epoch                       # not aggregated; most finegrained resolution
                |- activity_epoch
                |- heart_rate_epoch
                |- ecg_epoch
                |- gps_epoch
            |- daily                       # daily aggregates
                |- activity_daily
                |- heart_rate_daily
                |- ecg_daily
                |- gps_daily
        |- ema
                |- ema_beep                # not aggregated; most finegrained resolution
                |- ema_daily               # daily aggregate
                |- ema_burst               # burst aggregate
                |- ema_meta                # technical meta data
        |- ecg
                |- ecg_raw                 # raw data (sampling rate: 300 Hz; 9000 data poi
                |- ecg_processed           # processed, e.g. heart rate variability (hrv)
        |- meta
                |- monitoring              # study monitoring
```

EMA Data

This section outlines the EMA data sets (files) in detail and provides a thorough description of the eight EMA constructs and a item-level overview.

Data sets

Files:

- `ema_beep.pkl`

- `ema_meta.pkl`

Details `ema_content.pkl` file:

Show details

No.	Column name	Description	Data type	Scale level	Variable Level
1	id	Unique identifier wearable and ema data within subproject 6 (SP6)	str		
2	for_id	Unique identifier across all PREACT subprojects and redcap	str		
3	timestamp_item_completion	Timestamp at which a single item was completed	datetime64	interval	
4	timestamp_beep_completion	Timestamp at which a beep was completed	datetime64	interval	
5	timestamp_beep_expiration	Timestamp at which the processing of the beep has expired (a beep expires after 30 min)	datetime64	interval	

No.	Column name	Description	Data type	Scale level	Variable Level
6	`measurment_burst`	Measurement burst describes the measurement point in the longitudinal study [Baseline (T0), after 20 therapy sessions (T20), or after therapy end respectively 365 days after therapy start (TPost)]	`int`	ordinal	0 = T0 1 = T20 2 = TPost
7	`schedule_chronotype`	Depending on their individual sleep-wake rhythm participants can choose to receive beeps between 07:30 and 21:30 (lark) or 09:30 and 22:30 (owl)	`int`	nominal	24 = T0 lark 25 = T0 owl 33 = T20 lark 34 = T20 owl 38 = TPost lark 39 = TPost owl
8	`response`	Chosen response by participant	`int`	ordinal, nominal, binary	
9	`item`	Question/item title	`str`		
10	`beep_per_person_id`	Unique beep identifier. Date and number of beep per ID	`str`		
11	`date`	Date on which the question/item was generated	`datetime64`	interval	

No.	Column name	Description	Data type	Scale level	Variable Level
12	study_version	Study version (short version: includes Baseline (T0), long version: includes Baseline (T0), T20 and TPost)	int	nominal	1= long 2 = short
13	ema_burst_start	Absolute start EMA measurement burst (i.e. defined start according to study protocol)	datetime64	interval	
14	ema_burst_end	Absolute end EMA measurement burst (i.e. defined end according to study protocol)	datetime64	interval	
15	season	Describes the four seasons	int	nominal	1 = Spring 2 = Summer 3 = Fall 4 = Winter
16	time_of_day	Time of day stratified into five categories (Early Morning = 00:00 - 00:00, Morning = 00:00 - 00:00, Afternoon = 00:00 - 00:00, Evening = 00:00 - 00:00, Night = 00:00 - 00:00)	int	nominal	1 = Early Morning 2 = Morning 3 = Afternoon 4 = Evening 5 = Night

No.	Column name	Description	Data type	Scale level	Variable Level
17	`weekend`	Does the timestamp in the time series describes a day at the weekend?	`int`	nominal	0 = No 1 = Yes
18	`nr_beep_daily`	Number of questionnaire/beep within a day	`int`	ordinal	1 - 8
19	`n_beeps_completed`	Number of questionnaires/beeps completed by a person within a day	`int`	ordinal	1 - 9
20	`ema_relat_burst_start`	Relative start EMA measurement burst (i.e. actual start)	`datetime64`	interval	
21	`ema_relat_burst_start`	Relative end EMA measurement burst (i.e. actual end)	`datetime64`	interval	
22	`absolute_day_index`	Day since expected (absolute) start	`int`	ratio	1 - 16
23	`relative_day_index`	Day since actual (relative) start	`int`	ratio	1 - 16

Details `ema_meta.pkl` file:

Show details

No.	Column name	Description	Data type	Scale level	Variable Level
1	id	Unique identifier wearable and ema data within subproject 6 (SP6)	str		
2	for_id	Unique identifier across all PREACT subprojects and redcap	str		
3	response_text	Response displayed on device	str		
4	item_code_map	Numerical item code mapping	int	[insert]	nominal
5	beep_type		int		nominal
6	beep_type_name	Name of the questionnaire	str		
7	item_order	Order in which the items are displayed	int	0 - 8	
8	beep_num_run	How many times a beep was opend before completion. Unique per answer. One beep can have multiple runs until completion	int		

Methods: Hierarchical Data Structure

1. **Level 1: Measurements (Observations)**

   - Each person records data 8x/day over 14 days
   - This results in 112 measurements per wave (8x14)

2. **Level 2: Days**

   - Measurements (Level 1) are nested within days (Level 2)

- Each wave has 14 days

3. **Level 3: Waves (Measurement points)**

   - Each person goes thorugh three waves (long version)
   - Days (Level 2) are nested within waves (Level 3)

4. **Level 4: Individuals (Participants)**

   - Waves (Level 3) are nested within participants (Level 4)

EMA constructs and item-level overview

The EMA measurement includes the following constructs:

1. Affect
2. Emotion regulation
3. Situational context
4. Significant events
5. Social context
6. Therapeutic agency
7. Physical fitness
8. ECG control

Affect

- Description: At each beep, participants were asked about their current affective state

- Construct: PANAS-X subscales Haney et al. (2023)

- 17 Items

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
	How … do you feel right now?			
anxious	anxious	1-2-3-4-5-6-7	not at all - very much	all beeps

Variable	Item	Scale	Scale Endpoints	Measurement Time
nervous	nervous	1-2-3-4-5-6-7	not at all - very much	all beeps
attentive	attentive	1-2-3-4-5-6-7	not at all - very much	all beeps
relaxed	relaxed	1-2-3-4-5-6-7	not at all - very much	all beeps
calm	calm	1-2-3-4-5-6-7	not at all - very much	all beeps
irritable	irritable	1-2-3-4-5-6-7	not at all - very much	all beeps
angry	angry	1-2-3-4-5-6-7	not at all - very much	all beeps
fatigue	fatigue	1-2-3-4-5-6-7	not at all - very much	all beeps
cheerful	cheerful	1-2-3-4-5-6-7	not at all - very much	all beeps
happy	happy	1-2-3-4-5-6-7	not at all - very much	all beeps
ashamed	ashamed	1-2-3-4-5-6-7	not at all - very much	all beeps
dissatisfied_myself	dissatisfied with myself	1-2-3-4-5-6-7	not at all - very much	all beeps
self_confident	self-confident	1-2-3-4-5-6-7	not at all - very much	all beeps
shy	shy	1-2-3-4-5-6-7	not at all - very much	all beeps
downcast	downcast	1-2-3-4-5-6-7	not at all - very much	all beeps
sad	sad	1-2-3-4-5-6-7	not at all - very much	all beeps
lonely	lonely	1-2-3-4-5-6-7	not at all - very much	all beeps

Emotion regulation

- Description: At each beep, participants were asked to rate the intensity and controllability of their most negative thought since the last beep. Then, we assessed the use of different ER strategies since the last beep

- Construct: RESS-EMA scale Medland et al. (2020)

- 6 Items (covering reappraisal, rumination, suppression, distraction, relaxation, acceptance)

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
	Think about the strongest negative feeling since the last beep [since waking up].			
er_intensity	How intense was this feeling?	1-2-3-4-5-6-7 (1 = neutral)	not at all - very much	all beeps (except the first of the day)
er_intensity_morning	How intense was this feeling?	1-2-3-4-5-6-7 (1 = neutral)	not at all - very much	first beep of the day
er_control	How controllable was the situation that triggered this feeling?	1-2-3-4-5-6-7 (4 = neutral)	not at all - very much	all beeps (except the first of the day)
er_control_morning	How controllable was the situation that triggered this feeling?	1-2-3-4-5-6-7 (4 = neutral)	not at all - very much	first beep of the day

Variable	Item	Scale	Scale Endpoints	Measurement Time
	As a reaction to the negative feeling …			
er_relaxation	I tried to breathe deeply	1-2-3-4-5-6-7	not at all - very much	all beeps
er_rumination	I kept thinking about what was bothering me	1-2-3-4-5-6-7	not at all - very much	all beeps
er_reappraisal	I considered the situation from different perspectives	1-2-3-4-5-6-7	not at all - very much	all beeps
er_distraction	I tried to distract myself	1-2-3-4-5-6-7	not at all - very much	all beeps
er_suppression	I tried to hide my feelings	1-2-3-4-5-6-7	not at all - very much	all beeps
er_acceptance	I tried to accept the situation	1-2-3-4-5-6-7	not at all - very much	all beeps

Situational Context

- Description: At each beep, participants were asked to specify activities they had pursued in the preceding 2 hours from a given set of 9 common activities. Participants were able to select multiple options simultaneously. Subsequently, they were asked to evaluate how much they enjoyed the respective activities

- Construct: Self-constructed, based on the DIAMONDS scale Rauthmann & Sherman (2016) and the WARN-D study protocol Fried et al. (2022), a similar longitudinal digital

phenotyping study. We aimed to find a balance between sparsity of items and high degree of situational coverage.

- 2 Items

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
	How did you spent the time since the last beep [since waking up]? (Multiple answers possible)			

Variable	Item	Scale	Scale Endpoints	Measurement Time
situation_1	[ ] Work or study [ ] House-work or errands [ ] Caring for chil-dren/relatives [ ] Eat-ing/drinking/personal hygiene [ ] On the move (e.g., in the subway) [ ] Smart-phone/social media [ ] Leisure activity, rather passive (e.g., watching a movie, reading) [ ] Leisure activity, rather active (e.g., sports, outings) [ ] Some-thing else			all beeps (except the first of the day)
situation_1_morning	for change			first beep of the day

Variable	Item	Scale	Scale Endpoints	Measurement Time
situation_2	How much did you enjoy this activity?	-2, -1, 0, 1, 2	not at all - very much	all beeps (except the first of the day)
situation_2_morning	for change	-2, -1, 0, 1, 2	not at all - very much	first beep of the day

Significant Events

- Description: Participants were asked to think about the most important event since the last beep and how pleasant they perceived it
- Construct: Self-constructed
- 1 Items

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
event_general	Think of the most significant moment (situation/experience) since the last survey. How did you perceive it?	-2, -1, 0, 1, 2	very unpleasant - very pleasant	all beeps (except the first of the day)

Variable	Item	Scale	Scale Endpoints	Measurement Time
event_general_morning	Think of the most significant moment (situation/experience) since waking up. How did you perceive it?	-2, -1, 0, 1, 2	very unpleasant - very pleasant	first beep of the day

Social context

- Description: Participants were asked if they had social contacts since the last beep, how (online/ in person/ phone) and how agreeable the contact was.

- Self-constructed

- 3 Items

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
event_social_1	Have you had social contacts since the last survey?	binary: yes/no		all beeps (except the first of the day)
event_social_1_morning	Have you had social contacts since waking up?	binary: yes/no		first beep of the day

Variable	Item	Scale	Scale Endpoints	Measurement Time
event_social_P2	How did the social contact take place?	multiple choice: [ ] online [ ] by phone [ ] in person		all beeps
event_social_P3	How did you experience the social contacts?	-2, -1, 0, 1, 2	very unpleasant - very pleasant	all beeps

Therapeutic Agency (TA)

- Description: Participants were asked about Therapeutic Agency (TA) in everyday life

- Construct: Self-constructed based on the Therapeutic Agency Inventory (TAI) Huber et al. (2019). The original TAI contains 3 subscales, covering in-session activities, passivity towards the therapist and out-of-session activities. As we were interested in assessing therapeutic agency in everyday life, our TAI-EMA items are based on the "out-of-session activities" subscales and cover cognitive and behavioral aspects of TA

- 4 Items

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
	Prompted by my therapy today, I have … / Today I have …			
ta_behavioral_1	Implemented ideas or tasks from therapy	1-2-3-4-5-6-7	not at all - very much	1x/day, 8th beep

Variable	Item	Scale	Scale Endpoints	Measurement Time
ta_behavioral_2	Tried to think differently about things	1-2-3-4-5-6-7	not at all - very much	1x/day, 8th beep
ta_cognitive_1	thought about something that was discussed in therapy	1-2-3-4-5-6-7	not at all - very much	1x/day, 8th beep
ta_cognitive_2	done something to improve my situation	1-2-3-4-5-6-7	not at all - very much	1x/day, 8th beep

Physical Fitness

- Description: Participants were asked how physically healthy they had felt today on the last beep of the day

- Construct: Self-constructed

- 1 Item

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
physical_health	How physically healthy did you feel today?	-2, -1, 0, 1, 2	worse than usual / normal / better than usual	1x/day, 8th beep

ECG Control

- Description: During measurement bursts, patients were asked twice per day to conduct a resting-state ECG on their Scanwatch. To control for potential confounders influencing the signal, we asked if they had consumed nicotine, caffeine or alcohol or had a heavy meal in the last 30 minutes

- Construct: Self-constructed

- 1 Item

Show Items

Variable	Item	Scale	Scale Endpoints	Measurement Time
ecg_control	Within the last 30 minutes, did you ... - drink coffee or alcohol? - smoke? - eat a heavy meal?	binary: yes/no		2x/day, 1th and 5th beep

Passive Sensor Data

This section outlines the passive sensor data set (files) in detail and provides a thorough description of the different wearable modalities (heartrate, acivity, sleep, GPS).

Data sets

Files:

- `passive_data.feather`

Details `passive_data.feather` file:

Show details

No.	Column name	Description	Data type	Scale level	Variable Level
1	id	Unique identifier wearable and ema data within subproject 6 (SP6)	str		
2	for_id	Unique identifier across all PREACT subprojects and redcap	str		
3	modality	Type of modality	str	categorical	
4	timestamp_start	Timestamp at which the specific modality recording starts	datetime64	interval	
5	timestamp_end	Timestamp at which the specific modality recording ends	datetime64	interval	
6	time_interval	Duration recording	str		
7	float value	Variable level of the modality	float		
8	boolean_value	Variable level of the modality	boolean		
9	start_date	Start date of recording	datetime64		
10	start_hour	Start hour of recording	datetime64		
11	study_version	Study version (short version: includes Baseline (T0), long version: includes Baseline (T0), T20 and TPost)	int	nominal	1= long 2 = short

Heartrate

Show details

No.	Modality	Device	Data type	Scale level	Features
1	heartrate_PPG	Withings Scanwatch			
2	rmssd	Withings Scanwatch			

Activity

Show details

No.	Modality	Device	Data type	Scale level	Features
1	Steps	Withings Scanwatch			
2	ActivityType	Withings Scanwatch			
3	ActivityBinary	Withings Scanwatch			
4	RunBinary	Withings Scanwatch			
5	BikeBinary	Withings Scanwatch			
6	WalkBinary	Withings Scanwatch			
7	FloorsClimed	Withings Scanwatch			
8	ElevationGain	Withings Scanwatch			
9	ElevationGain	Withings Scanwatch			
10	ActiveBurnedCalories	Withings Scanwatch			
11	ActiveTypeDetail1	Withings Scanwatch			
12	ActiveTypeDetail2	Withings Scanwatch			

Sleep

GPS

ECG Data

Data sets