

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
ROI 1								
anatomy_toolbox_for_RSA	1	original	T=1.29, p=0.209, BF01=2.3	T=-0.07, p=0.945, BF01=4.82	T=0.28, p=0.779, BF01=4.65	T=1.08, p=0.288, BF01=2.84	T=0.92, p=0.368, BF01=3.3	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	1	filtered	T=1.43, p=0.165, BF01=1.95	T=0.22, p=0.826, BF01=4.72	T=0.45, p=0.656, BF01=4.4	T=0.9, p=0.378, BF01=3.35	T=0.78, p=0.441, BF01=3.65	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	1	res	T=1.13, p=0.267, BF01=2.71	T=0.27, p=0.789, BF01=4.67	T=-0.13, p=0.898, BF01=4.79	T=0.74, p=0.463, BF01=3.75	T=0.74, p=0.465, BF01=3.75	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	1	res_filtered	T=1.24, p=0.225, BF01=2.42	T=0.22, p=0.827, BF01=4.72	T=0.3, p=0.766, BF01=4.63	T=0.72, p=0.48, BF01=3.82	T=0.58, p=0.564, BF01=4.13	T=1.08, p=0.288, BF01=2.84
ROI 2								
anatomy_toolbox_for_RSA	2	original	T=-0.97, p=0.343, BF01=3.16	T=-0.3, p=0.764, BF01=4.63	T=0.17, p=0.868, BF01=4.76	T=-0.57, p=0.577, BF01=4.17	T=-0.96, p=0.348, BF01=3.19	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	2	filtered	T=0.82, p=0.422, BF01=3.57	T=0.83, p=0.412, BF01=3.52	T=1.46, p=0.157, BF01=1.89	T=0.14, p=0.888, BF01=4.78	T=-0.46, p=0.652, BF01=4.39	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	2	res	T=-1.48, p=0.152, BF01=1.84	T=-0.42, p=0.677, BF01=4.45	T=0.56, p=0.582, BF01=4.19	T=-0.93, p=0.364, BF01=3.28	T=-1.14, p=0.264, BF01=2.69	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	2	res_filtered	T=0.29, p=0.775, BF01=4.65	T=0.27, p=0.792, BF01=4.67	T=0.9, p=0.374, BF01=3.33	T=0.04, p=0.97, BF01=4.82	T=-0.4, p=0.694, BF01=4.49	T=1.08, p=0.288, BF01=2.84
ROI 3								
anatomy_toolbox_for_RSA	3	original	T=0.58, p=0.566, BF01=4.13	T=-1.89, p=0.071, BF01=1.04	T=-0.17, p=0.866, BF01=4.76	T=1.6, p=0.123, BF01=1.58	T=0.71, p=0.483, BF01=3.83	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	3	filtered	T=1.09, p=0.288, BF01=2.84	T=-1.76, p=0.091, BF01=1.26	T=0.06, p=0.949, BF01=4.82	T=1.66, p=0.11, BF01=1.45	T=0.8, p=0.431, BF01=3.6	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	3	res	T=-0.12, p=0.902, BF01=4.79	T=-1.44, p=0.162, BF01=1.92	T=0.47, p=0.645, BF01=4.37	T=0.9, p=0.374, BF01=3.33	T=-0.39, p=0.703, BF01=4.51	T=1.08, p=0.288, BF01=2.84
anatomy_toolbox_for_RSA	3	res_filtered	T=0.18, p=0.858, BF01=4.75	T=-1.14, p=0.266, BF01=2.7	T=0.44, p=0.661, BF01=4.41	T=0.86, p=0.395, BF01=3.44	T=-0.19, p=0.847, BF01=4.74	T=1.08, p=0.288, BF01=2.84

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	4	original	T=0.17, p=0.868, BF01=4.76	T=1.23, p=0.232, BF01=2.46	T=1.13, p=0.271, BF01=2.73	T=-0.64, p=0.525, BF01=3.99	T=-0.73, p=0.47, BF01=3.78	T
anatomy_toolbox_for_RSA	4	filtered	T=0.73, p=0.474, BF01=3.79	T=1.46, p=0.155, BF01=1.87	T=1.31, p=0.201, BF01=2.24	T=-0.37, p=0.716, BF01=4.54	T=-0.34, p=0.734, BF01=4.57	T
anatomy_toolbox_for_RSA	4	res	T=0.21, p=0.832, BF01=4.73	T=0.26, p=0.798, BF01=4.68	T=0.58, p=0.566, BF01=4.14	T=-0.08, p=0.937, BF01=4.81	T=-0.28, p=0.778, BF01=4.65	T
anatomy_toolbox_for_RSA	4	res_filtered	T=0.99, p=0.333, BF01=3.11	T=0.65, p=0.519, BF01=3.97	T=0.65, p=0.519, BF01=3.97	T=0.18, p=0.856, BF01=4.75	T=0.2, p=0.843, BF01=4.74	T

ROI 5

ROI 6

anatomy_toolbox_for_RSA	6	original	T=1.52, p=0.142, BF01=1.75	T=0.92, p=0.366, BF01=3.29	T=0.36, p=0.723, BF01=4.55	T=0.61, p=0.547, BF01=4.07	T=1.3, p=0.205, BF01=2.27	T p BF01
anatomy_toolbox_for_RSA	6	filtered	T=0.85, p=0.402, BF01=3.47	T=1.12, p=0.272, BF01=2.74	T=-0.13, p=0.901, BF01=4.79	T=0.04, p=0.971, BF01=4.82	T=0.9, p=0.376, BF01=3.34	T p BF01
anatomy_toolbox_for_RSA	6	res	T=1.3, p=0.205, BF01=2.27	T=1.18, p=0.25, BF01=2.59	T=-0.35, p=0.728, BF01=4.56	T=0.21, p=0.838, BF01=4.73	T=1.24, p=0.228, BF01=2.44	T p BF01
anatomy_toolbox_for_RSA	6	res_filtered	T=0.58, p=0.564, BF01=4.13	T=1.05, p=0.304, BF01=2.94	T=-0.11, p=0.916, BF01=4.8	T=-0.18, p=0.859, BF01=4.76	T=0.56, p=0.577, BF01=4.17	T p BF01

ROI 7

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion × Arousal
anatomy_toolbox_for_RSA	7	original	T=0.54, p=0.595, BF01=4.23	T=1.62, p=0.118, BF01=1.53	T=1.64, p=0.114, BF01=1.49	T=-0.98, p=0.335, BF01=3.12	T=-1.17, p=0.253, BF01=2.61	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	7	filtered	T=0.24, p=0.815, BF01=4.7	T=1.91, p=0.068, BF01=1	T=2.08, p=0.048, BF01=0.76	T=-1.23, p=0.23, BF01=2.45	T=-1.45, p=0.159, BF01=1.9	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	7	res	T=0.39, p=0.702, BF01=4.51	T=0.99, p=0.333, BF01=3.11	T=0.05, p=0.959, BF01=4.82	T=-0.67, p=0.508, BF01=3.93	T=0.16, p=0.873, BF01=4.77	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	7	res_filtered	T=0.41, p=0.685, BF01=4.47	T=1.34, p=0.194, BF01=2.18	T=0.39, p=0.698, BF01=4.5	T=-0.79, p=0.438, BF01=3.64	T=0, p=0.996, BF01=4.83	T=1.51, p=0.159, BF01=1.98
ROI 8								
anatomy_toolbox_for_RSA	8	original	T=0.11, p=0.914, BF01=4.8	T=0.78, p=0.442, BF01=3.66	T=0.54, p=0.592, BF01=4.22	T=-0.43, p=0.67, BF01=4.43	T=-0.58, p=0.564, BF01=4.13	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	8	filtered	T=0.25, p=0.802, BF01=4.69	T=1.02, p=0.317, BF01=3.01	T=0.86, p=0.396, BF01=3.44	T=-0.36, p=0.719, BF01=4.54	T=-0.46, p=0.648, BF01=4.38	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	8	res	T=-0.11, p=0.916, BF01=4.8	T=0.47, p=0.642, BF01=4.36	T=0.14, p=0.893, BF01=4.79	T=-0.53, p=0.598, BF01=4.24	T=-0.16, p=0.874, BF01=4.77	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	8	res_filtered	T=0, p=0.999, BF01=4.83	T=0.78, p=0.445, BF01=3.67	T=0.31, p=0.762, BF01=4.62	T=-0.6, p=0.551, BF01=4.09	T=-0.2, p=0.845, BF01=4.74	T=1.51, p=0.159, BF01=1.98
ROI 9								
anatomy_toolbox_for_RSA	9	original	T=1.15, p=0.26, BF01=2.66	T=4.15, p=0, BF01=0.01	T=3.22, p=0.003, BF01=0.09	T=-2.82, p=0.009, BF01=0.2	T=-2.03, p=0.053, BF01=0.83	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	9	filtered	T=0.87, p=0.392, BF01=3.42	T=4.09, p=0, BF01=0.01	T=2.69, p=0.013, BF01=0.26	T=-2.36, p=0.026, BF01=0.47	T=-1.22, p=0.233, BF01=2.48	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	9	res	T=1.35, p=0.188, BF01=2.14	T=3.4, p=0.002, BF01=0.06	T=-0.32, p=0.749, BF01=4.6	T=-2.38, p=0.025, BF01=0.46	T=0.96, p=0.347, BF01=3.19	T=1.51, p=0.159, BF01=1.98
anatomy_toolbox_for_RSA	9	res_filtered	T=1.45, p=0.159, BF01=1.9	T=3.45, p=0.002, BF01=0.05	T=-0.24, p=0.814, BF01=4.7	T=-1.91, p=0.068, BF01=1.01	T=1.02, p=0.315, BF01=3	T=1.51, p=0.159, BF01=1.98

ROI 10

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	10	original	T=1.36, p=0.186, BF01=2.12	T=0.45, p=0.66, BF01=4.41	T=0.61, p=0.546, BF01=4.07	T=0.74, p=0.467, BF01=3.77	T=0.44, p=0.665, BF01=4.42	T
anatomy_toolbox_for_RSA	10	filtered		T=3.33, p=0.003, BF01=0.07	T=0.23, p=0.82, BF01=4.71	T=0.68, p=0.505, BF01=3.92	T=2.32, p=0.029, BF01=0.51	T=1.39, p=0.176, BF01=2.04
anatomy_toolbox_for_RSA	10	res		T=0.3, p=0.77, BF01=4.64	T=-0.17, p=0.869, BF01=4.77	T=0.4, p=0.695, BF01=4.49	T=0.45, p=0.657, BF01=4.4	T=-0.09, p=0.933, BF01=4.81
anatomy_toolbox_for_RSA	10	res_filtered	T=1.74, p=0.094, BF01=1.29	T=-0.3, p=0.77, BF01=4.64	T=0.6, p=0.555, BF01=4.1	T=1.94, p=0.064, BF01=0.96	T=0.49, p=0.625, BF01=4.31	T

ROI 11

anatomy_toolbox_for_RSA	11	original	T=1.18, p=0.25, BF01=2.59	T=0.82, p=0.422, BF01=3.57	T=2.37, p=0.026, BF01=0.47	T=0.36, p=0.721, BF01=4.55	T=-0.79, p=0.434, BF01=3.62	T p E
anatomy_toolbox_for_RSA	11	filtered	T=1.81, p=0.083, BF01=1.17	T=0.6, p=0.551, BF01=4.08	T=2.34, p=0.028, BF01=0.49	T=1.03, p=0.311, BF01=2.98	T=-0.08, p=0.941, BF01=4.81	T p E
anatomy_toolbox_for_RSA	11	res	T=-0.03, p=0.973, BF01=4.82	T=-0.79, p=0.437, BF01=3.64	T=2.39, p=0.025, BF01=0.45	T=0.57, p=0.575, BF01=4.17	T=-1.4, p=0.174, BF01=2.02	T p E
anatomy_toolbox_for_RSA	11	res_filtered	T=1.39, p=0.178, BF01=2.06	T=-1.08, p=0.292, BF01=2.87	T=2.58, p=0.016, BF01=0.31	T=1.58, p=0.128, BF01=1.62	T=-0.54, p=0.597, BF01=4.23	T p E

ROI 12

anatomy_toolbox_for_RSA	12	original	T=1.46, p=0.157, BF01=1.88	T=1.79, p=0.085, BF01=1.2	T=-0.16, p=0.875, BF01=4.77	T=-0.36, p=0.725, BF01=4.55	T=1.29, p=0.209, BF01=2.3	T p BF
anatomy_toolbox_for_RSA	12	filtered	T=1.42, p=0.167, BF01=1.97	T=2.53, p=0.018, BF01=0.35	T=0.17, p=0.863, BF01=4.76	T=-0.46, p=0.652, BF01=4.39	T=1, p=0.328, BF01=3.08	T p BF
anatomy_toolbox_for_RSA	12	res	T=1.75, p=0.092, BF01=1.27	T=2.67, p=0.013, BF01=0.27	T=-2.16, p=0.041, BF01=0.67	T=-0.97, p=0.34, BF01=3.15	T=2.36, p=0.026, BF01=0.47	T p BF
anatomy_toolbox_for_RSA	12	res_filtered	T=1.38, p=0.179, BF01=2.06	T=3.13, p=0.004, BF01=0.11	T=-1.72, p=0.098, BF01=1.33	T=-1.04, p=0.307, BF01=2.96	T=1.87, p=0.073, BF01=1.06	T p BF

ROI 13

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	13	original	T=1.31, p=0.2, BF01=2.23	T=1.58, p=0.126, BF01=1.61	T=2.41, p=0.024, BF01=0.44	T=-0.34, p=0.739, BF01=4.58	T=-1.07, p=0.297, BF01=2.89	T=1.31, p=0.2, BF01=2.23
anatomy_toolbox_for_RSA	13	filtered	T=0.84, p=0.411, BF01=3.51	T=1.7, p=0.102, BF01=1.37	T=2.44, p=0.022, BF01=0.41	T=-0.46, p=0.647, BF01=4.37	T=-1.06, p=0.301, BF01=2.92	T=1.31, p=0.2, BF01=2.23
anatomy_toolbox_for_RSA	13	res	T=0.23, p=0.82, BF01=4.71	T=-0.09, p=0.927, BF01=4.81	T=1.58, p=0.127, BF01=1.61	T=0.33, p=0.746, BF01=4.59	T=-0.8, p=0.434, BF01=3.62	T=1.31, p=0.2, BF01=2.23
anatomy_toolbox_for_RSA	13	res_filtered	T=0.44, p=0.666, BF01=4.42	T=0.2, p=0.845, BF01=4.74	T=1.71, p=0.1, BF01=1.36	T=0.25, p=0.805, BF01=4.69	T=-0.74, p=0.465, BF01=3.75	T=1.31, p=0.2, BF01=2.23

ROI 14

			T=2.03, p=0.053, BF01=0.83	T=-0.17, p=0.87, BF01=4.77	T=2.44, p=0.022, BF01=0.41	T=1.49, p=0.15, BF01=1.82	T=-0.39, p=0.702, BF01=4.5	1 P E
anatomy_toolbox_for_RSA	14	original	T=1.71, p=0.1, BF01=1.35	T=0.13, p=0.899, BF01=4.79	T=2.51, p=0.019, BF01=0.36	T=1.07, p=0.294, BF01=2.88	T=-0.46, p=0.651, BF01=4.38	1 P E
anatomy_toolbox_for_RSA	14	res	T=1.21, p=0.237, BF01=2.5	T=-1.91, p=0.068, BF01=1.01	T=2.01, p=0.056, BF01=0.86	T=2.18, p=0.039, BF01=0.65	T=-0.7, p=0.491, BF01=3.86	1 P E
anatomy_toolbox_for_RSA	14	res_filtered	T=1.13, p=0.268, BF01=2.71	T=-1.68, p=0.105, BF01=1.4	T=1.77, p=0.089, BF01=1.24	T=2.1, p=0.046, BF01=0.74	T=-0.51, p=0.614, BF01=4.28	1 P E

ROI 15

anatomy_toolbox_for_RSA	15	original	T=0.92, p=0.367, BF01=3.3	T=-1.53, p=0.139, BF01=1.72	T=0.33, p=0.745, BF01=4.59	T=1.88, p=0.072, BF01=1.06	T=0.66, p=0.513, BF01=3.95	T=1.11, p=0.278, BF01=2.78
anatomy_toolbox_for_RSA	15	filtered	T=1.37, p=0.183, BF01=2.1	T=-2.24, p=0.035, BF01=0.59	T=0.01, p=0.995, BF01=4.83	T=2.22, p=0.036, BF01=0.6	T=1.11, p=0.278, BF01=2.78	T=1.11, p=0.278, BF01=2.78
anatomy_toolbox_for_RSA	15	res	T=-0.08, p=0.935, BF01=4.81	T=-1.68, p=0.105, BF01=1.4	T=1.15, p=0.261, BF01=2.67	T=1.28, p=0.211, BF01=2.31	T=-1.04, p=0.308, BF01=2.96	T=-1.04, p=0.308, BF01=2.96
anatomy_toolbox_for_RSA	15	res_filtered	T=0.34, p=0.736, BF01=4.58	T=-1.4, p=0.173, BF01=2.02	T=0.72, p=0.48, BF01=3.82	T=1.26, p=0.221, BF01=2.39	T=-0.41, p=0.685, BF01=4.47	T=-0.41, p=0.685, BF01=4.47

ROI 16

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ 0
anatomy_toolbox_for_RSA	16	original	T=-0.98, p=0.335, BF01=3.12	T=0.54, p=0.591, BF01=4.21	T=0.68, p=0.504, BF01=3.91	T=-1.13, p=0.269, BF01=2.72	T=-1.66, p=0.11, BF01=1.45	T=0.51, p=0.627, BF01=1.01
anatomy_toolbox_for_RSA	16	filtered	T=-0.33, p=0.745, BF01=4.59	T=0.66, p=0.513, BF01=3.95	T=0.65, p=0.52, BF01=3.97	T=-0.62, p=0.538, BF01=4.04	T=-0.82, p=0.423, BF01=3.57	T=0.51, p=0.627, BF01=1.01
anatomy_toolbox_for_RSA	16	res	T=-1.78, p=0.088, BF01=1.22	T=0.14, p=0.887, BF01=4.78	T=0.84, p=0.407, BF01=3.49	T=-1.27, p=0.215, BF01=2.34	T=-1.63, p=0.116, BF01=1.51	T=0.51, p=0.627, BF01=1.01
anatomy_toolbox_for_RSA	16	res_filtered	T=-0.92, p=0.367, BF01=3.3	T=0.71, p=0.483, BF01=3.83	T=0.51, p=0.617, BF01=4.29	T=-1.07, p=0.294, BF01=2.88	T=-0.99, p=0.333, BF01=3.11	T=0.51, p=0.627, BF01=1.01

ROI 17

anatomy_toolbox_for_RSA	17	original	T=2.08, p=0.048, BF01=0.77	T=1.7, p=0.102, BF01=1.37	T=1.98, p=0.058, BF01=0.89	T=0.84, p=0.408, BF01=3.5	T=0.13, p=0.901, BF01=4.79	T
anatomy_toolbox_for_RSA	17	filtered	T=0.66, p=0.513, BF01=3.95	T=1.12, p=0.272, BF01=2.74	T=1.1, p=0.28, BF01=2.79	T=-0.12, p=0.904, BF01=4.79	T=-0.27, p=0.786, BF01=4.66	T
anatomy_toolbox_for_RSA	17	res	T=1.43, p=0.165, BF01=1.95	T=0.75, p=0.46, BF01=3.73	T=0.78, p=0.441, BF01=3.65	T=0.56, p=0.577, BF01=4.17	T=0.36, p=0.723, BF01=4.55	T
anatomy_toolbox_for_RSA	17	res_filtered	T=0.21, p=0.837, BF01=4.73	T=0.83, p=0.417, BF01=3.54	T=0.65, p=0.523, BF01=3.98	T=-0.4, p=0.693, BF01=4.49	T=-0.28, p=0.78, BF01=4.65	T

ROI 18

anatomy_toolbox_for_RSA	18	original	T=-0.37, p=0.718, BF01=4.54	T=1.23, p=0.231, BF01=2.46	T=1.94, p=0.064, BF01=0.96	T=-1.15, p=0.259, BF01=2.65	T=-2.38, p=0.025, BF01=0.46	T
anatomy_toolbox_for_RSA	18	filtered	T=-0.45, p=0.66, BF01=4.41	T=1.65, p=0.111, BF01=1.46	T=2.31, p=0.029, BF01=0.51	T=-1.52, p=0.14, BF01=1.74	T=-2.25, p=0.034, BF01=0.58	T
anatomy_toolbox_for_RSA	18	res	T=-0.88, p=0.386, BF01=3.39	T=0.01, p=0.991, BF01=4.83	T=1.57, p=0.13, BF01=1.64	T=-0.62, p=0.541, BF01=4.05	T=-1.64, p=0.114, BF01=1.49	T
anatomy_toolbox_for_RSA	18	res_filtered	T=-0.53, p=0.599, BF01=4.24	T=0.49, p=0.626, BF01=4.32	T=1.83, p=0.079, BF01=1.14	T=-0.9, p=0.377, BF01=3.35	T=-1.5, p=0.147, BF01=1.8	T

ROI 19

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	19	original	T=0.27, p=0.79, BF01=4.67	T=1.55, p=0.134, BF01=1.68	T=0.03, p=0.975, BF01=4.82	T=-0.98, p=0.336, BF01=3.12	T=0.21, p=0.838, BF01=4.73	T=0.21, p=0.838, BF01=4.73
anatomy_toolbox_for_RSA	19	filtered	T=0.44, p=0.661, BF01=4.41	T=2.05, p=0.051, BF01=0.81	T=0.16, p=0.874, BF01=4.77	T=-0.87, p=0.395, BF01=3.43	T=0.26, p=0.797, BF01=4.68	T=0.26, p=0.797, BF01=4.68
anatomy_toolbox_for_RSA	19	res	T=0.52, p=0.606, BF01=4.26	T=2.17, p=0.04, BF01=0.66	T=-1.24, p=0.226, BF01=2.43	T=-1.34, p=0.192, BF01=2.17	T=1.07, p=0.296, BF01=2.89	T=1.07, p=0.296, BF01=2.89
anatomy_toolbox_for_RSA	19	res_filtered	T=0.41, p=0.686, BF01=4.47	T=2.46, p=0.021, BF01=0.4	T=-1.28, p=0.214, BF01=2.33	T=-1.25, p=0.222, BF01=2.39	T=1.03, p=0.313, BF01=2.99	T=1.03, p=0.313, BF01=2.99

ROI 20

anatomy_toolbox_for_RSA	20	original	T=0.11, p=0.911, BF01=4.8	T=-0.75, p=0.458, BF01=3.73	T=-0.13, p=0.9, BF01=4.79	T=0.56, p=0.582, BF01=4.19	T=0.21, p=0.833, BF01=4.73	1
anatomy_toolbox_for_RSA	20	filtered	T=-1, p=0.325, BF01=3.06	T=-0.13, p=0.9, BF01=4.79	T=0.14, p=0.887, BF01=4.78	T=-0.62, p=0.539, BF01=4.04	T=-0.9, p=0.376, BF01=3.34	1
anatomy_toolbox_for_RSA	20	res	T=0.01, p=0.992, BF01=4.83	T=-0.39, p=0.699, BF01=4.5	T=0.31, p=0.763, BF01=4.62	T=0.27, p=0.793, BF01=4.67	T=-0.21, p=0.835, BF01=4.73	1
anatomy_toolbox_for_RSA	20	res_filtered	T=-1.14, p=0.267, BF01=2.71	T=-0.15, p=0.879, BF01=4.77	T=0.65, p=0.521, BF01=3.98	T=-0.72, p=0.476, BF01=3.8	T=-1.32, p=0.2, BF01=2.23	1

ROI 21

ROI 22

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	22	original	T=1.44, p=0.161, BF01=1.92	T=0.87, p=0.39, BF01=3.41	T=0.62, p=0.54, BF01=4.04	T=0.32, p=0.754, BF01=4.61	T=0.77, p=0.45, BF01=3.69	T
anatomy_toolbox_for_RSA	22	filtered	T=1.3, p=0.206, BF01=2.28	T=0.45, p=0.654, BF01=4.39	T=-0.41, p=0.688, BF01=4.47	T=0.52, p=0.607, BF01=4.26	T=1.34, p=0.192, BF01=2.17	T
anatomy_toolbox_for_RSA	22	res	T=1.48, p=0.152, BF01=1.84	T=1.2, p=0.243, BF01=2.54	T=-0.62, p=0.542, BF01=4.05	T=0.06, p=0.953, BF01=4.82	T=1.43, p=0.165, BF01=1.95	T
anatomy_toolbox_for_RSA	22	res_filtered	T=1.53, p=0.139, BF01=1.73	T=1.03, p=0.313, BF01=2.99	T=-0.82, p=0.418, BF01=3.55	T=0.26, p=0.799, BF01=4.68	T=1.68, p=0.105, BF01=1.4	T

ROI 23

anatomy_toolbox_for_RSA	23	original	T=0.04, p=0.966, BF01=4.82	T=0.91, p=0.372, BF01=3.32	T=0.37, p=0.715, BF01=4.53	T=-0.72, p=0.48, BF01=3.82	T=-0.31, p=0.756, BF01=4.61	T
anatomy_toolbox_for_RSA	23	filtered	T=-0.27, p=0.79, BF01=4.67	T=1.71, p=0.1, BF01=1.35	T=1.03, p=0.311, BF01=2.98	T=-1.33, p=0.196, BF01=2.2	T=-1.01, p=0.322, BF01=3.04	T
anatomy_toolbox_for_RSA	23	res	T=0.22, p=0.827, BF01=4.72	T=1.04, p=0.31, BF01=2.97	T=-0.34, p=0.733, BF01=4.57	T=-0.77, p=0.449, BF01=3.69	T=0.35, p=0.732, BF01=4.57	T
anatomy_toolbox_for_RSA	23	res_filtered	T=-0.21, p=0.836, BF01=4.73	T=1.52, p=0.14, BF01=1.74	T=0.33, p=0.746, BF01=4.6	T=-1.37, p=0.183, BF01=2.1	T=-0.35, p=0.728, BF01=4.56	T

ROI 24

anatomy_toolbox_for_RSA	24	original	T=1.09, p=0.286, BF01=2.83	T=-1.14, p=0.265, BF01=2.69	T=-2.86, p=0.009, BF01=0.19	T=1.67, p=0.107, BF01=1.42	T=3.27, p=0.003, BF01=0.08	T
anatomy_toolbox_for_RSA	24	filtered	T=0.74, p=0.464, BF01=3.75	T=-0.72, p=0.477, BF01=3.81	T=-2.87, p=0.008, BF01=0.18	T=1.04, p=0.309, BF01=2.97	T=2.59, p=0.016, BF01=0.31	T
anatomy_toolbox_for_RSA	24	res	T=1.56, p=0.131, BF01=1.65	T=2.04, p=0.052, BF01=0.82	T=-3.54, p=0.002, BF01=0.04	T=0.14, p=0.893, BF01=4.79	T=2.97, p=0.007, BF01=0.15	T
anatomy_toolbox_for_RSA	24	res_filtered	T=0.95, p=0.35, BF01=3.2	T=2.01, p=0.056, BF01=0.86	T=-3.33, p=0.003, BF01=0.07	T=-0.29, p=0.774, BF01=4.64	T=2.69, p=0.013, BF01=0.26	T

ROI 25

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ 0
anatomy_toolbox_for_RSA	25	original	T=1.66, p=0.11, BF01=1.45	T=-3.15, p=0.004, BF01=0.1	T=-0.83, p=0.415, BF01=3.53	T=2.91, p=0.007, BF01=0.17	T=1.98, p=0.059, BF01=0.9	T=1.98, p=0.059, BF01=0.9
anatomy_toolbox_for_RSA	25	filtered		T=0.74, p=0.468, BF01=3.77	T=-1.67, p=0.108, BF01=1.43	T=-0.62, p=0.54, BF01=4.05	T=1.43, p=0.165, BF01=1.95	T=1.13, p=0.27, BF01=2.72
anatomy_toolbox_for_RSA	25	res	T=1.08, p=0.289, BF01=2.85	T=-1.25, p=0.223, BF01=2.4	T=-0.24, p=0.81, BF01=4.7	T=2.05, p=0.051, BF01=0.8	T=0.73, p=0.474, BF01=3.8	T=1.98, p=0.059, BF01=0.9
anatomy_toolbox_for_RSA	25	res_filtered		T=0.42, p=0.68, BF01=4.46	T=-0.91, p=0.37, BF01=3.31	T=-0.32, p=0.754, BF01=4.61	T=0.97, p=0.342, BF01=3.16	T=0.5, p=0.625, BF01=4.31

ROI 26

anatomy_toolbox_for_RSA	26	original	T=0.26, p=0.798, BF01=4.68	T=1.36, p=0.185, BF01=2.12	T=1.03, p=0.312, BF01=2.98	T=-0.8, p=0.434, BF01=3.62	T=-0.66, p=0.518, BF01=3.97	T
anatomy_toolbox_for_RSA	26	filtered	T=0.56, p=0.583, BF01=4.19	T=1.21, p=0.239, BF01=2.51	T=1.07, p=0.293, BF01=2.87	T=-0.28, p=0.779, BF01=4.65	T=-0.32, p=0.751, BF01=4.6	T
anatomy_toolbox_for_RSA	26	res	T=0.18, p=0.859, BF01=4.76	T=1.31, p=0.201, BF01=2.24	T=0.03, p=0.975, BF01=4.82	T=-0.83, p=0.415, BF01=3.53	T=0.08, p=0.941, BF01=4.81	T
anatomy_toolbox_for_RSA	26	res_filtered	T=0.49, p=0.625, BF01=4.31	T=1.05, p=0.303, BF01=2.93	T=0.28, p=0.784, BF01=4.66	T=-0.25, p=0.804, BF01=4.69	T=0.14, p=0.893, BF01=4.79	T

ROI 27

anatomy_toolbox_for_RSA	27	original	T=1.95, p=0.063, BF01=0.95	T=-1.7, p=0.101, BF01=1.36	T=1.32, p=0.2, BF01=2.23	T=2.53, p=0.018, BF01=0.35	T=0.9, p=0.376, BF01=3.34	T
anatomy_toolbox_for_RSA	27	filtered	T=1.48, p=0.151, BF01=1.83	T=-1.65, p=0.112, BF01=1.47	T=0.96, p=0.347, BF01=3.18	T=1.97, p=0.06, BF01=0.91	T=0.74, p=0.467, BF01=3.76	T
anatomy_toolbox_for_RSA	27	res	T=1.33, p=0.194, BF01=2.19	T=-1.87, p=0.074, BF01=1.07	T=1.63, p=0.115, BF01=1.5	T=2.23, p=0.035, BF01=0.6	T=-0.28, p=0.783, BF01=4.66	T
anatomy_toolbox_for_RSA	27	res_filtered	T=0.88, p=0.388, BF01=3.4	T=-1.5, p=0.147, BF01=1.8	T=1.38, p=0.179, BF01=2.06	T=1.67, p=0.108, BF01=1.43	T=-0.24, p=0.814, BF01=4.7	T

ROI 28

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	28	original	T=1.66, p=0.109, BF01=1.44	T=-0.97, p=0.342, BF01=3.16	T=-0.49, p=0.628, BF01=4.32	T=2.3, p=0.03, BF01=0.53	T=2.1, p=0.046, BF01=0.74	T
anatomy_toolbox_for_RSA	28	filtered	T=1.3, p=0.207, BF01=2.28	T=-0.47, p=0.64, BF01=4.36	T=-0.78, p=0.443, BF01=3.66	T=1.48, p=0.152, BF01=1.84	T=1.52, p=0.14, BF01=1.73	T
anatomy_toolbox_for_RSA	28	res	T=1.87, p=0.073, BF01=1.07	T=0.21, p=0.837, BF01=4.73	T=-0.7, p=0.493, BF01=3.87	T=1.79, p=0.086, BF01=1.2	T=1.64, p=0.114, BF01=1.49	T
anatomy_toolbox_for_RSA	28	res_filtered	T=1.25, p=0.222, BF01=2.39	T=0.47, p=0.642, BF01=4.36	T=-0.88, p=0.385, BF01=3.38	T=0.93, p=0.362, BF01=3.27	T=1.31, p=0.2, BF01=2.23	T

ROI 29

anatomy_toolbox_for_RSA	29	original	T=0.8, p=0.433, BF01=3.62	T=0.33, p=0.741, BF01=4.59	T=1.45, p=0.158, BF01=1.89	T=0.29, p=0.773, BF01=4.64	T=-0.57, p=0.574, BF01=4.16	T p E
anatomy_toolbox_for_RSA	29	filtered	T=0.64, p=0.527, BF01=4	T=0.06, p=0.95, BF01=4.82	T=1.37, p=0.183, BF01=2.1	T=0.42, p=0.675, BF01=4.44	T=-0.42, p=0.677, BF01=4.45	T p E
anatomy_toolbox_for_RSA	29	res	T=-0.43, p=0.67, BF01=4.43	T=-0.83, p=0.416, BF01=3.54	T=1.82, p=0.082, BF01=1.16	T=0.27, p=0.789, BF01=4.67	T=-1.28, p=0.212, BF01=2.32	T p E
anatomy_toolbox_for_RSA	29	res_filtered	T=0.09, p=0.928, BF01=4.81	T=-1.36, p=0.187, BF01=2.13	T=2, p=0.057, BF01=0.88	T=0.82, p=0.421, BF01=3.56	T=-1.03, p=0.311, BF01=2.98	T p E

ROI 30

anatomy_toolbox_for_RSA	30	original	T=1.27, p=0.217, BF01=2.36	T=-2.95, p=0.007, BF01=0.15	T=-0.84, p=0.409, BF01=3.5	T=2.85, p=0.009, BF01=0.19	T=1.61, p=0.12, BF01=1.55	T
anatomy_toolbox_for_RSA	30	filtered	T=0.25, p=0.807, BF01=4.69	T=-1.97, p=0.06, BF01=0.92	T=-0.87, p=0.391, BF01=3.42	T=1.3, p=0.206, BF01=2.28	T=0.86, p=0.397, BF01=3.44	T
anatomy_toolbox_for_RSA	30	res	T=0.89, p=0.382, BF01=3.37	T=-1.07, p=0.296, BF01=2.89	T=-0.22, p=0.831, BF01=4.72	T=1.73, p=0.096, BF01=1.32	T=0.61, p=0.55, BF01=4.08	T
anatomy_toolbox_for_RSA	30	res_filtered	T=-0.07, p=0.946, BF01=4.82	T=-0.74, p=0.466, BF01=3.76	T=-0.33, p=0.742, BF01=4.59	T=0.44, p=0.662, BF01=4.41	T=0.21, p=0.839, BF01=4.73	T

ROI 31

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	31	original	T=1.11, p=0.278, BF01=2.78	T=-1.72, p=0.097, BF01=1.32	T=0.36, p=0.721, BF01=4.55	T=2.01, p=0.056, BF01=0.86	T=0.62, p=0.54, BF01=4.05	T
anatomy_toolbox_for_RSA	31	filtered	T=1.31, p=0.203, BF01=2.25	T=-1.87, p=0.073, BF01=1.06	T=0.47, p=0.641, BF01=4.36	T=1.92, p=0.066, BF01=0.98	T=0.74, p=0.465, BF01=3.76	T
anatomy_toolbox_for_RSA	31	res	T=0.47, p=0.642, BF01=4.36	T=-2.03, p=0.053, BF01=0.83	T=1.3, p=0.207, BF01=2.28	T=1.88, p=0.072, BF01=1.05	T=-0.49, p=0.627, BF01=4.32	T
anatomy_toolbox_for_RSA	31	res_filtered	T=1.04, p=0.309, BF01=2.97	T=-2.07, p=0.049, BF01=0.78	T=1.52, p=0.142, BF01=1.75	T=1.97, p=0.061, BF01=0.92	T=-0.11, p=0.91, BF01=4.8	T

ROI 32

anatomy_toolbox_for_RSA	32	original	T=0.95, p=0.352, BF01=3.21	T=-0.1, p=0.922, BF01=4.81	T=0.13, p=0.896, BF01=4.79	T=0.91, p=0.37, BF01=3.31	T=0.92, p=0.364, BF01=3.28	T=0.92, p=0.364, BF01=3.28
anatomy_toolbox_for_RSA	32	filtered	T=0.7, p=0.49, BF01=3.86	T=0.3, p=0.767, BF01=4.63	T=0.44, p=0.664, BF01=4.42	T=0.33, p=0.745, BF01=4.59	T=0.31, p=0.757, BF01=4.61	T=0.31, p=0.757, BF01=4.61
anatomy_toolbox_for_RSA	32	res	T=0.9, p=0.378, BF01=3.35	T=0.84, p=0.409, BF01=3.5	T=-0.29, p=0.777, BF01=4.65	T=0.23, p=0.821, BF01=4.71	T=0.78, p=0.442, BF01=3.66	T=0.78, p=0.442, BF01=3.66
anatomy_toolbox_for_RSA	32	res_filtered	T=0.51, p=0.615, BF01=4.29	T=0.73, p=0.472, BF01=3.79	T=0.14, p=0.889, BF01=4.78	T=-0.12, p=0.908, BF01=4.8	T=0.27, p=0.791, BF01=4.67	T=0.27, p=0.791, BF01=4.67

ROI 33

anatomy_toolbox_for_RSA	33	original	T=1.8, p=0.085, BF01=1.19	T=-1.43, p=0.164, BF01=1.94	T=1.39, p=0.176, BF01=2.04	T=2.55, p=0.017, BF01=0.34	T=0.67, p=0.51, BF01=3.94	T
anatomy_toolbox_for_RSA	33	filtered	T=1.58, p=0.126, BF01=1.61	T=-1.59, p=0.125, BF01=1.6	T=1.56, p=0.13, BF01=1.65	T=1.98, p=0.059, BF01=0.9	T=0.37, p=0.711, BF01=4.53	T
anatomy_toolbox_for_RSA	33	res	T=1.31, p=0.201, BF01=2.24	T=-1.93, p=0.065, BF01=0.97	T=2.14, p=0.043, BF01=0.7	T=2.37, p=0.026, BF01=0.47	T=-0.66, p=0.515, BF01=3.95	T
anatomy_toolbox_for_RSA	33	res_filtered	T=1.1, p=0.282, BF01=2.8	T=-2.08, p=0.048, BF01=0.77	T=2.45, p=0.022, BF01=0.4	T=2.02, p=0.054, BF01=0.84	T=-0.76, p=0.453, BF01=3.7	T

ROI 34

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	34	original	T=0.49, p=0.629, BF01=4.32	T=-1.48, p=0.151, BF01=1.83	T=-1.62, p=0.118, BF01=1.53	T=1.13, p=0.268, BF01=2.71	T=1.6, p=0.121, BF01=1.56	T
anatomy_toolbox_for_RSA	34	filtered	T=-0.09, p=0.932, BF01=4.81	T=-1.42, p=0.169, BF01=1.98	T=-1.93, p=0.065, BF01=0.97	T=0.64, p=0.526, BF01=4	T=1.23, p=0.228, BF01=2.44	T
anatomy_toolbox_for_RSA	34	res	T=0.87, p=0.392, BF01=3.42	T=0.58, p=0.567, BF01=4.14	T=-1.12, p=0.273, BF01=2.75	T=0.3, p=0.764, BF01=4.63	T=1.21, p=0.239, BF01=2.51	T
anatomy_toolbox_for_RSA	34	res_filtered	T=0.21, p=0.832, BF01=4.73	T=0.41, p=0.682, BF01=4.46	T=-1.01, p=0.322, BF01=3.04	T=-0.1, p=0.921, BF01=4.8	T=0.82, p=0.422, BF01=3.56	T

ROI 35

anatomy_toolbox_for_RSA	35	original	T=1.67, p=0.107, BF01=1.42	T=0.28, p=0.783, BF01=4.66	T=2.78, p=0.01, BF01=0.22	T=1.32, p=0.198, BF01=2.22	T=-0.4, p=0.693, BF01=4.49	T
anatomy_toolbox_for_RSA	35	filtered	T=1.29, p=0.209, BF01=2.3	T=0.38, p=0.71, BF01=4.52	T=2.82, p=0.009, BF01=0.2	T=0.89, p=0.381, BF01=3.36	T=-0.52, p=0.605, BF01=4.26	T
anatomy_toolbox_for_RSA	35	res	T=0.88, p=0.388, BF01=3.4	T=-1.32, p=0.2, BF01=2.23	T=2.28, p=0.032, BF01=0.55	T=1.87, p=0.074, BF01=1.07	T=-0.74, p=0.469, BF01=3.77	T p E
anatomy_toolbox_for_RSA	35	res_filtered	T=0.59, p=0.56, BF01=4.11	T=-1.37, p=0.182, BF01=2.09	T=2.32, p=0.029, BF01=0.51	T=1.51, p=0.143, BF01=1.76	T=-0.85, p=0.406, BF01=3.49	T p E

ROI 36

anatomy_toolbox_for_RSA	36	original	T=-0.02, p=0.985, BF01=4.83	T=-0.17, p=0.867, BF01=4.76	T=-0.68, p=0.501, BF01=3.9	T=0.08, p=0.937, BF01=4.81	T=0.49, p=0.632, BF01=4.33	T=0.00, p=0.999, BF01=4.83
anatomy_toolbox_for_RSA	36	filtered	T=0.02, p=0.984, BF01=4.83	T=0.09, p=0.931, BF01=4.81	T=-0.51, p=0.618, BF01=4.29	T=-0.04, p=0.972, BF01=4.82	T=0.37, p=0.711, BF01=4.53	T=0.00, p=0.999, BF01=4.83
anatomy_toolbox_for_RSA	36	res	T=0.18, p=0.862, BF01=4.76	T=0.76, p=0.457, BF01=3.72	T=-0.72, p=0.477, BF01=3.8	T=-0.38, p=0.711, BF01=4.52	T=0.54, p=0.597, BF01=4.23	T=0.00, p=0.999, BF01=4.83
anatomy_toolbox_for_RSA	36	res_filtered	T=0.3, p=0.765, BF01=4.63	T=1.05, p=0.305, BF01=2.94	T=-0.67, p=0.509, BF01=3.93	T=-0.38, p=0.705, BF01=4.51	T=0.62, p=0.541, BF01=4.05	T=0.00, p=0.999, BF01=4.83

ROI 37

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ Arousal
anatomy_toolbox_for_RSA	37	original	T=0.35, p=0.728, BF01=4.56	T=0.76, p=0.452, BF01=3.7	T=1.35, p=0.188, BF01=2.14	T=-0.26, p=0.8, BF01=4.68	T=-1.07, p=0.297, BF01=2.89	T=p BF
anatomy_toolbox_for_RSA	37	filtered	T=1.03, p=0.313, BF01=2.99	T=0.68, p=0.504, BF01=3.91	T=1.54, p=0.137, BF01=1.71	T=0.36, p=0.721, BF01=4.55	T=-0.52, p=0.609, BF01=4.27	T=p BF
anatomy_toolbox_for_RSA	37	res	T=-0.17, p=0.865, BF01=4.76	T=-0.38, p=0.71, BF01=4.52	T=1.21, p=0.238, BF01=2.51	T=0.15, p=0.886, BF01=4.78	T=-0.97, p=0.34, BF01=3.15	T=p BF
anatomy_toolbox_for_RSA	37	res_filtered	T=0.88, p=0.385, BF01=3.39	T=-0.18, p=0.862, BF01=4.76	T=1.5, p=0.147, BF01=1.79	T=0.98, p=0.338, BF01=3.13	T=-0.45, p=0.654, BF01=4.39	T=p BF

ROI 38

anatomy_toolbox_for_RSA	38	original	T=2.43, p=0.023, BF01=0.42	T=2.58, p=0.016, BF01=0.32	T=3.24, p=0.003, BF01=0.08	T=-0.11, p=0.914, BF01=4.8	T=-0.69, p=0.498, BF01=3.89	T
anatomy_toolbox_for_RSA	38	filtered	T=1.85, p=0.075, BF01=1.09	T=2.46, p=0.021, BF01=0.4	T=2.44, p=0.022, BF01=0.41	T=-0.38, p=0.706, BF01=4.51	T=-0.59, p=0.562, BF01=4.12	T
anatomy_toolbox_for_RSA	38	res	T=1.98, p=0.059, BF01=0.9	T=1.58, p=0.127, BF01=1.62	T=1.07, p=0.295, BF01=2.88	T=0.31, p=0.76, BF01=4.62	T=0.48, p=0.634, BF01=4.34	T
anatomy_toolbox_for_RSA	38	res_filtered	T=1.63, p=0.115, BF01=1.5	T=1.76, p=0.09, BF01=1.25	T=1.15, p=0.259, BF01=2.65	T=0.11, p=0.912, BF01=4.8	T=0.19, p=0.855, BF01=4.75	T

ROI 39

anatomy_toolbox_for_RSA	39	original	T=1.17, p=0.252, BF01=2.61	T=1.91, p=0.067, BF01=1	T=1.36, p=0.185, BF01=2.11	T=-0.7, p=0.492, BF01=3.87	T=-0.11, p=0.915, BF01=4.8	T
anatomy_toolbox_for_RSA	39	filtered	T=1.2, p=0.243, BF01=2.54	T=1, p=0.327, BF01=3.07	T=0.12, p=0.906, BF01=4.79	T=0.14, p=0.892, BF01=4.78	T=0.74, p=0.469, BF01=3.77	T
anatomy_toolbox_for_RSA	39	res	T=1.25, p=0.222, BF01=2.39	T=1.76, p=0.091, BF01=1.26	T=-0.93, p=0.364, BF01=3.28	T=-0.73, p=0.47, BF01=3.78	T=1.3, p=0.206, BF01=2.27	T p E
anatomy_toolbox_for_RSA	39	res_filtered	T=1.17, p=0.254, BF01=2.62	T=1.52, p=0.141, BF01=1.74	T=-1.29, p=0.209, BF01=2.3	T=-0.49, p=0.627, BF01=4.32	T=1.38, p=0.181, BF01=2.08	T p E

ROI 40

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	40	original	T=2.92, p=0.007, BF01=0.16	T=1.81, p=0.083, BF01=1.17	T=1.18, p=0.251, BF01=2.6	T=1.23, p=0.232, BF01=2.46	T=1.69, p=0.103, BF01=1.38	T=1.51, p=0.145, BF01=1.38
anatomy_toolbox_for_RSA	40	filtered	T=1.41, p=0.17, BF01=1.99	T=2.12, p=0.044, BF01=0.72	T=0.95, p=0.35, BF01=3.2	T=-0.03, p=0.978, BF01=4.82	T=0.66, p=0.515, BF01=3.96	T=1.51, p=0.145, BF01=1.38
anatomy_toolbox_for_RSA	40	res	T=2.37, p=0.026, BF01=0.47	T=2, p=0.056, BF01=0.87	T=-0.72, p=0.48, BF01=3.82	T=0.86, p=0.398, BF01=3.45	T=1.89, p=0.07, BF01=1.03	T=1.51, p=0.145, BF01=1.38
anatomy_toolbox_for_RSA	40	res_filtered	T=1.14, p=0.266, BF01=2.7	T=2.13, p=0.043, BF01=0.71	T=-0.08, p=0.936, BF01=4.81	T=-0.24, p=0.811, BF01=4.7	T=0.8, p=0.433, BF01=3.62	T=1.51, p=0.145, BF01=1.38

ROI 41

anatomy_toolbox_for_RSA	41	original	T=1.63, p=0.116, BF01=1.51	T=0.67, p=0.508, BF01=3.93	T=0.09, p=0.93, BF01=4.81	T=0.87, p=0.394, BF01=3.43	T=1.23, p=0.231, BF01=2.46	1 P E
anatomy_toolbox_for_RSA	41	filtered		T=0.79, p=0.437, BF01=3.63	T=0.37, p=0.711, BF01=4.53	T=-0.56, p=0.582, BF01=4.19	T=0.47, p=0.642, BF01=4.36	T=0.93, p=0.362, BF01=3.26
anatomy_toolbox_for_RSA	41	res	T=1.38, p=0.179, BF01=2.06	T=1.74, p=0.093, BF01=1.28	T=-1.24, p=0.225, BF01=2.41	T=0.17, p=0.868, BF01=4.76	T=1.49, p=0.149, BF01=1.81	1 P E
anatomy_toolbox_for_RSA	41	res_filtered		T=0.57, p=0.575, BF01=4.16	T=0.99, p=0.331, BF01=3.09	T=-0.83, p=0.415, BF01=3.53	T=-0.06, p=0.956, BF01=4.82	T=0.77, p=0.447, BF01=3.68

ROI 42

anatomy_toolbox_for_RSA	42	original	T=2.28, p=0.031, BF01=0.54	T=1.54, p=0.135, BF01=1.69	T=0.79, p=0.435, BF01=3.63	T=0.66, p=0.515, BF01=3.95	T=0.85, p=0.405, BF01=3.48	1
anatomy_toolbox_for_RSA	42	filtered	T=0.89, p=0.382, BF01=3.37	T=2.52, p=0.018, BF01=0.35	T=1.1, p=0.282, BF01=2.8	T=-0.92, p=0.366, BF01=3.29	T=-0.25, p=0.803, BF01=4.69	1
anatomy_toolbox_for_RSA	42	res	T=1.99, p=0.057, BF01=0.88	T=1.36, p=0.187, BF01=2.13	T=-0.37, p=0.717, BF01=4.54	T=0.4, p=0.696, BF01=4.49	T=1.18, p=0.25, BF01=2.59	1
anatomy_toolbox_for_RSA	42	res_filtered	T=0.59, p=0.558, BF01=4.11	T=2.02, p=0.054, BF01=0.85	T=-0.04, p=0.972, BF01=4.82	T=-1.38, p=0.181, BF01=2.08	T=0.33, p=0.741, BF01=4.59	1

ROI 43

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion × Arousal
anatomy_toolbox_for_RSA	43	original	T=0.69, p=0.495, BF01=3.88	T=-2.98, p=0.006, BF01=0.14	T=-3.78, p=0.001, BF01=0.03	T=2.13, p=0.043, BF01=0.7	T=3.82, p=0.001, BF01=0.02	T=1.36, p=0.186, BF01=2.12
anatomy_toolbox_for_RSA	43	filtered	T=0.6, p=0.554, BF01=4.09	T=-1.86, p=0.075, BF01=1.09	T=-3.92, p=0.001, BF01=0.02	T=1.36, p=0.186, BF01=2.12	T=3.07, p=0.005, BF01=0.12	T=1.36, p=0.186, BF01=2.12
anatomy_toolbox_for_RSA	43	res	T=1.52, p=0.141, BF01=1.74	T=0.86, p=0.397, BF01=3.45	T=-3.26, p=0.003, BF01=0.08	T=0.78, p=0.441, BF01=3.65	T=3.15, p=0.004, BF01=0.1	T=1.36, p=0.186, BF01=2.12
anatomy_toolbox_for_RSA	43	res_filtered	T=0.96, p=0.345, BF01=3.17	T=0.95, p=0.349, BF01=3.2	T=-2.72, p=0.012, BF01=0.24	T=0.24, p=0.811, BF01=4.7	T=2.66, p=0.013, BF01=0.27	T=1.36, p=0.186, BF01=2.12

ROI 44

anatomy_toolbox_for_RSA	44	original	T=2.01, p=0.055, BF01=0.86	T=0.41, p=0.682, BF01=4.46	T=1.9, p=0.069, BF01=1.01	T=1.76, p=0.091, BF01=1.26	T=0.52, p=0.608, BF01=4.26	T p E
anatomy_toolbox_for_RSA	44	filtered	T=1.35, p=0.188, BF01=2.14	T=0.82, p=0.42, BF01=3.56	T=1.78, p=0.087, BF01=1.21	T=0.72, p=0.476, BF01=3.8	T=-0.21, p=0.835, BF01=4.73	T p E
anatomy_toolbox_for_RSA	44	res	T=1.5, p=0.146, BF01=1.79	T=-0.51, p=0.613, BF01=4.28	T=1.38, p=0.18, BF01=2.07	T=1.68, p=0.106, BF01=1.42	T=0.06, p=0.955, BF01=4.82	T p E
anatomy_toolbox_for_RSA	44	res_filtered		T=0.73, p=0.47, BF01=3.78	T=-0.17, p=0.864, BF01=4.76	T=1.36, p=0.185, BF01=2.12	T=0.76, p=0.452, BF01=3.7	T=-0.45, p=0.658, BF01=4.4

ROI 45

anatomy_toolbox_for_RSA	45	original	T=0.98, p=0.338, BF01=3.14	T=1.33, p=0.195, BF01=2.19	T=0.7, p=0.488, BF01=3.85	T=-0.23, p=0.821, BF01=4.71	T=0.4, p=0.692, BF01=4.48	T
anatomy_toolbox_for_RSA	45	filtered	T=-0.11, p=0.912, BF01=4.8	T=1.62, p=0.118, BF01=1.53	T=0.19, p=0.848, BF01=4.74	T=-1.12, p=0.275, BF01=2.76	T=-0.2, p=0.842, BF01=4.74	T
anatomy_toolbox_for_RSA	45	res	T=0.77, p=0.446, BF01=3.67	T=1.49, p=0.147, BF01=1.8	T=-0.75, p=0.458, BF01=3.72	T=-0.62, p=0.543, BF01=4.06	T=0.93, p=0.359, BF01=3.25	T
anatomy_toolbox_for_RSA	45	res_filtered	T=-0.13, p=0.895, BF01=4.79	T=1.47, p=0.154, BF01=1.85	T=-0.61, p=0.55, BF01=4.08	T=-1.16, p=0.256, BF01=2.63	T=0.27, p=0.786, BF01=4.66	T

ROI 46

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	46	original	T=0.96, p=0.346, BF01=3.18	T=0.38, p=0.709, BF01=4.52	T=-0.43, p=0.67, BF01=4.43	T=0.47, p=0.646, BF01=4.37	T=1.08, p=0.291, BF01=2.86	T=1.08, p=0.291, BF01=2.86
anatomy_toolbox_for_RSA	46	filtered	T=0.49, p=0.628, BF01=4.32	T=0.5, p=0.624, BF01=4.31	T=-0.56, p=0.58, BF01=4.18	T=0.06, p=0.95, BF01=4.82	T=0.63, p=0.537, BF01=4.04	T=1.08, p=0.291, BF01=2.86
anatomy_toolbox_for_RSA	46	res	T=0.93, p=0.36, BF01=3.26	T=1.15, p=0.261, BF01=2.67	T=-1.12, p=0.272, BF01=2.74	T=-0.02, p=0.985, BF01=4.83	T=1.23, p=0.232, BF01=2.46	T=1.08, p=0.291, BF01=2.86
anatomy_toolbox_for_RSA	46	res_filtered	T=0.32, p=0.752, BF01=4.61	T=0.86, p=0.399, BF01=3.46	T=-0.73, p=0.473, BF01=3.79	T=-0.28, p=0.785, BF01=4.66	T=0.58, p=0.569, BF01=4.14	T=1.08, p=0.291, BF01=2.86

ROI 47

anatomy_toolbox_for_RSA	47	original	T=0.64, p=0.53, BF01=4.01	T=2.47, p=0.021, BF01=0.39	T=2.09, p=0.047, BF01=0.76	T=-1.2, p=0.24, BF01=2.52	T=-1.3, p=0.206, BF01=2.28	T=1.1, p=0.274, BF01=1.01
anatomy_toolbox_for_RSA	47	filtered	T=0.59, p=0.563, BF01=4.13	T=2.67, p=0.013, BF01=0.27	T=2.2, p=0.038, BF01=0.63	T=-0.95, p=0.35, BF01=3.2	T=-0.98, p=0.336, BF01=3.13	T=1.1, p=0.274, BF01=1.01
anatomy_toolbox_for_RSA	47	res	T=0.02, p=0.985, BF01=4.83	T=1.31, p=0.203, BF01=2.25	T=0.7, p=0.492, BF01=3.87	T=-1.05, p=0.302, BF01=2.92	T=-0.4, p=0.693, BF01=4.49	T=1.1, p=0.274, BF01=1.01
anatomy_toolbox_for_RSA	47	res_filtered	T=0.23, p=0.818, BF01=4.71	T=1.32, p=0.199, BF01=2.22	T=0.71, p=0.482, BF01=3.83	T=-0.72, p=0.481, BF01=3.82	T=-0.25, p=0.807, BF01=4.69	T=1.1, p=0.274, BF01=1.01

ROI 48

anatomy_toolbox_for_RSA	48	original	T=1.6, p=0.123, BF01=1.58	T=1.5, p=0.147, BF01=1.8	T=2.8, p=0.01, BF01=0.21	T=-0.19, p=0.851, BF01=4.75	T=-1.31, p=0.203, BF01=2.25	1 P E
anatomy_toolbox_for_RSA	48	filtered	T=0.36, p=0.722, BF01=4.55	T=1.65, p=0.111, BF01=1.46	T=2.97, p=0.006, BF01=0.15	T=-0.91, p=0.371, BF01=3.31	T=-2.05, p=0.051, BF01=0.8	1 P E
anatomy_toolbox_for_RSA	48	res	T=0.31, p=0.762, BF01=4.62	T=0.12, p=0.902, BF01=4.79	T=1.19, p=0.243, BF01=2.55	T=0.06, p=0.95, BF01=4.82	T=-0.74, p=0.468, BF01=3.77	1 P E
anatomy_toolbox_for_RSA	48	res_filtered	T=-0.7, p=0.489, BF01=3.86	T=0.06, p=0.954, BF01=4.82	T=1.48, p=0.151, BF01=1.83	T=-0.46, p=0.648, BF01=4.38	T=-1.55, p=0.135, BF01=1.69	1 P E

ROI 49

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	49	original	T=4.69, p=0, BF01=0	T=-0.2, p=0.843, BF01=4.74	T=3.22, p=0.004, BF01=0.09	T=4.12, p=0, BF01=0.01	T=1.05, p=0.306, BF01=2.95	T
anatomy_toolbox_for_RSA	49	filtered	T=2.83, p=0.009, BF01=0.2	T=0.32, p=0.754, BF01=4.61	T=3.47, p=0.002, BF01=0.05	T=2.15, p=0.042, BF01=0.68	T=-0.43, p=0.673, BF01=4.44	T
anatomy_toolbox_for_RSA	49	res	T=2.81, p=0.009, BF01=0.2	T=-1.77, p=0.089, BF01=1.24	T=2.66, p=0.014, BF01=0.27	T=4.33, p=0, BF01=0.01	T=-0.2, p=0.842, BF01=4.74	T
anatomy_toolbox_for_RSA	49	res_filtered	T=1.17, p=0.254, BF01=2.62	T=-1.23, p=0.228, BF01=2.44	T=2.77, p=0.01, BF01=0.22	T=2.12, p=0.044, BF01=0.71	T=-1.02, p=0.32, BF01=3.03	T

ROI 50

anatomy_toolbox_for_RSA	50	original	T=1.73, p=0.096, BF01=1.31	T=0.88, p=0.389, BF01=3.41	T=0.82, p=0.417, BF01=3.54	T=0.89, p=0.383, BF01=3.38	T=1.06, p=0.301, BF01=2.92	T=1.06 p=0.301 BF01=2.92
anatomy_toolbox_for_RSA	50	filtered	T=1.58, p=0.127, BF01=1.61	T=1.19, p=0.244, BF01=2.55	T=1.14, p=0.266, BF01=2.7	T=0.45, p=0.653, BF01=4.39	T=0.56, p=0.578, BF01=4.17	T=1.06 p=0.301 BF01=2.92
anatomy_toolbox_for_RSA	50	res	T=1.64, p=0.113, BF01=1.48	T=1.08, p=0.289, BF01=2.84	T=-0.35, p=0.727, BF01=4.56	T=0.61, p=0.548, BF01=4.08	T=1.26, p=0.218, BF01=2.36	T=1.06 p=0.301 BF01=2.92
anatomy_toolbox_for_RSA	50	res_filtered	T=1.29, p=0.209, BF01=2.3	T=1.01, p=0.321, BF01=3.04	T=0.09, p=0.933, BF01=4.81	T=0.28, p=0.784, BF01=4.66	T=0.79, p=0.434, BF01=3.62	T=1.06 p=0.301 BF01=2.92

ROI 51

anatomy_toolbox_for_RSA	51	original	T=0.66, p=0.517, BF01=3.96	T=0.54, p=0.594, BF01=4.22	T=-0.29, p=0.771, BF01=4.64	T=-0.01, p=0.996, BF01=4.83	T=0.78, p=0.444, BF01=3.67	T p E
anatomy_toolbox_for_RSA	51	filtered	T=0.58, p=0.566, BF01=4.14	T=1.23, p=0.229, BF01=2.44	T=0.11, p=0.91, BF01=4.8	T=-0.62, p=0.543, BF01=4.06	T=0.41, p=0.688, BF01=4.48	T p E
anatomy_toolbox_for_RSA	51	res	T=0.68, p=0.502, BF01=3.9	T=1.44, p=0.161, BF01=1.92	T=-0.94, p=0.354, BF01=3.23	T=-0.77, p=0.446, BF01=3.68	T=1, p=0.328, BF01=3.08	T p E
anatomy_toolbox_for_RSA	51	res_filtered	T=0.35, p=0.73, BF01=4.56	T=1.76, p=0.09, BF01=1.25	T=-0.65, p=0.522, BF01=3.98	T=-1.12, p=0.275, BF01=2.76	T=0.67, p=0.511, BF01=3.94	T p E

ROI 52

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	52	original	T=1.06, p=0.299, BF01=2.91	T=2.6, p=0.015, BF01=0.3	T=2.34, p=0.028, BF01=0.49	T=-0.89, p=0.383, BF01=3.38	T=-0.79, p=0.434, BF01=3.62	T
anatomy_toolbox_for_RSA	52	filtered	T=1.48, p=0.15, BF01=1.82	T=2.64, p=0.014, BF01=0.28	T=1.71, p=0.099, BF01=1.34	T=-0.5, p=0.622, BF01=4.31	T=-0.16, p=0.878, BF01=4.77	T
anatomy_toolbox_for_RSA	52	res		T=0.7, p=0.492, BF01=3.87	T=2.15, p=0.042, BF01=0.68	T=0.07, p=0.942, BF01=4.81	T=-1, p=0.325, BF01=3.06	T=0.38, p=0.709, BF01=4.52
anatomy_toolbox_for_RSA	52	res_filtered	T=1.34, p=0.193, BF01=2.18	T=2.48, p=0.02, BF01=0.38	T=0.17, p=0.867, BF01=4.76	T=-0.53, p=0.602, BF01=4.25	T=0.69, p=0.496, BF01=3.88	T

ROI 53

anatomy_toolbox_for_RSA	53	original	T=1.79, p=0.086, BF01=1.21	T=-1.43, p=0.165, BF01=1.95	T=0.59, p=0.561, BF01=4.12	T=3.08, p=0.005, BF01=0.12	T=0.79, p=0.437, BF01=3.63	T=
anatomy_toolbox_for_RSA	53	filtered	T=2.69, p=0.013, BF01=0.26	T=-1.52, p=0.14, BF01=1.73	T=0.49, p=0.629, BF01=4.33	T=3.3, p=0.003, BF01=0.07	T=1.19, p=0.245, BF01=2.55	T=
anatomy_toolbox_for_RSA	53	res	T=0.97, p=0.34, BF01=3.15	T=-1.72, p=0.098, BF01=1.33	T=0.96, p=0.346, BF01=3.18	T=2.64, p=0.014, BF01=0.28	T=-0.19, p=0.85, BF01=4.75	T=
anatomy_toolbox_for_RSA	53	res_filtered	T=2.03, p=0.053, BF01=0.83	T=-1.42, p=0.167, BF01=1.97	T=0.74, p=0.466, BF01=3.76	T=2.75, p=0.011, BF01=0.23	T=0.55, p=0.59, BF01=4.21	T=

ROI 54

anatomy_toolbox_for_RSA	54	original	T=0.08, p=0.935, BF01=4.81	T=-1.44, p=0.163, BF01=1.93	T=0.66, p=0.515, BF01=3.96	T=0.77, p=0.45, BF01=3.69	T=-0.47, p=0.639, BF01=4.35	T p E
anatomy_toolbox_for_RSA	54	filtered	T=0.55, p=0.585, BF01=4.19	T=-0.05, p=0.96, BF01=4.82	T=1.47, p=0.154, BF01=1.86	T=0.43, p=0.67, BF01=4.43	T=-0.57, p=0.576, BF01=4.17	T p E
anatomy_toolbox_for_RSA	54	res	T=-0.45, p=0.655, BF01=4.4	T=-1.72, p=0.098, BF01=1.34	T=1.64, p=0.112, BF01=1.48	T=1.07, p=0.293, BF01=2.87	T=-1.47, p=0.155, BF01=1.86	T p E
anatomy_toolbox_for_RSA	54	res_filtered	T=0.29, p=0.771, BF01=4.64	T=-0.9, p=0.376, BF01=3.34	T=1.94, p=0.064, BF01=0.96	T=0.86, p=0.4, BF01=3.46	T=-1.14, p=0.263, BF01=2.68	T p E

ROI 55

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ / Arousal
anatomy_toolbox_for_RSA	55	original	T=-0.76, p=0.454, BF01=3.71	T=0.87, p=0.394, BF01=3.43	T=0.12, p=0.903, BF01=4.79	T=-1.11, p=0.28, BF01=2.79	T=-0.63, p=0.532, BF01=4.02	T=1.00, p=0.000, BF01=10.00
anatomy_toolbox_for_RSA	55	filtered	T=-0.16, p=0.871, BF01=4.77	T=0.89, p=0.384, BF01=3.38	T=0.52, p=0.611, BF01=4.27	T=-0.63, p=0.534, BF01=4.02	T=-0.42, p=0.678, BF01=4.45	T=1.00, p=0.000, BF01=10.00
anatomy_toolbox_for_RSA	55	res	T=-0.91, p=0.372, BF01=3.32	T=0.53, p=0.601, BF01=4.25	T=-0.15, p=0.882, BF01=4.78	T=-1.29, p=0.21, BF01=2.3	T=-0.38, p=0.707, BF01=4.52	T=1.00, p=0.000, BF01=10.00
anatomy_toolbox_for_RSA	55	res_filtered	T=-0.59, p=0.564, BF01=4.13	T=0.36, p=0.721, BF01=4.55	T=0.18, p=0.857, BF01=4.75	T=-0.87, p=0.39, BF01=3.41	T=-0.44, p=0.662, BF01=4.41	T=1.00, p=0.000, BF01=10.00

ROI 56

anatomy_toolbox_for_RSA	56	original	T=0.62, p=0.541, BF01=4.05	T=-0.16, p=0.873, BF01=4.77	T=-0.74, p=0.466, BF01=3.76	T=0.58, p=0.57, BF01=4.15	T=1.35, p=0.19, BF01=2.15	T=1 P E
anatomy_toolbox_for_RSA	56	filtered	T=-0.41, p=0.687, BF01=4.47	T=0.45, p=0.655, BF01=4.39	T=-0.74, p=0.467, BF01=3.76	T=-0.56, p=0.58, BF01=4.18	T=0.22, p=0.827, BF01=4.72	T=1 P E
anatomy_toolbox_for_RSA	56	res	T=0.97, p=0.341, BF01=3.15	T=0.89, p=0.384, BF01=3.38	T=-1.32, p=0.197, BF01=2.21	T=0, p=0.998, BF01=4.83	T=1.75, p=0.093, BF01=1.28	T=1 P E
anatomy_toolbox_for_RSA	56	res_filtered	T=-0.22, p=0.83, BF01=4.72	T=1.48, p=0.15, BF01=1.82	T=-1.36, p=0.186, BF01=2.12	T=-0.99, p=0.332, BF01=3.1	T=0.9, p=0.377, BF01=3.35	T=1 P E

ROI 57

anatomy_toolbox_for_RSA	57	original	T=-0.27, p=0.788, BF01=4.67	T=-1.56, p=0.132, BF01=1.67	T=0.12, p=0.902, BF01=4.79	T=0.65, p=0.521, BF01=3.98	T=-0.32, p=0.754, BF01=4.61	T p E
anatomy_toolbox_for_RSA	57	filtered	T=1.43, p=0.166, BF01=1.96	T=0.02, p=0.987, BF01=4.83	T=1.23, p=0.231, BF01=2.46	T=1.03, p=0.313, BF01=2.99	T=-0.04, p=0.968, BF01=4.82	T p E
anatomy_toolbox_for_RSA	57	res	T=-0.84, p=0.407, BF01=3.49	T=-2.24, p=0.034, BF01=0.58	T=1.44, p=0.163, BF01=1.93	T=1.04, p=0.31, BF01=2.97	T=-1.36, p=0.187, BF01=2.13	T p E
anatomy_toolbox_for_RSA	57	res_filtered	T=0.81, p=0.424, BF01=3.58	T=-1.28, p=0.214, BF01=2.33	T=1.63, p=0.116, BF01=1.51	T=1.67, p=0.107, BF01=1.43	T=-0.67, p=0.51, BF01=3.94	T p E

ROI 58

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	58	original	T=2.08, p=0.048, BF01=0.77	T=-1.03, p=0.315, BF01=3	T=0.33, p=0.741, BF01=4.58	T=2.5, p=0.019, BF01=0.37	T=1.45, p=0.161, BF01=1.92	T
anatomy_toolbox_for_RSA	58	filtered	T=1.57, p=0.129, BF01=1.63	T=-1.16, p=0.258, BF01=2.64	T=-0.18, p=0.862, BF01=4.76	T=1.92, p=0.066, BF01=0.99	T=1.21, p=0.236, BF01=2.5	T
anatomy_toolbox_for_RSA	58	res	T=1.6, p=0.121, BF01=1.56	T=-0.82, p=0.422, BF01=3.57	T=0.3, p=0.764, BF01=4.63	T=1.9, p=0.068, BF01=1.01	T=0.66, p=0.512, BF01=3.95	T
anatomy_toolbox_for_RSA	58	res_filtered	T=1.56, p=0.131, BF01=1.66	T=-0.61, p=0.546, BF01=4.07	T=0, p=1, BF01=4.83	T=1.62, p=0.118, BF01=1.53	T=0.94, p=0.358, BF01=3.24	T

ROI 59

anatomy_toolbox_for_RSA	59	original	T=-0.29, p=0.778, BF01=4.65	T=-0.39, p=0.702, BF01=4.51	T=-0.09, p=0.932, BF01=4.81	T=0.07, p=0.949, BF01=4.82	T=-0.17, p=0.863, BF01=4.76	T
anatomy_toolbox_for_RSA	59	filtered	T=-0.28, p=0.783, BF01=4.66	T=-0.76, p=0.454, BF01=3.71	T=-0.52, p=0.608, BF01=4.26	T=0.26, p=0.797, BF01=4.68	T=0.15, p=0.879, BF01=4.77	T
anatomy_toolbox_for_RSA	59	res	T=-0.58, p=0.564, BF01=4.13	T=-0.3, p=0.763, BF01=4.63	T=-0.08, p=0.938, BF01=4.81	T=-0.2, p=0.841, BF01=4.74	T=-0.3, p=0.766, BF01=4.63	T
anatomy_toolbox_for_RSA	59	res_filtered	T=-0.42, p=0.681, BF01=4.46	T=0.05, p=0.963, BF01=4.82	T=-0.57, p=0.575, BF01=4.16	T=-0.36, p=0.719, BF01=4.54	T=0.07, p=0.942, BF01=4.81	T

ROI 60

anatomy_toolbox_for_RSA	60	original	T=1.52, p=0.141, BF01=1.75	T=-0.64, p=0.53, BF01=4.01	T=0.18, p=0.857, BF01=4.75	T=1.52, p=0.141, BF01=1.74	T=1.25, p=0.222, BF01=2.39	T P BF
anatomy_toolbox_for_RSA	60	filtered	T=0.95, p=0.349, BF01=3.2	T=-0.45, p=0.657, BF01=4.4	T=0.25, p=0.806, BF01=4.69	T=0.91, p=0.371, BF01=3.31	T=0.64, p=0.531, BF01=4.01	T P BF
anatomy_toolbox_for_RSA	60	res	T=1.14, p=0.263, BF01=2.68	T=-0.02, p=0.987, BF01=4.83	T=0.21, p=0.836, BF01=4.73	T=1.03, p=0.312, BF01=2.98	T=0.7, p=0.491, BF01=3.86	T P BF
anatomy_toolbox_for_RSA	60	res_filtered	T=0.64, p=0.531, BF01=4.01	T=-0.31, p=0.76, BF01=4.62	T=0.88, p=0.387, BF01=3.4	T=0.67, p=0.508, BF01=3.93	T=0.01, p=0.991, BF01=4.83	T P BF

ROI 61

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ 0
anatomy_toolbox_for_RSA	61	original	T=0.27, p=0.786, BF01=4.66	T=1.87, p=0.074, BF01=1.07	T=1.58, p=0.127, BF01=1.61	T=-1.03, p=0.311, BF01=2.98	T=-1.04, p=0.31, BF01=2.97	T=1.53, p=0.118, BF01=1.53
anatomy_toolbox_for_RSA	61	filtered	T=1.49, p=0.148, BF01=1.81	T=1.48, p=0.15, BF01=1.83	T=1.62, p=0.118, BF01=1.53	T=0.2, p=0.843, BF01=4.74	T=0.1, p=0.925, BF01=4.81	T=1.53, p=0.118, BF01=1.53
anatomy_toolbox_for_RSA	61	res	T=-0.16, p=0.874, BF01=4.77	T=1.63, p=0.115, BF01=1.5	T=0.23, p=0.818, BF01=4.71	T=-1.37, p=0.182, BF01=2.09	T=-0.24, p=0.816, BF01=4.71	T=1.53, p=0.118, BF01=1.53
anatomy_toolbox_for_RSA	61	res_filtered	T=1.28, p=0.211, BF01=2.31	T=1.52, p=0.141, BF01=1.74	T=0.43, p=0.673, BF01=4.44	T=0.18, p=0.862, BF01=4.76	T=0.56, p=0.582, BF01=4.19	T=1.53, p=0.118, BF01=1.53

ROI 62

			T=2.07, p=0.049, BF01=0.78	T=0.46, p=0.647, BF01=4.37	T=2.93, p=0.007, BF01=0.16	T=1.27, p=0.215, BF01=2.34	T=-0.74, p=0.464, BF01=3.75	T
anatomy_toolbox_for_RSA	62	original						
anatomy_toolbox_for_RSA	62	filtered	T=2.32, p=0.029, BF01=0.51	T=0.2, p=0.843, BF01=4.74	T=2.54, p=0.018, BF01=0.34	T=1.65, p=0.111, BF01=1.46	T=-0.07, p=0.945, BF01=4.82	T
anatomy_toolbox_for_RSA	62	res	T=0.55, p=0.59, BF01=4.21	T=-1.42, p=0.167, BF01=1.97	T=2.64, p=0.014, BF01=0.28	T=1.7, p=0.102, BF01=1.37	T=-1.32, p=0.198, BF01=2.22	T
anatomy_toolbox_for_RSA	62	res_filtered	T=1.75, p=0.092, BF01=1.27	T=-1.56, p=0.131, BF01=1.65	T=2.51, p=0.019, BF01=0.36	T=2.22, p=0.036, BF01=0.61	T=-0.53, p=0.601, BF01=4.25	T

ROI 63

anatomy_toolbox_for_RSA	63	original	T=1.66, p=0.11, BF01=1.46	T=-1.38, p=0.181, BF01=2.08	T=-1.07, p=0.294, BF01=2.87	T=2.08, p=0.048, BF01=0.77	T=2.19, p=0.038, BF01=0.64	T
anatomy_toolbox_for_RSA	63	filtered	T=1.12, p=0.275, BF01=2.76	T=-1.89, p=0.07, BF01=1.04	T=-1.81, p=0.082, BF01=1.16	T=1.87, p=0.074, BF01=1.07	T=2.03, p=0.053, BF01=0.83	T
anatomy_toolbox_for_RSA	63	res	T=1.44, p=0.163, BF01=1.93	T=-0.15, p=0.885, BF01=4.78	T=-0.7, p=0.49, BF01=3.86	T=1.39, p=0.176, BF01=2.04	T=1.4, p=0.175, BF01=2.03	T
anatomy_toolbox_for_RSA	63	res_filtered	T=1.03, p=0.314, BF01=3	T=-0.7, p=0.493, BF01=3.87	T=-0.55, p=0.589, BF01=4.21	T=1.39, p=0.176, BF01=2.04	T=1.08, p=0.289, BF01=2.85	T

ROI 64

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	64	original	T=2.19, p=0.038, BF01=0.64	T=0.45, p=0.655, BF01=4.39	T=1.22, p=0.235, BF01=2.49	T=1.55, p=0.134, BF01=1.68	T=0.74, p=0.466, BF01=3.76	T=1.55, p=0.134, BF01=1.68
anatomy_toolbox_for_RSA	64	filtered	T=1.77, p=0.089, BF01=1.24	T=1.26, p=0.22, BF01=2.38	T=1.53, p=0.139, BF01=1.72	T=0.68, p=0.504, BF01=3.91	T=0.35, p=0.733, BF01=4.57	T=1.55, p=0.134, BF01=1.68
anatomy_toolbox_for_RSA	64	res	T=1.91, p=0.068, BF01=1.01	T=-0.42, p=0.678, BF01=4.45	T=0.81, p=0.426, BF01=3.59	T=2.44, p=0.022, BF01=0.41	T=0.61, p=0.545, BF01=4.06	T=1.55, p=0.134, BF01=1.68
anatomy_toolbox_for_RSA	64	res_filtered	T=1.68, p=0.106, BF01=1.41	T=-0.15, p=0.882, BF01=4.78	T=0.94, p=0.359, BF01=3.25	T=1.56, p=0.132, BF01=1.67	T=0.49, p=0.631, BF01=4.33	T=1.55, p=0.134, BF01=1.68

ROI 65

anatomy_toolbox_for_RSA	65	original	T=-0.06, p=0.954, BF01=4.82	T=1.56, p=0.13, BF01=1.65	T=1.25, p=0.222, BF01=2.39	T=-1.29, p=0.21, BF01=2.31	T=-0.97, p=0.341, BF01=3.15	T
anatomy_toolbox_for_RSA	65	filtered	T=0.36, p=0.722, BF01=4.55	T=1.89, p=0.071, BF01=1.04	T=1.27, p=0.214, BF01=2.34	T=-0.8, p=0.43, BF01=3.6	T=-0.49, p=0.627, BF01=4.32	T
anatomy_toolbox_for_RSA	65	res	T=-0.64, p=0.53, BF01=4.01	T=0.76, p=0.455, BF01=3.71	T=0.7, p=0.491, BF01=3.86	T=-1.31, p=0.202, BF01=2.25	T=-0.74, p=0.464, BF01=3.75	T
anatomy_toolbox_for_RSA	65	res_filtered	T=0, p=0.999, BF01=4.83	T=0.91, p=0.369, BF01=3.31	T=0.61, p=0.545, BF01=4.06	T=-0.63, p=0.537, BF01=4.04	T=-0.36, p=0.721, BF01=4.55	T

ROI 66

anatomy_toolbox_for_RSA	66	original	T=2.67, p=0.013, BF01=0.27	T=1.65, p=0.111, BF01=1.46	T=1.76, p=0.091, BF01=1.26	T=1.82, p=0.081, BF01=1.15	T=0.69, p=0.495, BF01=3.88	T p E
anatomy_toolbox_for_RSA	66	filtered	T=1.45, p=0.159, BF01=1.9	T=1.81, p=0.082, BF01=1.17	T=1.29, p=0.21, BF01=2.31	T=0.41, p=0.684, BF01=4.46	T=0, p=0.997, BF01=4.83	T p E
anatomy_toolbox_for_RSA	66	res	T=2.47, p=0.021, BF01=0.39	T=0.07, p=0.944, BF01=4.82	T=0.92, p=0.365, BF01=3.28	T=1.93, p=0.064, BF01=0.97	T=0.7, p=0.49, BF01=3.86	T p E
anatomy_toolbox_for_RSA	66	res_filtered	T=1.15, p=0.26, BF01=2.66	T=0.5, p=0.62, BF01=4.3	T=0.72, p=0.477, BF01=3.8	T=0.74, p=0.467, BF01=3.77	T=0.14, p=0.887, BF01=4.78	T p E

ROI 67

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ Arousal
anatomy_toolbox_for_RSA	67	original	T=0.03, p=0.979, BF01=4.83	T=0.85, p=0.406, BF01=3.49	T=1.23, p=0.23, BF01=2.45	T=-0.59, p=0.564, BF01=4.13	T=-0.95, p=0.35, BF01=3.2	T=0.01, p=0.999, BF01=0.00
anatomy_toolbox_for_RSA	67	filtered	T=0.82, p=0.421, BF01=3.56	T=1.02, p=0.316, BF01=3.01	T=1.78, p=0.087, BF01=1.22	T=-0.13, p=0.898, BF01=4.79	T=-0.64, p=0.526, BF01=4	T=0.01, p=0.999, BF01=0.00
anatomy_toolbox_for_RSA	67	res	T=-0.97, p=0.34, BF01=3.15	T=-0.39, p=0.698, BF01=4.5	T=1.62, p=0.118, BF01=1.53	T=-0.42, p=0.677, BF01=4.45	T=-1.52, p=0.141, BF01=1.74	T=0.01, p=0.999, BF01=0.00
anatomy_toolbox_for_RSA	67	res_filtered	T=0.33, p=0.741, BF01=4.59	T=-0.31, p=0.758, BF01=4.62	T=1.84, p=0.078, BF01=1.11	T=0.41, p=0.687, BF01=4.47	T=-0.93, p=0.36, BF01=3.26	T=0.01, p=0.999, BF01=0.00

ROI 68

anatomy_toolbox_for_RSA	68	original	T=2.29, p=0.031, BF01=0.54	T=-0.72, p=0.477, BF01=3.81	T=1.57, p=0.129, BF01=1.64	T=2, p=0.057, BF01=0.87	T=0.79, p=0.438, BF01=3.64	T
anatomy_toolbox_for_RSA	68	filtered	T=2.38, p=0.025, BF01=0.46	T=-0.89, p=0.384, BF01=3.38	T=1.24, p=0.226, BF01=2.42	T=2.14, p=0.042, BF01=0.69	T=1.08, p=0.292, BF01=2.86	T
anatomy_toolbox_for_RSA	68	res	T=1.83, p=0.079, BF01=1.13	T=-1.07, p=0.297, BF01=2.89	T=0.94, p=0.354, BF01=3.22	T=2.22, p=0.036, BF01=0.6	T=0.5, p=0.625, BF01=4.31	T
anatomy_toolbox_for_RSA	68	res_filtered	T=2.08, p=0.048, BF01=0.76	T=-0.98, p=0.339, BF01=3.14	T=0.68, p=0.5, BF01=3.9	T=2.42, p=0.023, BF01=0.42	T=0.95, p=0.353, BF01=3.22	T

ROI 69

anatomy_toolbox_for_RSA	69	original	T=-0.4, p=0.695, BF01=4.49	T=-1.55, p=0.134, BF01=1.68	T=-0.11, p=0.91, BF01=4.8	T=0.58, p=0.568, BF01=4.14	T=-0.25, p=0.807, BF01=4.69	T p E
anatomy_toolbox_for_RSA	69	filtered	T=-0.33, p=0.744, BF01=4.59	T=-0.51, p=0.615, BF01=4.29	T=0.58, p=0.566, BF01=4.14	T=0.03, p=0.979, BF01=4.83	T=-0.77, p=0.447, BF01=3.68	T p E
anatomy_toolbox_for_RSA	69	res	T=-0.71, p=0.485, BF01=3.84	T=-1.38, p=0.179, BF01=2.06	T=0.99, p=0.333, BF01=3.11	T=0.43, p=0.668, BF01=4.43	T=-1.01, p=0.322, BF01=3.04	T p E
anatomy_toolbox_for_RSA	69	res_filtered	T=-0.55, p=0.586, BF01=4.2	T=-0.68, p=0.502, BF01=3.91	T=1.1, p=0.281, BF01=2.8	T=-0.01, p=0.994, BF01=4.83	T=-1.12, p=0.272, BF01=2.74	T p E

ROI 70

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	70	original	T=0.15, p=0.884, BF01=4.78	T=-0.84, p=0.407, BF01=3.5	T=0.24, p=0.815, BF01=4.7	T=0.67, p=0.507, BF01=3.92	T=-0.03, p=0.976, BF01=4.82	T=0.01, p=0.999, BF01=4.82
anatomy_toolbox_for_RSA	70	filtered	T=0.61, p=0.548, BF01=4.07	T=-0.23, p=0.818, BF01=4.71	T=0.8, p=0.429, BF01=3.6	T=0.59, p=0.561, BF01=4.12	T=-0.06, p=0.955, BF01=4.82	T=0.01, p=0.999, BF01=4.82
anatomy_toolbox_for_RSA	70	res	T=-0.06, p=0.951, BF01=4.82	T=-1.29, p=0.208, BF01=2.29	T=1.29, p=0.209, BF01=2.3	T=1.26, p=0.219, BF01=2.38	T=-0.81, p=0.427, BF01=3.59	T=0.01, p=0.999, BF01=3.59
anatomy_toolbox_for_RSA	70	res_filtered	T=0.56, p=0.584, BF01=4.19	T=-0.96, p=0.346, BF01=3.18	T=1.5, p=0.145, BF01=1.78	T=1.26, p=0.218, BF01=2.36	T=-0.59, p=0.559, BF01=4.11	T=0.01, p=0.999, BF01=4.11

ROI 71

			T=2.19, p=0.038, BF01=0.63	T=4.65, p=0, BF01=0	T=3.62, p=0.001, BF01=0.04	T=-2.7, p=0.012, BF01=0.25	T=-1.69, p=0.104, BF01=1.39
anatomy_toolbox_for_RSA	71	original					
anatomy_toolbox_for_RSA	71	filtered	T=1.22, p=0.232, BF01=2.47	T=4.9, p=0, BF01=0	T=2.91, p=0.008, BF01=0.17	T=-2.6, p=0.015, BF01=0.3	T=-1.38, p=0.18, BF01=2.07
anatomy_toolbox_for_RSA	71	res		T=2.13, p=0.044, BF01=0.71	T=3.54, p=0.002, BF01=0.04	T=-0.23, p=0.82, BF01=4.71	T=1.19, p=0.244, BF01=2.55
anatomy_toolbox_for_RSA	71	res_filtered	T=1.8, p=0.085, BF01=1.19	T=3.87, p=0.001, BF01=0.02	T=0.05, p=0.961, BF01=4.82	T=-2.05, p=0.051, BF01=0.8	T=0.98, p=0.335, BF01=3.12

ROI 72

anatomy_toolbox_for_RSA	72	original	T=0.86, p=0.4, BF01=3.46	T=0.32, p=0.754, BF01=4.61	T=0.52, p=0.605, BF01=4.26	T=0.52, p=0.605, BF01=4.26	T=0.3, p=0.769, BF01=4.64	1
anatomy_toolbox_for_RSA	72	filtered	T=0.19, p=0.848, BF01=4.74	T=0.55, p=0.586, BF01=4.2	T=0.65, p=0.519, BF01=3.97	T=-0.24, p=0.815, BF01=4.7	T=-0.34, p=0.734, BF01=4.57	1
anatomy_toolbox_for_RSA	72	res	T=0.51, p=0.615, BF01=4.28	T=0.47, p=0.641, BF01=4.36	T=0.1, p=0.92, BF01=4.8	T=0.08, p=0.935, BF01=4.81	T=0.25, p=0.803, BF01=4.69	1
anatomy_toolbox_for_RSA	72	res_filtered	T=-0.13, p=0.897, BF01=4.79	T=0.27, p=0.79, BF01=4.67	T=0.5, p=0.624, BF01=4.31	T=-0.38, p=0.71, BF01=4.52	T=-0.38, p=0.706, BF01=4.51	1

ROI 73

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ 0
anatomy_toolbox_for_RSA	73	original	T=0.26, p=0.793, BF01=4.67	T=0.49, p=0.628, BF01=4.32	T=-1.54, p=0.137, BF01=1.71	T=-0.06, p=0.956, BF01=4.82	T=1.4, p=0.174, BF01=2.03	T=0.06, p=0.956, BF01=4.82
anatomy_toolbox_for_RSA	73	filtered	T=0.68, p=0.502, BF01=3.9	T=0.41, p=0.684, BF01=4.47	T=-1.31, p=0.201, BF01=2.24	T=0.32, p=0.752, BF01=4.61	T=1.31, p=0.201, BF01=2.24	T=0.32, p=0.752, BF01=4.61
anatomy_toolbox_for_RSA	73	res	T=0.64, p=0.526, BF01=4	T=2.91, p=0.007, BF01=0.16	T=-2.46, p=0.021, BF01=0.39	T=-1.17, p=0.253, BF01=2.61	T=1.79, p=0.086, BF01=1.21	T=0.64, p=0.526, BF01=4
anatomy_toolbox_for_RSA	73	res_filtered	T=0.67, p=0.509, BF01=3.93	T=2.25, p=0.033, BF01=0.57	T=-1.65, p=0.111, BF01=1.46	T=-0.59, p=0.558, BF01=4.11	T=1.35, p=0.188, BF01=2.14	T=0.67, p=0.509, BF01=3.93

ROI 74

anatomy_toolbox_for_RSA	74	original	T=1.08, p=0.293, BF01=2.87	T=0.13, p=0.895, BF01=4.79	T=0.58, p=0.567, BF01=4.14	T=0.77, p=0.451, BF01=3.69	T=0.38, p=0.706, BF01=4.52	T
anatomy_toolbox_for_RSA	74	filtered	T=1.21, p=0.238, BF01=2.51	T=0.48, p=0.634, BF01=4.34	T=0.76, p=0.457, BF01=3.72	T=0.61, p=0.546, BF01=4.07	T=0.3, p=0.77, BF01=4.64	T
anatomy_toolbox_for_RSA	74	res		T=0.57, p=0.572, BF01=4.15	T=0.18, p=0.862, BF01=4.76	T=0.33, p=0.745, BF01=4.59	T=0.35, p=0.726, BF01=4.56	T=0.1, p=0.922, BF01=4.8
anatomy_toolbox_for_RSA	74	res_filtered		T=0.75, p=0.457, BF01=3.72	T=0.47, p=0.641, BF01=4.36	T=0.54, p=0.597, BF01=4.23	T=0.31, p=0.757, BF01=4.61	T=0.11, p=0.913, BF01=4.8

ROI 75

anatomy_toolbox_for_RSA	75	original	T=0.46, p=0.652, BF01=4.39	T=-3.38, p=0.002, BF01=0.06	T=-2.45, p=0.021, BF01=0.4	T=2.04, p=0.052, BF01=0.82	T=2.32, p=0.029, BF01=0.51	T
anatomy_toolbox_for_RSA	75	filtered	T=-0.09, p=0.931, BF01=4.81	T=-2.97, p=0.006, BF01=0.15	T=-2.44, p=0.022, BF01=0.41	T=1.2, p=0.24, BF01=2.52	T=1.46, p=0.157, BF01=1.88	T
anatomy_toolbox_for_RSA	75	res	T=1.11, p=0.278, BF01=2.78	T=-0.08, p=0.936, BF01=4.81	T=-1.73, p=0.096, BF01=1.31	T=1.01, p=0.323, BF01=3.05	T=1.83, p=0.08, BF01=1.14	T
anatomy_toolbox_for_RSA	75	res_filtered	T=0.28, p=0.78, BF01=4.65	T=-0.16, p=0.875, BF01=4.77	T=-1.48, p=0.15, BF01=1.82	T=0.31, p=0.756, BF01=4.61	T=1.13, p=0.271, BF01=2.73	T

ROI 76

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	76	original	T=1.18, p=0.25, BF01=2.59	T=2.7, p=0.012, BF01=0.25	T=1.03, p=0.314, BF01=3	T=-0.47, p=0.643, BF01=4.36	T=0.22, p=0.829, BF01=4.72	T
anatomy_toolbox_for_RSA	76	filtered	T=1.15, p=0.262, BF01=2.67	T=3.01, p=0.006, BF01=0.13	T=0.81, p=0.425, BF01=3.58	T=-0.42, p=0.677, BF01=4.45	T=0.28, p=0.78, BF01=4.65	T p E
anatomy_toolbox_for_RSA	76	res	T=1.21, p=0.236, BF01=2.5	T=3.19, p=0.004, BF01=0.09	T=-0.92, p=0.368, BF01=3.3	T=-1.01, p=0.323, BF01=3.05	T=1.29, p=0.21, BF01=2.31	T p E
anatomy_toolbox_for_RSA	76	res_filtered	T=1.05, p=0.305, BF01=2.95	T=3.15, p=0.004, BF01=0.1	T=-0.41, p=0.684, BF01=4.47	T=-0.86, p=0.399, BF01=3.45	T=0.88, p=0.386, BF01=3.39	T p E

ROI 77

anatomy_toolbox_for_RSA	77	original	T=3.14, p=0.004, BF01=0.1	T=-0.6, p=0.553, BF01=4.09	T=0.56, p=0.581, BF01=4.18	T=2.94, p=0.007, BF01=0.16	T=2.53, p=0.018, BF01=0.35	T=1.76, p=0.177, BF01=2.05
anatomy_toolbox_for_RSA	77	filtered	T=3.59, p=0.001, BF01=0.04	T=-0.22, p=0.828, BF01=4.72	T=0.37, p=0.715, BF01=4.53	T=2.41, p=0.024, BF01=0.44	T=2.27, p=0.032, BF01=0.55	T=1.39, p=0.177, BF01=2.05
anatomy_toolbox_for_RSA	77	res	T=2.91, p=0.007, BF01=0.17	T=-0.15, p=0.879, BF01=4.77	T=0.09, p=0.932, BF01=4.81	T=2.09, p=0.047, BF01=0.76	T=1.6, p=0.121, BF01=1.56	T=1.39, p=0.177, BF01=2.05
anatomy_toolbox_for_RSA	77	res_filtered	T=2.69, p=0.013, BF01=0.26	T=-0.06, p=0.956, BF01=4.82	T=0.28, p=0.785, BF01=4.66	T=1.76, p=0.09, BF01=1.25	T=1.39, p=0.177, BF01=2.05	T=1.39, p=0.177, BF01=2.05

ROI 78

anatomy_toolbox_for_RSA	78	original	T=2.13, p=0.043, BF01=0.7	T=-0.56, p=0.582, BF01=4.19	T=0.7, p=0.488, BF01=3.85	T=1.91, p=0.068, BF01=1.01	T=1.63, p=0.116, BF01=1.51	T=1.51 p=0.116 BF01=1.51
anatomy_toolbox_for_RSA	78	filtered	T=2.79, p=0.01, BF01=0.21	T=-0.77, p=0.448, BF01=3.68	T=0.47, p=0.643, BF01=4.36	T=2.32, p=0.029, BF01=0.51	T=2.08, p=0.048, BF01=0.77	T=2.08 p=0.048 BF01=0.77
anatomy_toolbox_for_RSA	78	res	T=1.91, p=0.068, BF01=1	T=-0.4, p=0.689, BF01=4.48	T=0.57, p=0.571, BF01=4.15	T=1.57, p=0.13, BF01=1.64	T=0.77, p=0.449, BF01=3.69	T=0.77 p=0.449 BF01=3.69
anatomy_toolbox_for_RSA	78	res_filtered	T=2.09, p=0.047, BF01=0.76	T=-0.42, p=0.677, BF01=4.45	T=0.47, p=0.642, BF01=4.36	T=1.85, p=0.075, BF01=1.09	T=1.04, p=0.308, BF01=2.96	T=1.04 p=0.308 BF01=2.96

ROI 79

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	79	original	T=1.75, p=0.092, BF01=1.27	T=0.06, p=0.956, BF01=4.82	T=0.97, p=0.339, BF01=3.14	T=1.51, p=0.144, BF01=1.77	T=0.69, p=0.496, BF01=3.88	T
anatomy_toolbox_for_RSA	79	filtered		T=0.99, p=0.331, BF01=3.1	T=-1.17, p=0.254, BF01=2.62	T=-0.15, p=0.882, BF01=4.78	T=1.41, p=0.172, BF01=2.01	T=0.96, p=0.346, BF01=3.18
anatomy_toolbox_for_RSA	79	res	T=1.03, p=0.313, BF01=2.99	T=-0.53, p=0.599, BF01=4.24	T=0.91, p=0.372, BF01=3.32	T=1.14, p=0.266, BF01=2.7	T=-0.11, p=0.91, BF01=4.8	T
anatomy_toolbox_for_RSA	79	res_filtered		T=0.37, p=0.716, BF01=4.54	T=-0.59, p=0.562, BF01=4.12	T=0.56, p=0.577, BF01=4.17	T=0.66, p=0.513, BF01=3.95	T=-0.19, p=0.852, BF01=4.75

ROI 80

			T=1.62, p=0.117, BF01=1.52	T=1.74, p=0.094, BF01=1.29	T=0.01, p=0.995, BF01=4.83	T=0.06, p=0.954, BF01=4.82	T=1.09, p=0.285, BF01=2.82	T p E
anatomy_toolbox_for_RSA	80	original						
anatomy_toolbox_for_RSA	80	filtered	T=0.64, p=0.53, BF01=4.01	T=1.79, p=0.085, BF01=1.19	T=-0.33, p=0.743, BF01=4.59	T=-0.59, p=0.558, BF01=4.11	T=0.64, p=0.528, BF01=4	T p E
anatomy_toolbox_for_RSA	80	res	T=1.55, p=0.135, BF01=1.69	T=2.17, p=0.04, BF01=0.66	T=-1.24, p=0.225, BF01=2.42	T=-0.29, p=0.773, BF01=4.64	T=1.57, p=0.13, BF01=1.64	T p E
anatomy_toolbox_for_RSA	80	res_filtered	T=0.7, p=0.49, BF01=3.86	T=1.83, p=0.079, BF01=1.14	T=-0.76, p=0.454, BF01=3.71	T=-0.63, p=0.537, BF01=4.03	T=0.85, p=0.401, BF01=3.46	T p E

ROI 81

anatomy_toolbox_for_RSA	81	original	T=-0.24, p=0.814, BF01=4.7	T=-0.2, p=0.841, BF01=4.74	T=0.8, p=0.432, BF01=3.61	T=-0.09, p=0.93, BF01=4.81	T=-0.96, p=0.344, BF01=3.17	T
anatomy_toolbox_for_RSA	81	filtered	T=0.2, p=0.847, BF01=4.74	T=0.57, p=0.577, BF01=4.17	T=1.26, p=0.218, BF01=2.36	T=-0.18, p=0.856, BF01=4.75	T=-0.96, p=0.348, BF01=3.19	T
anatomy_toolbox_for_RSA	81	res	T=-0.77, p=0.448, BF01=3.68	T=-1.12, p=0.274, BF01=2.75	T=1.3, p=0.205, BF01=2.27	T=0.35, p=0.73, BF01=4.56	T=-1.32, p=0.2, BF01=2.23	T
anatomy_toolbox_for_RSA	81	res_filtered	T=0.13, p=0.9, BF01=4.79	T=-0.65, p=0.521, BF01=3.98	T=1.44, p=0.163, BF01=1.94	T=0.52, p=0.61, BF01=4.27	T=-1.1, p=0.283, BF01=2.81	T

ROI 82

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	82	original	T=1.72, p=0.097, BF01=1.33	T=-0.68, p=0.503, BF01=3.91	T=3, p=0.006, BF01=0.14	T=1.75, p=0.093, BF01=1.28	T=-0.53, p=0.6, BF01=4.24	T
anatomy_toolbox_for_RSA	82	filtered		T=2.18, p=0.039, BF01=0.65	T=-0.67, p=0.512, BF01=3.94	T=3.08, p=0.005, BF01=0.12	T=1.99, p=0.057, BF01=0.88	T=0.02, p=0.988, BF01=4.83
anatomy_toolbox_for_RSA	82	res		T=0.88, p=0.385, BF01=3.39	T=-1.66, p=0.109, BF01=1.44	T=2.3, p=0.03, BF01=0.52	T=1.9, p=0.069, BF01=1.02	T=-0.87, p=0.394, BF01=3.43
anatomy_toolbox_for_RSA	82	res_filtered	T=1.58, p=0.127, BF01=1.62	T=-1.35, p=0.19, BF01=2.15	T=2.28, p=0.031, BF01=0.54	T=2.14, p=0.042, BF01=0.69	T=-0.34, p=0.734, BF01=4.57	T

ROI 83

anatomy_toolbox_for_RSA	83	original	T=1.42, p=0.169, BF01=1.99	T=-2.41, p=0.023, BF01=0.43	T=-0.5, p=0.622, BF01=4.3	T=3, p=0.006, BF01=0.14	T=1.58, p=0.127, BF01=1.62	T
anatomy_toolbox_for_RSA	83	filtered	T=2.66, p=0.013, BF01=0.27	T=-2.24, p=0.034, BF01=0.59	T=-0.27, p=0.787, BF01=4.66	T=3.39, p=0.002, BF01=0.06	T=2.07, p=0.049, BF01=0.78	T
anatomy_toolbox_for_RSA	83	res	T=0.71, p=0.484, BF01=3.83	T=-0.94, p=0.354, BF01=3.22	T=-0.01, p=0.992, BF01=4.83	T=1.78, p=0.087, BF01=1.22	T=0.31, p=0.762, BF01=4.62	T
anatomy_toolbox_for_RSA	83	res_filtered	T=1.82, p=0.081, BF01=1.16	T=-1.24, p=0.225, BF01=2.42	T=0.37, p=0.717, BF01=4.54	T=2.31, p=0.03, BF01=0.52	T=0.7, p=0.491, BF01=3.86	T

ROI 84

anatomy_toolbox_for_RSA	84	original	T=1.41, p=0.171, BF01=2	T=0.11, p=0.915, BF01=4.8	T=1.85, p=0.077, BF01=1.1	T=1.06, p=0.299, BF01=2.91	T=-0.19, p=0.852, BF01=4.75	T=1.31, p=0.191, BF01=2.01
anatomy_toolbox_for_RSA	84	filtered	T=0.44, p=0.661, BF01=4.41	T=0.07, p=0.944, BF01=4.82	T=1.73, p=0.096, BF01=1.31	T=0.29, p=0.778, BF01=4.65	T=-0.88, p=0.385, BF01=3.39	T=1.31, p=0.191, BF01=2.01
anatomy_toolbox_for_RSA	84	res	T=0.73, p=0.474, BF01=3.79	T=-0.76, p=0.457, BF01=3.72	T=1.57, p=0.128, BF01=1.63	T=1.25, p=0.224, BF01=2.41	T=-0.51, p=0.613, BF01=4.28	T=1.31, p=0.191, BF01=2.01
anatomy_toolbox_for_RSA	84	res_filtered	T=-0.4, p=0.694, BF01=4.49	T=-0.87, p=0.39, BF01=3.41	T=1.54, p=0.135, BF01=1.69	T=0.32, p=0.755, BF01=4.61	T=-1.23, p=0.23, BF01=2.45	T=1.31, p=0.191, BF01=2.01

ROI 85

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	AroVal ≠ Arousal
anatomy_toolbox_for_RSA	85	original	T=0.93, p=0.359, BF01=3.25	T=1.99, p=0.058, BF01=0.89	T=1.61, p=0.121, BF01=1.56	T=-0.54, p=0.593, BF01=4.22	T=-0.53, p=0.604, BF01=4.25	T=0.53, p=0.593, BF01=4.22
anatomy_toolbox_for_RSA	85	filtered	T=1.44, p=0.162, BF01=1.93	T=2.45, p=0.021, BF01=0.4	T=1.93, p=0.065, BF01=0.97	T=-0.23, p=0.823, BF01=4.71	T=-0.2, p=0.845, BF01=4.74	T=0.23, p=0.823, BF01=4.71
anatomy_toolbox_for_RSA	85	res	T=0.72, p=0.481, BF01=3.82	T=2.11, p=0.045, BF01=0.72	T=0.31, p=0.761, BF01=4.62	T=-0.73, p=0.475, BF01=3.8	T=0.25, p=0.808, BF01=4.69	T=0.73, p=0.475, BF01=3.8
anatomy_toolbox_for_RSA	85	res_filtered	T=1.31, p=0.203, BF01=2.25	T=2.93, p=0.007, BF01=0.16	T=0.72, p=0.481, BF01=3.82	T=-0.25, p=0.804, BF01=4.69	T=0.46, p=0.651, BF01=4.39	T=0.25, p=0.804, BF01=4.69

ROI 86

			T=2.81, p=0.009, BF01=0.2	T=3.08, p=0.005, BF01=0.12	T=2.77, p=0.01, BF01=0.22	T=0.15, p=0.885, BF01=4.78	T=0.97, p=0.343, BF01=3.16	T
anatomy_toolbox_for_RSA	86	original						
anatomy_toolbox_for_RSA	86	filtered	T=1.7, p=0.101, BF01=1.36	T=2.5, p=0.019, BF01=0.37	T=1.61, p=0.121, BF01=1.56	T=-0.54, p=0.593, BF01=4.22	T=0.49, p=0.63, BF01=4.33	T
anatomy_toolbox_for_RSA	86	res		T=2.53, p=0.018, BF01=0.35	T=2.7, p=0.012, BF01=0.25	T=-0.49, p=0.628, BF01=4.32	T=-0.13, p=0.901, BF01=4.79	T=2.16, p=0.041, BF01=0.67
anatomy_toolbox_for_RSA	86	res_filtered	T=1.5, p=0.147, BF01=1.8	T=2.56, p=0.017, BF01=0.33	T=-0.09, p=0.93, BF01=4.81	T=-0.76, p=0.454, BF01=3.71	T=1.19, p=0.247, BF01=2.57	T

ROI 87

anatomy_toolbox_for_RSA	87	original	T=1.38, p=0.18, BF01=2.07	T=0.26, p=0.793, BF01=4.67	T=1.23, p=0.229, BF01=2.44	T=0.82, p=0.419, BF01=3.55	T=0.14, p=0.892, BF01=4.78	T
anatomy_toolbox_for_RSA	87	filtered	T=1.04, p=0.308, BF01=2.96	T=0.3, p=0.763, BF01=4.63	T=1.08, p=0.291, BF01=2.86	T=0.53, p=0.6, BF01=4.24	T=-0.06, p=0.951, BF01=4.82	T
anatomy_toolbox_for_RSA	87	res	T=0.97, p=0.342, BF01=3.16	T=0.02, p=0.981, BF01=4.83	T=0.73, p=0.47, BF01=3.78	T=0.83, p=0.413, BF01=3.52	T=0.14, p=0.893, BF01=4.79	T
anatomy_toolbox_for_RSA	87	res_filtered	T=0.64, p=0.53, BF01=4.01	T=-0.2, p=0.844, BF01=4.74	T=0.88, p=0.385, BF01=3.39	T=0.61, p=0.544, BF01=4.06	T=-0.21, p=0.838, BF01=4.73	T

ROI 88

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion × Arousal
anatomy_toolbox_for_RSA	88	original	T=1.71, p=0.1, BF01=1.35	T=2.56, p=0.017, BF01=0.33	T=2.71, p=0.012, BF01=0.25	T=-0.63, p=0.531, BF01=4.01	T=-0.83, p=0.415, BF01=3.53	T=1.71 p=0.1 BF01=1.35
anatomy_toolbox_for_RSA	88	filtered	T=1.31, p=0.201, BF01=2.24	T=2.44, p=0.022, BF01=0.41	T=2.13, p=0.043, BF01=0.71	T=-0.64, p=0.53, BF01=4.01	T=-0.63, p=0.534, BF01=4.02	T=1.31 p=0.201 BF01=2.24
anatomy_toolbox_for_RSA	88	res	T=1.39, p=0.177, BF01=2.05	T=1.62, p=0.118, BF01=1.53	T=0.49, p=0.628, BF01=4.32	T=-0.31, p=0.758, BF01=4.62	T=0.52, p=0.61, BF01=4.27	T=1.39 p=0.177 BF01=2.05
anatomy_toolbox_for_RSA	88	res_filtered	T=1.55, p=0.135, BF01=1.68	T=1.65, p=0.111, BF01=1.46	T=0.65, p=0.519, BF01=3.97	T=-0.05, p=0.962, BF01=4.82	T=0.48, p=0.638, BF01=4.35	T=1.55 p=0.135 BF01=1.68

ROI 89

anatomy_toolbox_for_RSA	89	original	T=1.31, p=0.203, BF01=2.26	T=0.87, p=0.392, BF01=3.42	T=0.83, p=0.415, BF01=3.53	T=0.28, p=0.785, BF01=4.66	T=0.35, p=0.726, BF01=4.56	1
anatomy_toolbox_for_RSA	89	filtered		T=0.96, p=0.349, BF01=3.19	T=0.94, p=0.354, BF01=3.23	T=0.73, p=0.472, BF01=3.79	T=0.06, p=0.949, BF01=4.82	T=0.23, p=0.822, BF01=4.71
anatomy_toolbox_for_RSA	89	res	T=1.26, p=0.221, BF01=2.39	T=1.21, p=0.237, BF01=2.5	T=-0.16, p=0.876, BF01=4.77	T=0, p=0.996, BF01=4.83	T=0.84, p=0.406, BF01=3.49	1
anatomy_toolbox_for_RSA	89	res_filtered		T=0.94, p=0.358, BF01=3.24	T=1.23, p=0.229, BF01=2.44	T=-0.05, p=0.962, BF01=4.82	T=-0.14, p=0.892, BF01=4.78	T=0.66, p=0.513, BF01=3.95

ROI 90

anatomy_toolbox_for_RSA	90	original	T=0.47, p=0.645, BF01=4.37	T=0.88, p=0.387, BF01=3.4	T=2.05, p=0.051, BF01=0.81	T=-0.3, p=0.768, BF01=4.63	T=-1.56, p=0.13, BF01=1.65	T=1.01, p=0.271, BF01=1.01
anatomy_toolbox_for_RSA	90	filtered	T=0.1, p=0.918, BF01=4.8	T=1.31, p=0.203, BF01=2.26	T=2.4, p=0.024, BF01=0.44	T=-0.77, p=0.45, BF01=3.69	T=-1.69, p=0.104, BF01=1.39	T=1.01, p=0.271, BF01=1.01
anatomy_toolbox_for_RSA	90	res	T=-0.5, p=0.625, BF01=4.31	T=-0.54, p=0.596, BF01=4.23	T=1.96, p=0.061, BF01=0.92	T=0.05, p=0.96, BF01=4.82	T=-1.56, p=0.132, BF01=1.66	T=1.01, p=0.271, BF01=1.01
anatomy_toolbox_for_RSA	90	res_filtered	T=-0.45, p=0.656, BF01=4.4	T=-0.19, p=0.851, BF01=4.75	T=2.08, p=0.048, BF01=0.77	T=-0.23, p=0.821, BF01=4.71	T=-1.64, p=0.114, BF01=1.49	T=1.01, p=0.271, BF01=1.01

ROI 91

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	91	original	T=1.27, p=0.217, BF01=2.36	T=3.48, p=0.002, BF01=0.05	T=2.23, p=0.035, BF01=0.59	T=-1.08, p=0.289, BF01=2.84	T=-0.49, p=0.626, BF01=4.32	T
anatomy_toolbox_for_RSA	91	filtered		T=1.01, p=0.323, BF01=3.05	T=3.63, p=0.001, BF01=0.04	T=1.86, p=0.075, BF01=1.09	T=-1.2, p=0.242, BF01=2.54	T=-0.39, p=0.701, BF01=4.5
anatomy_toolbox_for_RSA	91	res		T=1, p=0.329, BF01=3.09	T=4.06, p=0, BF01=0.01	T=-0.66, p=0.518, BF01=3.97	T=-1.53, p=0.139, BF01=1.73	T=1, p=0.325, BF01=3.06
anatomy_toolbox_for_RSA	91	res_filtered		T=0.72, p=0.479, BF01=3.81	T=3.68, p=0.001, BF01=0.03	T=-0.21, p=0.833, BF01=4.73	T=-1.66, p=0.11, BF01=1.45	T=0.6, p=0.557, BF01=4.1

ROI 92

anatomy_toolbox_for_RSA	92	original	T=0.84, p=0.408, BF01=3.5	T=-0.66, p=0.517, BF01=3.96	T=-0.71, p=0.486, BF01=3.84	T=1.11, p=0.279, BF01=2.78	T=1.46, p=0.158, BF01=1.89	T
anatomy_toolbox_for_RSA	92	filtered	T=0.09, p=0.925, BF01=4.81	T=-0.57, p=0.575, BF01=4.16	T=-1.16, p=0.256, BF01=2.63	T=0.39, p=0.701, BF01=4.5	T=0.94, p=0.359, BF01=3.25	T
anatomy_toolbox_for_RSA	92	res	T=0.98, p=0.335, BF01=3.12	T=0.41, p=0.684, BF01=4.47	T=-0.91, p=0.374, BF01=3.33	T=0.43, p=0.671, BF01=4.43	T=1.23, p=0.229, BF01=2.45	T
anatomy_toolbox_for_RSA	92	res_filtered	T=0.24, p=0.813, BF01=4.7	T=0.57, p=0.574, BF01=4.16	T=-1.57, p=0.13, BF01=1.64	T=-0.18, p=0.86, BF01=4.76	T=1.2, p=0.24, BF01=2.52	T

ROI 93

anatomy_toolbox_for_RSA	93	original	T=1.11, p=0.276, BF01=2.76	T=1.09, p=0.284, BF01=2.81	T=1.31, p=0.201, BF01=2.24	T=0.13, p=0.897, BF01=4.79	T=-0.09, p=0.931, BF01=4.81	T
anatomy_toolbox_for_RSA	93	filtered	T=-0.27, p=0.789, BF01=4.67	T=1.23, p=0.229, BF01=2.45	T=0.93, p=0.363, BF01=3.27	T=-0.84, p=0.406, BF01=3.49	T=-0.8, p=0.43, BF01=3.6	T
anatomy_toolbox_for_RSA	93	res	T=0.63, p=0.535, BF01=4.03	T=0.65, p=0.523, BF01=3.98	T=0.19, p=0.851, BF01=4.75	T=-0.04, p=0.969, BF01=4.82	T=0.23, p=0.818, BF01=4.71	T
anatomy_toolbox_for_RSA	93	res_filtered	T=-0.5, p=0.622, BF01=4.31	T=0.76, p=0.453, BF01=3.7	T=0.28, p=0.781, BF01=4.65	T=-0.87, p=0.39, BF01=3.41	T=-0.51, p=0.613, BF01=4.28	T

ROI 94

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	94	original	T=0.2, p=0.84, BF01=4.74	T=1.96, p=0.061, BF01=0.93	T=3.38, p=0.002, BF01=0.06	T=-1.27, p=0.217, BF01=2.36	T=-2.29, p=0.031, BF01=0.53	T
anatomy_toolbox_for_RSA	94	filtered	T=-0.86, p=0.396, BF01=3.44	T=2.5, p=0.02, BF01=0.37	T=3.7, p=0.001, BF01=0.03	T=-2.31, p=0.03, BF01=0.52	T=-2.82, p=0.009, BF01=0.2	T
anatomy_toolbox_for_RSA	94	res	T=-0.49, p=0.626, BF01=4.32	T=0.1, p=0.924, BF01=4.81	T=1.9, p=0.069, BF01=1.02	T=-0.65, p=0.523, BF01=3.99	T=-1.33, p=0.196, BF01=2.2	T
anatomy_toolbox_for_RSA	94	res_filtered	T=-1.25, p=0.224, BF01=2.41	T=0.25, p=0.806, BF01=4.69	T=2.47, p=0.021, BF01=0.39	T=-1.65, p=0.111, BF01=1.47	T=-2.05, p=0.051, BF01=0.8	T

ROI 95

anatomy_toolbox_for_RSA	95	original	T=0.03, p=0.98, BF01=4.83	T=-0.19, p=0.854, BF01=4.75	T=0.54, p=0.595, BF01=4.23	T=0.15, p=0.883, BF01=4.78	T=-0.41, p=0.684, BF01=4.47	T p BF01
anatomy_toolbox_for_RSA	95	filtered	T=0.69, p=0.494, BF01=3.88	T=-0.1, p=0.919, BF01=4.8	T=1.03, p=0.315, BF01=3	T=0.53, p=0.604, BF01=4.25	T=-0.23, p=0.822, BF01=4.71	T p BF01
anatomy_toolbox_for_RSA	95	res	T=-0.72, p=0.479, BF01=3.82	T=-0.83, p=0.413, BF01=3.52	T=1.3, p=0.206, BF01=2.28	T=0.09, p=0.928, BF01=4.81	T=-1.21, p=0.239, BF01=2.52	T p BF01
anatomy_toolbox_for_RSA	95	res_filtered	T=0.33, p=0.742, BF01=4.59	T=-0.87, p=0.395, BF01=3.44	T=1.49, p=0.148, BF01=1.81	T=0.82, p=0.419, BF01=3.55	T=-0.76, p=0.454, BF01=3.71	T p BF01

ROI 96

anatomy_toolbox_for_RSA	96	original	T=1.31, p=0.202, BF01=2.25	T=-0.06, p=0.956, BF01=4.82	T=-1.23, p=0.229, BF01=2.45	T=1.05, p=0.304, BF01=2.94	T=1.91, p=0.068, BF01=1.01	T=1.44, p=0.163, BF01=1.93
anatomy_toolbox_for_RSA	96	filtered	T=0.58, p=0.568, BF01=4.14	T=-0.08, p=0.938, BF01=4.81	T=-1.79, p=0.086, BF01=1.21	T=0.51, p=0.615, BF01=4.28	T=1.72, p=0.098, BF01=1.33	T=1.44, p=0.163, BF01=1.93
anatomy_toolbox_for_RSA	96	res	T=1.4, p=0.174, BF01=2.02	T=1.51, p=0.142, BF01=1.75	T=-1.57, p=0.129, BF01=1.63	T=0.19, p=0.854, BF01=4.75	T=1.72, p=0.098, BF01=1.33	T=1.44, p=0.163, BF01=1.93
anatomy_toolbox_for_RSA	96	res_filtered	T=0.32, p=0.749, BF01=4.6	T=1.15, p=0.262, BF01=2.67	T=-1.36, p=0.186, BF01=2.12	T=-0.47, p=0.64, BF01=4.36	T=0.9, p=0.375, BF01=3.33	T=1.44, p=0.163, BF01=1.93

ROI 97

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	97	original	T=0, p=0.997, BF01=4.83	T=-0.54, p=0.595, BF01=4.23	T=0.24, p=0.81, BF01=4.7	T=0.34, p=0.735, BF01=4.57	T=-0.26, p=0.8, BF01=4.68	T=0.13, p=0.899, BF01=4.79
anatomy_toolbox_for_RSA	97	filtered	T=0.13, p=0.899, BF01=4.79	T=-0.26, p=0.794, BF01=4.67	T=0.56, p=0.584, BF01=4.19	T=0.28, p=0.782, BF01=4.66	T=-0.38, p=0.709, BF01=4.52	T=0.29, p=0.776, BF01=4.65
anatomy_toolbox_for_RSA	97	res	T=-0.52, p=0.609, BF01=4.27	T=-0.4, p=0.695, BF01=4.49	T=0.29, p=0.776, BF01=4.65	T=-0.21, p=0.832, BF01=4.73	T=-0.5, p=0.623, BF01=4.31	T=-0.31, p=0.76, BF01=4.62
anatomy_toolbox_for_RSA	97	res_filtered	T=-0.31, p=0.76, BF01=4.62	T=0.11, p=0.91, BF01=4.8	T=0.26, p=0.8, BF01=4.68	T=-0.37, p=0.713, BF01=4.53	T=-0.38, p=0.705, BF01=4.51	T=0.11, p=0.91, BF01=4.8

ROI 98

anatomy_toolbox_for_RSA	98	original	T=1.98, p=0.058, BF01=0.89	T=-0.46, p=0.646, BF01=4.37	T=1.52, p=0.141, BF01=1.75	T=2.08, p=0.048, BF01=0.77	T=0.69, p=0.495, BF01=3.88	T P BF
anatomy_toolbox_for_RSA	98	filtered	T=2.17, p=0.04, BF01=0.66	T=-0.45, p=0.656, BF01=4.4	T=1.62, p=0.117, BF01=1.52	T=1.79, p=0.086, BF01=1.2	T=0.63, p=0.533, BF01=4.02	T P BF
anatomy_toolbox_for_RSA	98	res	T=1.23, p=0.229, BF01=2.45	T=-1.25, p=0.223, BF01=2.4	T=1.14, p=0.266, BF01=2.7	T=2.34, p=0.027, BF01=0.49	T=0.1, p=0.918, BF01=4.8	T P BF
anatomy_toolbox_for_RSA	98	res_filtered	T=1.17, p=0.255, BF01=2.62	T=-1.39, p=0.176, BF01=2.04	T=1.35, p=0.188, BF01=2.14	T=1.96, p=0.062, BF01=0.93	T=-0.04, p=0.965, BF01=4.82	T P BF

ROI 99

anatomy_toolbox_for_RSA	99	original	T=2.46, p=0.021, BF01=0.4	T=-0.82, p=0.419, BF01=3.55	T=2.08, p=0.048, BF01=0.77	T=2.27, p=0.032, BF01=0.56	T=0.65, p=0.522, BF01=3.98	1 P E
anatomy_toolbox_for_RSA	99	filtered	T=1.75, p=0.093, BF01=1.28	T=-0.63, p=0.533, BF01=4.02	T=1.83, p=0.079, BF01=1.13	T=1.53, p=0.138, BF01=1.71	T=0.31, p=0.763, BF01=4.62	1 P E
anatomy_toolbox_for_RSA	99	res	T=1.99, p=0.057, BF01=0.88	T=-1.71, p=0.099, BF01=1.34	T=1.69, p=0.103, BF01=1.39	T=3.14, p=0.004, BF01=0.1	T=0.12, p=0.903, BF01=4.79	1 P E
anatomy_toolbox_for_RSA	99	res_filtered	T=1.69, p=0.103, BF01=1.38	T=-1.67, p=0.108, BF01=1.43	T=1.69, p=0.104, BF01=1.4	T=2.49, p=0.02, BF01=0.37	T=0.09, p=0.93, BF01=4.81	1 P E

ROI 100

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	Emotion ≠ AroVal
anatomy_toolbox_for_RSA	100	original	T=0, p=0.999, BF01=4.83	T=0.31, p=0.757, BF01=4.61	T=0.99, p=0.334, BF01=3.11	T=-0.25, p=0.807, BF01=4.69	T=-1.3, p=0.207, BF01=2.28	T=1.1, p=0.271, BF01=2.01
anatomy_toolbox_for_RSA	100	filtered	T=0.08, p=0.936, BF01=4.81	T=-0.08, p=0.941, BF01=4.81	T=0.79, p=0.436, BF01=3.63	T=0.11, p=0.916, BF01=4.8	T=-0.65, p=0.522, BF01=3.98	T=1.1, p=0.271, BF01=2.01
anatomy_toolbox_for_RSA	100	res	T=-0.9, p=0.379, BF01=3.36	T=-0.07, p=0.942, BF01=4.81	T=0.45, p=0.657, BF01=4.4	T=-0.6, p=0.556, BF01=4.1	T=-0.93, p=0.362, BF01=3.26	T=1.1, p=0.271, BF01=2.01
anatomy_toolbox_for_RSA	100	res_filtered	T=-0.69, p=0.499, BF01=3.89	T=0.2, p=0.846, BF01=4.74	T=0.04, p=0.969, BF01=4.82	T=-0.67, p=0.509, BF01=3.93	T=-0.51, p=0.613, BF01=4.28	T=1.1, p=0.271, BF01=2.01

ROI 101

anatomy_toolbox_for_RSA	101	original	T=1.71, p=0.099, BF01=1.34	T=2.35, p=0.027, BF01=0.48	T=2.72, p=0.012, BF01=0.24	T=-0.6, p=0.554, BF01=4.1	T=-1.07, p=0.294, BF01=2.88	1
anatomy_toolbox_for_RSA	101	filtered	T=1.4, p=0.173, BF01=2.02	T=2.98, p=0.006, BF01=0.14	T=2.49, p=0.02, BF01=0.38	T=-0.64, p=0.526, BF01=4	T=-0.82, p=0.42, BF01=3.56	1
anatomy_toolbox_for_RSA	101	res	T=0.94, p=0.355, BF01=3.23	T=1.32, p=0.198, BF01=2.22	T=1.44, p=0.163, BF01=1.94	T=-0.26, p=0.794, BF01=4.67	T=-0.37, p=0.716, BF01=4.54	1
anatomy_toolbox_for_RSA	101	res_filtered	T=1.17, p=0.252, BF01=2.61	T=2.1, p=0.046, BF01=0.74	T=1.52, p=0.14, BF01=1.74	T=-0.14, p=0.891, BF01=4.78	T=-0.26, p=0.794, BF01=4.67	1

ROI 102

anatomy_toolbox_for_RSA	102	original	T=2.53, p=0.018, BF01=0.35	T=-0.47, p=0.64, BF01=4.35	T=-0.9, p=0.379, BF01=3.36	T=2.2, p=0.037, BF01=0.63	T=2.9, p=0.008, BF01=0.17	1 P E
anatomy_toolbox_for_RSA	102	filtered	T=1.52, p=0.142, BF01=1.75	T=-0.69, p=0.494, BF01=3.87	T=-1.5, p=0.145, BF01=1.78	T=1.43, p=0.164, BF01=1.94	T=2.34, p=0.027, BF01=0.49	1 P E
anatomy_toolbox_for_RSA	102	res	T=2.72, p=0.012, BF01=0.24	T=1.32, p=0.197, BF01=2.21	T=-1.75, p=0.092, BF01=1.27	T=1.32, p=0.199, BF01=2.22	T=2.76, p=0.011, BF01=0.23	1 P E
anatomy_toolbox_for_RSA	102	res_filtered	T=1.61, p=0.119, BF01=1.54	T=1.47, p=0.155, BF01=1.86	T=-1.72, p=0.098, BF01=1.33	T=0.42, p=0.675, BF01=4.44	T=2.23, p=0.035, BF01=0.59	1 P E

ROI 103

RSA Summary Table

T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	A
anatomy_toolbox_for_RSA	103	original	T=0.45, p=0.659, BF01=4.4	T=0.62, p=0.54, BF01=4.05	T=-0.6, p=0.551, BF01=4.08	T=-0.03, p=0.98, BF01=4.83	T=0.78, p=0.441, BF01=3.65	T p E
anatomy_toolbox_for_RSA	103	filtered	T=-0.03, p=0.973, BF01=4.82	T=1.08, p=0.29, BF01=2.85	T=-0.43, p=0.671, BF01=4.43	T=-0.64, p=0.527, BF01=4	T=0.21, p=0.833, BF01=4.73	T p E
anatomy_toolbox_for_RSA	103	res	T=0.64, p=0.527, BF01=4	T=2.18, p=0.039, BF01=0.65	T=-1.67, p=0.107, BF01=1.43	T=-0.87, p=0.394, BF01=3.43	T=1.26, p=0.221, BF01=2.39	T p E
anatomy_toolbox_for_RSA	103	res_filtered	T=0.15, p=0.881, BF01=4.78	T=2.21, p=0.037, BF01=0.62	T=-1.26, p=0.221, BF01=2.39	T=-1.29, p=0.208, BF01=2.29	T=0.75, p=0.462, BF01=3.74	T p E

ROI 104

anatomy_toolbox_for_RSA	104	original	T=3.23, p=0.003, BF01=0.08	T=0.01, p=0.989, BF01=4.83	T=2.12, p=0.044, BF01=0.71	T=2.35, p=0.027, BF01=0.48	T=1.31, p=0.204, BF01=2.26	T p E
anatomy_toolbox_for_RSA	104	filtered	T=2.23, p=0.035, BF01=0.59	T=0.52, p=0.606, BF01=4.26	T=2.54, p=0.018, BF01=0.34	T=1.24, p=0.227, BF01=2.43	T=0.24, p=0.815, BF01=4.7	T p E
anatomy_toolbox_for_RSA	104	res	T=2.5, p=0.019, BF01=0.37	T=-0.61, p=0.55, BF01=4.08	T=1.2, p=0.24, BF01=2.52	T=2.38, p=0.025, BF01=0.45	T=0.63, p=0.531, BF01=4.02	T p E
anatomy_toolbox_for_RSA	104	res_filtered	T=1.56, p=0.131, BF01=1.65	T=-0.39, p=0.703, BF01=4.51	T=1.45, p=0.161, BF01=1.91	T=1.41, p=0.171, BF01=2	T=0.05, p=0.958, BF01=4.82	T p E

ROI 105

anatomy_toolbox_for_RSA	105	original	T=1.62, p=0.119, BF01=1.54	T=0.87, p=0.39, BF01=3.41	T=1.04, p=0.309, BF01=2.97	T=0.45, p=0.658, BF01=4.4	T=0.31, p=0.756, BF01=4.61	T
anatomy_toolbox_for_RSA	105	filtered	T=0.4, p=0.693, BF01=4.49	T=0.54, p=0.592, BF01=4.22	T=0.59, p=0.561, BF01=4.12	T=-0.07, p=0.946, BF01=4.82	T=-0.13, p=0.897, BF01=4.79	T
anatomy_toolbox_for_RSA	105	res	T=1.35, p=0.189, BF01=2.15	T=0.53, p=0.6, BF01=4.24	T=0.23, p=0.822, BF01=4.71	T=0.55, p=0.589, BF01=4.21	T=0.54, p=0.591, BF01=4.22	T
anatomy_toolbox_for_RSA	105	res_filtered	T=0.13, p=0.896, BF01=4.79	T=0.31, p=0.757, BF01=4.61	T=0.31, p=0.758, BF01=4.62	T=-0.14, p=0.886, BF01=4.78	T=-0.13, p=0.901, BF01=4.79	T

ROI 106

RSA Summary Table
T-tests and Bayes Factors per ROI

ROI/Atlas	roi	RSA flavour	Emotion ≠ 0	Arousal ≠ 0	AroVal ≠ 0	Emotion ≠ Arousal	Emotion ≠ AroVal	/ /
anatomy_toolbox_for_RSA	106	original	T=0.99, p=0.333, BF01=3.11	T=-0.36, p=0.72, BF01=4.54	T=-0.11, p=0.914, BF01=4.8	T=1.04, p=0.306, BF01=2.95	T=0.95, p=0.35, BF01=3.2	↑ ↑
anatomy_toolbox_for_RSA	106	filtered	T=0.78, p=0.445, BF01=3.67	T=-0.34, p=0.737, BF01=4.58	T=-0.24, p=0.809, BF01=4.7	T=0.77, p=0.45, BF01=3.69	T=0.82, p=0.418, BF01=3.55	↑ ↑
anatomy_toolbox_for_RSA	106	res	T=0.9, p=0.377, BF01=3.35	T=0.17, p=0.865, BF01=4.76	T=-0.31, p=0.76, BF01=4.62	T=0.7, p=0.491, BF01=3.86	T=0.76, p=0.452, BF01=3.7	↑ ↑
anatomy_toolbox_for_RSA	106	res_filtered	T=0.48, p=0.638, BF01=4.35	T=-0.01, p=0.988, BF01=4.83	T=-0.12, p=0.903, BF01=4.79	T=0.41, p=0.684, BF01=4.47	T=0.43, p=0.674, BF01=4.44	↑ ↑