



Smart API Doc Generator 1.0.0 OAS 3.0

API documentation with JWT authentication enabled

Authorize

Users



GET

/api/users

Get all users

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'GET' \
'http://localhost:3000/api/users' \
-H 'accept: */*'

Request URL

http://localhost:3000/api/users

Server response

Code	Details
200	Response body [{ "id": 1, "email": "test@example.com",

Code

Details

Download

```
    "password": "hashedpassword123"
  }
]
```

Response headers

access-control-allow-origin: *
connection: keep-alive
content-length: 68
content-type: application/json; charset=utf-8
date: Wed, 30 Sep 2026 11:53:13 GMT
etag: W/"44-Cpxj03esDrAHu0D9r5801VUcm9o"
keep-alive: timeout=5
x-powered-by: Express

Responses

Code	Description	Links
200	List of all users	No links
500	Server error	No links

POST

/api/users

Create a new user

^

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value

Schema

```
{
  "email": "string",
  "password": "string"
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:3000/api/users' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "string",
    "password": "string"
  }'
```

Request URL

http://localhost:3000/api/users

Server response

Code	Details
201	Response body <pre>{ "id": 2, "email": "string", "password": "string" }</pre> Download Response headers <pre>access-control-allow-origin: * connection: keep-alive content-length: 45 content-type: application/json; charset=utf-8 date: Wed, 30 Sep 2026 11:57:19 GMT etag: W/"2d-y/aNftdNW7ORubNCfVUhZnAONJ0" keep-alive: timeout=5 x-powered-by: Express</pre>

Responses

Code	Description	Links
201	User created successfully	No links
500	Server error	No links

PUT /api/users/{id} Update a user by ID



Parameters

Cancel

Name	Description
id * required integer (path)	1

Request body required

application/json

Edit Value

Schema

```
{
  "email": "string",
  "password": "string"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:3000/api/users/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "string",
    "password": "string"
  }'
```

Request URL

http://localhost:3000/api/users/1

Server response

Code	Details
500	Error: Internal Server Error

Code

Details

Undocumented

Response body

```
{  
  "error": "duplicate key value violates unique constraint \"users_email_key\""  
}
```

Download

Response headers

```
access-control-allow-origin: *  
connection: keep-alive  
content-length: 78  
content-type: application/json; charset=utf-8  
date: Wed, 30 Sep 2026 12:02:04 GMT  
etag: W/"4e-L9itOyo3YHvNb5MzB9JghJNbu74"  
keep-alive: timeout=5  
x-powered-by: Express
```

Responses

Code	Description	Links
200	User updated successfully	No links
404	User not found	No links

DELETE

/api/users/{id}

Delete a user by ID



Parameters

Try it out

Name	Description
id * required integer (path)	id

Responses

Code	Description	Links
200	User deleted successfully	No links
404	User not found	No links



GET

/api/specs

Get all specs



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://localhost:3000/api/specs' \
 -H 'accept: */*'

Request URL

http://localhost:3000/api/specs

Server response

Code	Details
401 <i>Undocumented</i>	Error: Unauthorized Response body { "error": "Access denied. No token provided." } Response headers access-control-allow-origin: * connection: keep-alive content-length: 45 content-type: application/json; charset=utf-8 date: Wed, 30 Sep 2026 12:06:26 GMT etag: W/"2d-OKFaJYZLk9Vw7Mn+6fXtn/5t+Ak" keep-alive: timeout=5 x-powered-by: Express Download

Responses

Code	Description	Links
200	List of all specs	No links

POST

/api/specs

Create a new spec



Parameters

Cancel

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "name": "string",
  "content": "string",
  "generated_doc": "string"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:3000/api/specs' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "string",
    "content": "string",
    "generated_doc": "string"
  }'
```

Request URL

http://localhost:3000/api/specs

Server response

Code	Details
401 <i>Undocumented</i>	Error: Unauthorized Response body <pre>{ "error": "Access denied. No token provided." }</pre>

Download

Code

Details

Response headers

access-control-allow-origin: *

connection: keep-alive

content-length: 45

content-type: application/json; charset=utf-8

date: Wed,30 Sep 2026 12:06:46 GMT

etag: W/"2d-OKFaJYZLk9Vw7Mn+6fXtn/5t+Ak"

keep-alive: timeout=5

x-powered-by: Express

Responses

Code	Description	Links
201	Spec created successfully	No links

PUT

/api/specs/{id} Update a spec by ID



Parameters

Cancel

Name	Description
id * required integer (path)	1

Request body required

application/json

Edit Value Schema

{

"name": "string",

"content": "string",

"generated_doc": "string"

}

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:3000/api/specs/1' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "name": "string",
  "content": "string",
  "generated_doc": "string"
}'
```

Request URL

http://localhost:3000/api/specs/1

Server response

Code	Details
401 <i>Undocumented</i>	Error: Unauthorized Response body <pre>{ "error": "Access denied. No token provided." }</pre> Response headers <pre>access-control-allow-origin: * connection: keep-alive content-length: 45 content-type: application/json; charset=utf-8 date: Wed, 30 Sep 2026 12:07:08 GMT etag: W/"2d-OKFaJYZLk9Vw7Mn+6fXtn/5t+Ak" keep-alive: timeout=5 x-powered-by: Express</pre>

Download

Responses

Code	Description	Links
200	Spec updated successfully	No links
404	Spec not found	No links

DELETE /api/specs/{id} Delete a spec by ID



Parameters

Try it out

Name	Description
id * required integer (path)	id

Responses

Code	Description	Links
200	Spec deleted successfully	No links
404	Spec not found	No links

Health



GET

/api/redis-check

Check Redis connectivity

^

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:3000/api/redis-check' \
-H 'accept: */*'

```

Request URL

```
http://localhost:3000/api/redis-check

```

Server response

Code	Details
500	Error: Internal Server Error

Code

Details

Response body

```
{
  "connected": false,
  "error": "redisClient.ping is not a function"
}
```

Download

Response headers

```
access-control-allow-origin: *
connection: keep-alive
content-length: 64
content-type: application/json; charset=utf-8
date: Wed,30 Sep 2026 12:07:35 GMT
etag: W/"40-r+RL8XXVVo0Ji+dnV/yaykFo//A"
keep-alive: timeout=5
x-powered-by: Express
```

Responses

Code	Description	Links
200	Redis connection successful	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "connected": true, "pong": "PONG" }</pre>	
500	Redis connection failed	No links

GET

/api/db-check

Check database connectivity

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:3000/api/db-check' \
  -H 'accept: */*'

```

Request URL

http://localhost:3000/api/db-check

Server response

Code	Details
200	Response body <pre>{ "connected": true, "time": "2026-09-30T12:07:49.464Z"} </pre> Download Response headers <pre>access-control-allow-origin: * connection: keep-alive content-length: 52 content-type: application/json; charset=utf-8 date: Wed,30 Sep 2026 12:07:49 GMT etag: W/"34-KAq4Wzr8q1prmhSINK8Dj1Y5nH0" keep-alive: timeout=5 x-powered-by: Express </pre>

Responses

Code	Description	Links
200	Database connection successful Media type application/json Controls Accept header. Example Value Schema <pre>{ "connected": true, "time": "2026-09-23T18:54:00.000Z"} </pre>	No links
500	Database connection failed	No links

Auth



POST/api/auth/registerRegister a new user

Parameters

No parameters

Request bodyrequired

application/json

Cancel

Edit Value Schema

```
{
  "email": "test@example.com",
  "password": "mysecurepassword"
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:3000/api/auth/register' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "test@example.com",
    "password": "mysecurepassword"
  }'
```

Request URL

http://localhost:3000/api/auth/register

Server response

Code	Details
500	Error: Internal Server Error Response body <pre>{ "error": "duplicate key value violates unique constraint \"users_email_key\" }</pre> Download Response headers <pre>access-control-allow-origin: * connection: keep-alive content-length: 78 content-type: application/json; charset=utf-8</pre>

Code

Details

date: Wed,30 Sep 2026 12:08:31 GMT

etag: W/"4e-L9it0yo3YHvNb5MzB9JghJNbu74"

keep-alive: timeout=5

x-powered-by: Express

Responses

Code	Description	Links
201	User registered successfully	No links
Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "User registered successfully", "user": { "id": 1, "email": "test@example.com" }}</pre>		
500	Server error	No links

POST

/api/auth/login

Login and get JWT token



Parameters

Cancel

No parameters

Request body required

application/json

Edit Value

Schema

```
{
  "email": "test@example.com",
  "password": "mysecurepassword"
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:3000/api/auth/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "test@example.com",
    "password": "mysecurepassword"
  }'
```

Request URL

http://localhost:3000/api/auth/login

Server response

Code	Details
400	Error: Bad Request Response body <pre>{ "error": "Invalid credentials" }</pre> Download Response headers <pre>access-control-allow-origin: * connection: keep-alive content-length: 31 content-type: application/json; charset=utf-8 date: Wed, 30 Sep 2026 12:08:50 GMT etag: W/"1f-mRYQ6Yx/raK/ssDeWseqQCih0yM" keep-alive: timeout=5</pre>

Code	Details
	x-powered-by: Express
Responses	
Code	DescriptionLinks
200	Login successful, returns JWT tokenNo links
	Media type
	application/json
	Controls Accept header.
	Example ValueSchema
	{ "message": "Login successful", "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..." }
400	Invalid credentials or user not foundNo links
500	Server errorNo links