Keyring

Command guide. A local vault for Windows with numbered drawers (1, 2, 3...), one per company or project, holding values, notes and files of any kind. The command names are Portuguese; this guide explains each one.

Golden rule: everything that touches secrets starts with `keyring sudo`. Without `sudo` you only see names and states, never values. The `sudo` password is `1234` until you change it with `keyring sudo passwd`. A drawer can be named by **number** (`1`) or by **name** (`acme`, case and accents ignored); names with spaces go in quotes: `'Acme Corp'`.

---

1 No password: see what exists

```
keyring ls
```

Lists every drawer: number, name, entity, how many items and how many are due for rotation.

```
keyring
```

The full index for an AI: every drawer, item, state and project. Never shows values.

```
keyring --json
```

The same index as JSON (for programs).

```
keyring ajuda-ia
```

The guide and rules for an AI agent ("ajuda-ia" = AI help).

---

2 Sign in (sudo)

```
keyring sudo
```

Asks for the password (1234 by default) and opens a session for 15 minutes, for the whole PC. Inside it, no more prompts.

```
keyring sudo --minutos 60
```

Opens the session for 60 minutes (1 to 1440).

```
keyring sudo -k
```

Closes the session now.

```
keyring sudo passwd
```

Changes the password (asks for the old one and the new one twice).

Five wrong passwords in a row lock it for 5 minutes. In a script: `echo 1234 | keyring sudo`.

---

3 Look inside a drawer

```
keyring sudo acme ls
```

Lists everything in the drawer as plain text: description, items, type, state, variable, note. Values are shown when you are in a terminal; otherwise they appear as `***(length)`. To always see them: `--mostrar`.

---

4 Print a drawer (rec)

```
keyring sudo acme rec txt > C:\folder\acme.txt
keyring sudo acme rec pdf C:\folder\acme.pdf
```

The whole drawer, values included, as text or PDF. Without `txt` or `pdf` it makes a PDF.

```
keyring sudo 'acme' 'globex' rec pdf C:\folder
```

Several PDFs at once: one file per drawer, inside the folder (`acme.pdf`, `globex.pdf`).

Careful: the `>` belongs to the terminal. It works in `cmd` and Git Bash; in PowerShell 5.1 it corrupts PDFs, so there write the path at the end instead of using `>`. The files from `rec` contain **secrets in plain text**: delete them when you are done.

5 Create and store

```
keyring sudo criar 'Acme Corp' --entidade AC
```

Creates a drawer (gets the next number). Options: `--ficha-de file.md` (the description text) and `--numero N`.

```
keyring sudo acme pôr cloudflare.token --env CLOUDFLARE_API_TOKEN --descricao "test account"
```

Stores a value: asked for without echo. Item names: lowercase, digits, dot and underscore. `--env` is the variable name that `correr` creates.

```
keyring sudo acme pôr key.pem C:\keys\server --env SSH_SERVER
```

Stores a file of any kind (PDF, key, image, .env...).

```
keyring sudo acme pôr how.to notes.md --tipo nota
printf %s 'value' | keyring sudo acme pôr x --stdin
```

A note (text). With `--stdin` the value comes from the input (the sudo session must be open first).

```
keyring sudo acme ficha --de ficha.md
keyring sudo acme ficha
```

Sets and shows the drawer's description (the "ficha": what the project is, where it runs). The description and notes are not secret.

6 Work with items

Command	What it does
`keyring sudo acme estado cloudflare.token rodar`	Sets the state: `ok` (with today's date), `rodar` (rotate) or `revogado` (revoked).
`keyring sudo acme copiar cloudflare.token`	Copies the value; the clipboard is cleared after 30 s and kept out of Windows clipboard history.
`keyring sudo acme abrir how.to`	Opens the note or file in the Windows app, in a temp folder that deletes itself.
`keyring sudo acme tirar key.pem C:\folder`	Extracts a file to a folder.
`keyring sudo acme remover cloudflare.token`	Deletes the item and its old versions.

Each item keeps the current version and the 5 previous ones: when you rotate a secret, the old one is not lost.

7 Use secrets without showing them (correr)

```
keyring sudo acme correr -- bash -c 'curl -s -H "Authorization: Bearer $CLOUDFLARE_API_TOKEN"
https://api.cloudflare.com/client/v4/user/tokens/verify'
```

Runs the command with the drawer's items that have `--env` as environment variables, only inside it. The output is redacted: any secret that shows up is replaced by `***`. This is how an AI agent (such as Claude Code) uses credentials without seeing them. Items marked `revogado` are never injected.

8 Projects (items from several drawers)

```
keyring sudo projecto criar site --descricao "Acme website"
keyring sudo projecto adicionar site 1/github.token 1/cloudflare.token 2/db.senha
keyring sudo projecto site
keyring sudo projecto site correr -- <command>
```

A project is a list of items, even from different drawers. `correr` loads everything the project needs at once. Also: `keyring sudo correr --projecto site -- <command>`.

9 Recovery backup

```
keyring sudo acme exportar D:\backups
keyring sudo importar D:\backups\acme-20260101.keyring
```

A single file with the whole drawer (history included), encrypted with a passphrase of your own (8 characters minimum). It lets you recover if the PC dies. Keep it on an external disk, never on a server. If the number is already taken: `--numero N`.

Worth remembering

Topic	How it works
Where the data lives	`C:\Users\<user>\.keyring\` (yours only; keep it out of OneDrive and repositories). This PC only.
Environment variables	`KEYRING_DIR` (another data folder), `KEYRING_SENHA` (the sudo password), `KEYRING_FRASE` (the backup passphrase).
Exit codes	0 = ok · 1 = explained error · 2 = unexpected error. With `--json` errors go to stderr as JSON.
Limits	Values shorter than 6 characters are not redacted by `correr`. The 1234 password only stops casual use: the real lock is your Windows account.
AI agents	They only work on this PC, under your Windows account (an agent in the cloud or on a server cannot open the drawers).