



SKY
MALT

• SKY'S THE LIMIT •

BASE AND SPECIALITY MALT
CATALOGUE

Table of Contents

ABOUT US

Ukraine: A Barley Powerhouse.....3

About SKY MALT4-5

Facts and Figures.....6

Quality Assurance.....7

BASE MALTS

Pilsner Malt.....9

Pale Ale Malt.....10

Wheat Malt.....11

SPECIALITY MALTS

Vienna Malt13

Light Munich Malt.....14

Dark Munich Malt.....15

Melanoidin Malt.....16

Light Crystal Malt.....17

Medium Crystal Malt.....18

Dark Crystal Malt.....19

Chocolate Malt20

Black Malt.....21

SUSTAINABILITY, LOGISTICS, AND TESTIMONIALS

Sustainable Malting.....22-23

Logistics and Packaging24-25

Storage and Shelf life.....26-27

Brewer Stories: Coedo Brewery (Japan)29

Brewer Stories: Brigbierbrauerei (Switzerland).....30

Brewer Stories: Indian Brewery (United Kingdom).....31



Ukraine: a Barley Powerhouse

Ukraine is one of Europe's leading agricultural producers. Every year, millions of tonnes are exported through Black Sea ports to markets across Europe and beyond. Barley plays a central role in this output, with Ukraine consistently ranking among Europe's top producers. A significant share is dedicated to malting barley, forming the foundation of the country's growing malting industry.

Until the late 2000s, Ukraine imported malt despite producing world-class barley. Recognising this potential, several modern malting facilities were established in the late 2000s, creating the foundation for a competitive domestic industry.

As Ukraine's malting industry matured, its quality and scale quickly drew the attention of Europe's major agroindustrial conglomerates.

Within a few years, most domestic maltings had been acquired, and exclusive agreements put in place to control exports. The result was a highly concentrated industry, with little room for independent supply.

SKY MALT is one of the few exceptions, giving brewers direct access to Ukrainian malt outside multinational monopolies.

These conglomerates keep prices high by restricting exports, forcing brewers and distributors to buy through their less competitive subsidiaries. In many cases, European maltsters import Ukrainian barley, malt it domestically, and then market the final product as 'local', even though its true origin lies in Ukraine.

About SKY MALT



SKY AGRO LTD originally began as an agricultural trading and manufacturing company, exporting oilseeds and grains from Ukraine. Among our portfolio was malting barley, which we supplied to maltings across the country.

Building on this foundation, we established SKY MALT to supply brewers and with high-quality malt at competitive prices.

We do this through a contract malting (OEM) model with PJSC Obolon's malting plant in Ukraine. We supply high-quality two-row spring barley which they malt for us.

PJSC Obolon is Ukraine's largest brewery, operating the biggest brewing plant in Europe. As a company, it produces 4 million hectolitres of beer each year, with exports to more than 30 countries. Alongside brewing, Obolon operates one of the most advanced maltings in the region, forming part of its fully integrated supply chain.

Obolon's malting facility is located in the Khmelnytskyi oblast, in the far west of Ukraine. Built in 2009 by Czech engineers and equipped with German Bühler equipment, the plant is one of the largest maltings of its kind, with an annual capacity of 170,000 tonnes.

The malting plant meets the highest international standards and already supplies global giants including Heineken, Molson Coors, and Carlsberg, with regular audits ensuring consistent quality.

While production is based in Ukraine, day-to-day operations are run from our UK office, which has become the centre of our international activity. From here we coordinate supply, manage logistics, and stay closely connected with our partners and customers around the world.

Over time, those connections have taken us far beyond Europe. We now work with breweries across Latin America and Asia, where long-term partnerships and trust matter as much as the quality of the malt itself. We believe in keeping things straightforward, delivering what we promise, and staying flexible. Every brewery works differently, and we do our best to meet our partners halfway, adapting to their needs and local ways of working. It's how we've earned the kind of relationships that turn one shipment into many.



Facts and Figures



SKY MALT operates globally, with a direct presence or local partners in over 15 countries across Europe, East Asia, and Latin America. Our production is powered by nuclear and solar energy, ensuring a consistent, low-carbon malting process that supports both quality and sustainability across every region we serve.



15+

Countries serviced
worldwide




170 000 MT

Annual production
capacity



100%

Low-carbon
energy



Quality Assurance

BARLEY AND STANDARDS

- We use French and Danish barley varieties, selected for quality and reliability.
- Our malting plant is certified to ISO 9001:2015 and ISO 22000:2005.
- Samples of our malt are regularly tested by independent labs, including VLB and SGS.



AUDITS AND OVERSIGHT

- Our malting plant undergoes yearly audits from Carlsberg and Heineken covering:
 - End to end malting process;
 - Food-safety systems;
 - Hygiene & pest control;
 - Retained reference samples under storage;
 - Full traceability from barley field to malt.



Our Base Malts

Made from the finest two-row spring barley, our Base Malts are crafted for consistent quality and balance, giving every recipe a reliable foundation to build on.



SKY Pilsner Malt

Base Malts

MALT DESCRIPTION

Our Pilsner Malt is ideal for lagers and other light beers. With its pale colour, clean flavour, and high extract, it provides a versatile base for many styles. Lightly kilned at 80–85 °C, it is our lightest malt, retaining high enzymatic power and performing reliably in both single-step infusion and decoction mashing.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	4.5% max.	4.5% max.
Extract	310 °L/kg min.	81.0% min.
Fine-coarse difference	-	1.5% max.
Colour	3.2–3.8	3.5–4.2 EBC (1.9–2.2 °L)
Colour after boiling	6.0 max.	6.6 EBC (3.0 °L) max.
Total Nitrogen / Total Protein	1.40-1.75%	9.0-11.0%
SNR / Kolbach Index	37–42%	37–42%
Soluble Nitrogen	-	650–750 mg/100g
Diastatic Power	78° L min.	260 WK min.
FAN	115 mg/L min.	130 mg/L min.
Beta-glucans	90 mg/L max.	160 mg/L max.
Friability	85% min.	85% min.
Saccharification time	15 minutes max.	15 minutes max.
Viscosity (at 20 °C)	1.4–1.6 mPa·s / cP	1.4–1.6 mPa·s / cP
pH	5.9–6.1	5.9–6.1
Glassy grain	1.8% max.	1.8% max.
Grading < 2.2 mm	1.0% max.	1.0% max.
Grading > 2.5 mm	90% min.	90% min.
Foreign Admixture	0.1% max.	0.1% max.
Barley Variety	Sebastian/Gulliver	Sebastian/Gulliver
Presence of GMO	Non-GMO	Non-GMO



Colour:
3.5–4.2 EBC

Best for:
Lagers, Pilsners

Usage rate:
Up to 100%

Country of origin:
Ukraine

Packaging options:
25/50kg bags,
big bags, bulk

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Pale Ale Malt

Base Malts

MALT DESCRIPTION

Our Pale Ale Malt is ideal for all types of ales, including pale ales, IPAs, porters, and stouts. Kilned at a slightly higher temperature of 85–90 °C, it develops a richer character than Pilsner Malt, with subtle biscuit, and caramel notes. Its deeper colour and high extract add body and fullness while ensuring reliable performance.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	4.5% max.	4.5% max.
Extract	310 °L/kg min.	81.0% min.
Fine-coarse difference	-	1.5% max.
Colour	3.2–3.8	4.8–5.4 EBC (2.4–2.6 °L)
Colour after boiling	6.3 max.	7.0 EBC (3.0 °L) max.
Total Nitrogen / Total Protein	1.40-1.75%	9.0-11.0%
SNR / Kolbach Index	37–42%	37–42%
Soluble Nitrogen	-	650–750 mg/100g
Diastatic Power	78° L min.	260 WK min.
FAN	115 mg/L min.	130 mg/L min.
Beta-glucans	90 mg/L max.	160 mg/L max.
Friability	85% min.	85% min.
Saccharification time	15 minutes max.	15 minutes max.
Viscosity (at 20 °C)	1.4–1.6 mPa·s / cP	1.4–1.6 mPa·s / cP
pH	5.9–6.1	5.9–6.1
Glassy grain	1.8% max.	1.8% max.
Grading < 2.2 mm	1.0% max.	1.0% max.
Grading > 2.5 mm	90% min.	90% min.
Foreign Admixture	0.1% max.	0.1% max.
Barley Variety	Sebastian/Gulliver	Sebastian/Gulliver
Presence of GMO	Non-GMO	Non-GMO



Colour:
4.8–5.4 EBC

Best for:
Ales, IPAs

Usage rate:
Up to 100%

Country of origin:
Ukraine

Packaging options:
25/50kg bags,
big bags, bulk

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Wheat Malt

Base Malts

MALT DESCRIPTION

Our Wheat Malt is essential for brewing wheat beers such as Witbiers and American wheat ales, and also serves as a valuable adjunct (3–5%) in other beer styles. Kilned at 80–85 °C, it enhances the characteristic flavour of wheat beers while improving mouthfeel and head stability.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	315 °L/kg min.	81.5% min.
Fine-coarse difference	-	1.5% max.
Colour	3.5-4.5	4.0–5.0 EBC (2.1–2.5 °L)
Total Nitrogen / Total Protein	1.92% max.	12.0% max.
SNR / Kolbach Index	35–40%	35–40%
Saccharification time	15 minutes max.	15 minutes max.
pH	5.6–6.1	5.6–6.1
Grading < 2.2 mm	1.0% max.	1.0% max.
Grading > 2.5 mm	90% min.	90% min.
Foreign Admixture	0.1% max.	0.1% max.
Presence of GMO	Non-GMO	Non-GMO



Colour:
4.0–5.0 EBC

Best for:
Wheat beers, adjunct

Usage rate:
Up to 60%

Country of origin:
Ukraine

Packaging options:
25/50kg bags,
big bags, bulk

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

Our Speciality Malts

Our Specialty Malts are crafted to bring depth, character, and colour to a wide range of beer styles, delivering consistent quality and distinctive malt profiles brewers can rely on.

Specialty Malt	Colour (EBC)
Vienna Malt	8–12 EBC
Light Munich Malt	12–18 EBC
Dark Munich Malt	18–25 EBC
Melanoidin Malt	70–90 EBC
Light Crystal Malt	60–80 EBC
Medium Crystal Malt	100–150 EBC
Dark Crystal Malt	150–200 EBC
Chocolate Malt	800–1000 EBC
Black Malt	1000–1200 EBC



SKY Vienna Malt

Speciality Malts

MALT DESCRIPTION

Our Vienna Malt is lightly kilned at 85–90 °C, giving beers a deep golden colour and a richer, maltier flavour than Pilsner Malt. It contributes notes of caramel, biscuit, and bread, adding body and fullness while retaining sufficient enzymatic power for use as a base malt.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	310 °L/kg min.	81.0% min.
Fine-coarse difference	-	2.0% max.
Colour	7–11	8–12 EBC (3.5–5.1°L)
Total Nitrogen / Total Protein	1.40–1.75%	9.0–11.0%
SNR / Kolbach Index	37–45%	37–45%
Saccharification time	15 minutes max.	15 minutes max.
pH	5.8–6.1	5.8–6.1
Grading < 2.2 mm	2.0% max.	2.0% max.
Grading > 2.5 mm	90% min.	90% min.
Foreign Admixture	0.1% max.	0.1% max.
Presence of GMO	Non-GMO	Non-GMO



Colour:
8–12 EBC

Best for:
Lagers, Pilsners

Usage rate:
Up to 60%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Light Munich Malt

Speciality Malts

MALT DESCRIPTION

Our Light Munich Malt is kilned at 95–100 °C, producing a bright golden malt with a clean yet pronounced malty taste and subtle bread-like sweetness. It adds depth and body without affecting foam stability and can be used generously with Pilsner malt to enhance malty richness and balance.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	303 °L/kg min.	80% min.
Fine-coarse difference	-	2.5% max.
Colour	11–16 EBC	12–18 EBC (5.1–7.3 °L)
Total Nitrogen / Total Protein	1.84% max.	11.5% max.
SNR / Kolbach Index	37–49%	37–49%
Diastatic Power	76° L min.	150 WK min.
Friability	82% min.	82% min.
Saccharification time	15 minutes max.	15 minutes max.
pH	5.3–5.9	5.3–5.9
Glassy grain	2.0% max.	2.0% max.
Grading < 2.2 mm	1.0% max.	1.0% max.
Grading > 2.5 mm	90% min.	90% min.
Foreign Admixture	0.1% max.	0.1% max.
Presence of GMO	Non-GMO	Non-GMO



Colour:
12–18 EBC

Best for:
Ales, Amber beers

Usage rate:
Up to 80%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Dark Munich Malt

Speciality Malts

MALT DESCRIPTION

Our Dark Munich Malt is kilned at 100–105 °C, yielding a golden-orange colour and a robust, grainy malt character with gentle nutty notes. Used alone or blended with Pilsner malt, it deepens colour and adds a strong, expressive malty backbone to many classic beer styles.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	303 °L/kg min.	80% min.
Colour	7–11	18–25 EBC (7.3–10 °L)
Total Nitrogen / Total Protein	1.84% max.	11.5% max.
Friability	82% min.	82% min.
Saccharification time	15 minutes max.	15 minutes max.
pH	5.8–6.1	5.8–6.1
Grading < 2.2 mm	2.0% max.	2.0% max.
Grading > 2.5 mm	90% min.	90% min.
Foreign Admixture	0.1% max.	0.1% max.
Presence of GMO	Non-GMO	Non-GMO



Colour:
18–25 EBC

Best for:
Ales, Amber beers

Usage rate:
Up to 60%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Melanoidin Malt

Speciality Malts

MALT DESCRIPTION

Our Melanoidin Malt is kilned up to 130 °C through a special slow process that develops an intense, complex malty flavour and rich aroma. It promotes reddish hues, improves flavour stability, and enhances body and fullness, making it especially useful for adding depth and character to malt-forward beers.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	303 °L/kg min.	80% min.
Colour	60–80	70–90 EBC (27–34 °L)
pH	5.2–5.8	5.2–5.8
Glassy grain	2.0% max.	2.0% max.
Foreign Admixture	0.1% max.	0.1% max.
Presence of GMO	Non-GMO	Non-GMO



Colour:
70–90 EBC

Best for:
Ales, Porters

Usage rate:
Up to 30%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Light Crystal Malt

Speciality Malts

MALT DESCRIPTION

Our Light Crystal Malt is germinated at high temperature and roasted in a drum, producing a balanced amber caramel malt with a reddish hue. It contributes flavours of caramel, toffee, and bread, intensifies body, and helps promote head formation and retention.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	303 °L/kg min.	80% min.
Colour	55–75	60–80 EBC (23–30 °L)
pH	5.2–5.8	5.2–5.8
Glassy grain	2.0% max.	2.0% max.
Foreign Admixture	0.1% max.	0.1% max.
Presence of GMO	Non-GMO	Non-GMO



Colour:
60–80 EBC

Best for:
Ales, Dark beers

Usage rate:
Up to 20%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Medium Crystal Malt

Speciality Malts

MALT DESCRIPTION

Our Medium Crystal Malt strikes a balance of colour and flavour, contributing deeper amber tones and aromas of almond, caramel, and bread crust. Subtle toasty notes add complexity, while the caramelisation process enhances body and creates a smooth, rounded profile in the finished beer.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	275 °L/kg min.	73% min.
Colour	85–130	100–150 EBC (38–57 °L)
pH	5.1–5.5	5.1–5.5
Presence of GMO	Non-GMO	Non-GMO



Colour:
100–150 EBC

Best for:
Ales, Dark beers

Usage rate:
Up to 20%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Dark Crystal Malt

Speciality Malts

MALT DESCRIPTION

Our Dark Crystal Malt is germinated at high temperature and roasted in a drum, giving beers a dark amber to deep copper hue. It imparts bold flavours of caramel, malt, and biscuit, significantly boosts body, and supports head formation and retention.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	5.0% max.	5.0% max.
Extract	275 °L/kg min.	73% min.
Colour	130–185	150–200 EBC (57–76 °L)
pH	5.1–5.5	5.1–5.5
Presence of GMO	Non-GMO	Non-GMO



Colour:
150–200 EBC

Best for:
Porters, Stouts

Usage rate:
Up to 15%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Chocolate Malt

Speciality Malts

MALT DESCRIPTION

Our Chocolate Malt is roasted from Pilsner Malt to a lower intensity than Black Malt, producing deep colour with roasted notes of dark chocolate and coffee. Used in small amounts, it quickly adds colour and complexity, making it a key ingredient in porters, stouts, and other dark ales.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	4.5% max.	4.5% max.
Extract	270 °L/kg min.	72% min.
Colour	700-900	800-1000 EBC (300-375 °L)
pH	5.1-5.5	5.1-5.5
Presence of GMO	Non-GMO	Non-GMO



Colour:
800-1000 EBC

Best for:
Darker and black beers

Usage rate:
Up to 5%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)

SKY Black Malt

Speciality Malts

MALT DESCRIPTION

Our Black Malt is roasted from Pilsner Malt at over 200 °C, delivering intense colour with minimal enzymatic activity. Even in small proportions, it dramatically deepens colour with only slight flavour impact, while higher amounts introduce sharp roasted character. Ideal for porters, stouts, and other very dark beers.

PARAMETER	VALUE (IoB)	VALUE (EBC)
Moisture	4.5% max.	4.5% max.
Extract	270 °L/kg min.	72% min.
Colour	900-1100	1000-1200 EBC (375-450 °L)
pH	5.1-5.5	5.1-5.5
Presence of GMO	Non-GMO	Non-GMO



Colour:
1000-1200 EBC

Best for:
Darker and black beers

Usage rate:
Up to 5%

Country of origin:
Slovakia

Packaging options:
25/50kg bags, big bags

Shelf life:
Up to 24 months

Storage conditions:
Store in a cool, dry place
(<25 °C, <35% RH)



Sustainable Malt by Design

Sustainability in malting comes down to the essentials: how we power our plant, how barley is grown, and how malt is transported. At every stage, we work to minimise waste and greenhouse gas emissions.



Responsible Farming

We work directly with farmers, backing crop rotation, careful water use, and soil management. These practices protect yields year after year and ensure the steady supply of high-quality barley.



Low-Carbon Energy

The malting plant in Chemerivtsi runs primarily on nuclear power, providing a stable, low-carbon base. A recent \$2 million investment in on-site solar generation is steadily increasing the share of carbon-free electricity used at the facility and aligning its operation with EU standards.



Efficient Logistics

Bulk container shipping from Ukraine to Europe keeps emissions significantly lower than road haulage. Local deliveries are consolidated where possible and, increasingly, made with HVO-powered vehicles. This keeps fuel use down while maintaining reliable supply.



Logistics and Packaging

Each shipment starts at the malting facility. After production, our malt is packed on a modern automated line capable of filling up to 2,000 bags per hour. We use 25 kg/50 kg polypropylene bags 1,000 kg big bags, all with inner PE liners to protect against moisture and preserve freshness. Bags are stacked on heat-treated pallets, wrapped, and strapped for stability during transport.

Once packed, containers are sealed and transported by rail to port, such as Gdańsk in Poland, where they are shipped with leading global carriers like Maersk to major destinations worldwide, including Liverpool in the UK.

From the port of Liverpool, our malt is transported either to our distribution centre near Newark-on-Trent or to our container depot in Hull.

For larger breweries, we deliver malt in bulk, up to 28 tonnes at a time, using 40ft containers fitted with liner bags. A liner bag is a food-grade plastic bag that lines the inside of the container, creating a clean, sealed environment for transport. Once at the brewery, the bag can be emptied into a silo in much the same way as a regular tipper truck, making it a practical option for bulk deliveries.


For breweries that take delivery by blower truck, we have developed our own tailor-made solution here in the UK together with Den Hartogh, a leading dry bulk logistics company. At our Hull depot, we have set up a dedicated bulk storage and onward transport in 30ft containers. This set-up gives us the flexibility to offer just-in-time deliveries, while keeping stock close to port.

OUR LOGISTICS CAPABILITIES

- Flexible packaging options (25kg/50kg bags, big bags, bulk);
- Tailored order sizes and delivery options (including tail lift and weekend delivery);
- Bulk delivery via containers (tipper and blower truck);
- Local distribution centres with milling equipment.

Packaging options:

25kg/50kg bags, big bags, bulk



Delivery options:

Truck, tipper truck, blower truck



Weight limits by shipment type	Truck	Blower Truck	Tipper Truck
25kg bags - on pallets	22 000 kg	-	-
1000kg big bags - on pallets	22 000 kg	-	-
Bulk (truck / container with liner)	-	27 000 kg	28 000 kg







Storage and Shelf life

STORAGE RISKS

Malt is a natural grain product, and like all grains it can spoil if not stored properly. Kilning makes it more stable than raw wheat or barley, but it is still vulnerable to pests, mould, and fluctuations in temperature or humidity.

Humidity is the single greatest risk. Malt is hygroscopic, meaning it absorbs moisture from the air. If exposed to a damp environment, quality will quickly decline and mould may develop. Aim for a cool, dry store with good air movement and stable conditions year-round.

PRACTICAL ADVICE

Bags are best stored off the floor and away from walls to reduce the risk of damp and pests. A clean, sealed store keeps quality intact. Opened bags should always be securely resealed with zip ties to prevent moisture uptake and contamination.

SHELF LIFE

Shelf life varies depending on the type of malt and the storage conditions. Base malts generally keep well for many months when stored in a cool, dry place with stable temperature and humidity.

Specialty malts, including roasted and caramel varieties, are typically less sensitive to moisture and often remain stable for longer periods if kept sealed and protected.

Crushed malt, on the other hand, has a noticeably shorter shelf life. Once the grain is broken, it becomes more exposed to air and moisture, which can lead to a loss of freshness and flavour. For best results, malt should be crushed as close as possible to the time of use.

Brewer Stories Around the World

Every brewer has a story, and every beer begins with one. Working with breweries around the world gives us a look into those stories, the experiments, the challenges, and the small wins that make brewing what it is. However different they may be, our partners share one thing in common: they count on SKY MALT.



COEDO BREWERY

In the old castle town of Kawagoe, where Edo-period merchant houses still line narrow streets an hour north of Tokyo, Coedo Brewery has built a reputation that reaches far beyond Japan. Known for precision, balance, and an almost meditative patience in their process, they export much of their beer to Europe and North America—a rare distinction for a Japanese craft brewery.

In 2025, Coedo's brewery in Higashi Matsuyama, Saitama agreed to run a full-scale trial of our SKY Pilsner Malt. The team is famously detail-oriented and rarely changes a process once it has been refined, but after months of discussion we convinced them to give our malt a try. Conversion was clean, extract hit target, and the finished beer showed the refined malt character and dry finish they were looking for.

They even shared samples with smaller breweries nearby, a gesture that spoke volumes about the result.



Nestled in the alpine town of Brig-Glis in the canton of Valais, where the Rhône winds through steep valley walls and snow-covered peaks rise on all sides, Brigbierbrauerei decided at the beginning of 2025 to give our SKY Pilsner Malt a go. Set beneath the snow-covered Swiss Alps, brewers Christian, Ferhad and Johann ran the trial during normal production, sticking to their usual recipe and process parameters.

Mash conversion was efficient, lautering ran evenly, run-off remained bright, and both extract and pH hit target. Fermentation tracked cleanly and the finished beer showed a crisp, balanced malt character that did not require any adjustments.

Brigbierbrauerei was among our first Swiss partners, and seeing our malt put to work by their team remains something we are genuinely proud of.



INDIAN



BREWERY

From Friday to Sunday, the Indian Brewery taproom in Birmingham's Jewellery Quarter is packed with energy, a space where atmosphere and beer go hand in hand. Led by Jaspal 'Jay' Purewal and his team, the brewery has become a cornerstone of Birmingham's beer scene, brewing both classic styles and modern beers that capture the spirit of the city.

Young, dynamic, and rapidly expanding, it was the perfect partner: a creative brewery with the energy and ambition to match our own, and the ideal setting to put our malt to the test. We supplied one tonne of our Pilsner Malt for two trial brews. The brew was overseen by Jay and Richard Denny, a Master Brewer with more than 20 years' experience and once the youngest to hold that title in the UK.

Both brews went exactly as planned. By the end of the boil, gravity was exactly where it was supposed to be. The malt delivered extract on target, lautering ran smoothly, and the finished beer came out clean and balanced.

“

Jay liked the beer so much, he had it on tap at his wedding.
– Richard Denny

”



SKY MALT

• SKY'S THE LIMIT •



SKY AGRO LTD

E-mail: sales@sky-agro.com

Tel.: +44 (0) 1327 828001

www.sky-agro.com