Inerties

Achilles_left

General
Part Number Achilles_left
Part Name Achilles_left v4
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 57.13 g
Volume 35209.704 mm^3
Density 0.002 g / mm^3
Area 50946.838 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -253.588 mm, -9.839 mm, 4.582 mm
Bounding Box
Length 530.00 mm
Width 22.50 mm
Height 26.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 5043.299
Ixy 792.261
Ixz -415.827
Iyx 792.261
Iyy 2.050E+06
Iyz 875.314
Izx -415.827
Izy 875.314
Izz 2.050E+06
Moment of Inertia at Origin (g mm^2)

Ixx 11773.577
Ixy -1.418E+05
Ixz 65971.106
Iyx -1.418E+05
Iyy 5.725E+06
Iyz 3451.097
Izx 65971.106
Izy 3451.097
Izz 5.729E+06

Achilles_right

General
Part Number Achilles_right
Part Name Achilles_right v32
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State Working
Change Order

Physical
Mass 57.13 g
Volume 35209.704 mm^3
Density 0.002 g / mm^3
Area 50946.838 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -253.588 mm, 9.839 mm, 4.582 mm
Bounding Box
Length 530.00 mm
Width 22.50 mm
Height 26.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 5043.299
Ixy -792.261

Ixz -415.827
Iyx -792.261
Iyy 2.050E+06
Iyz -875.314
Izx -415.827
Izy -875.314
Izz 2.050E+06
Moment of Inertia at Origin (g mm^2)
Ixx 11773.577
Ixy 1.418E+05
Ixz 65971.106
Iyx 1.418E+05
Iyy 5.725E+06
Iyz -3451.097
Izx 65971.106
Izy -3451.097
Izz 5.729E+06

Body

General
Part Number bodyNCS
Part Name Body v30
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 4409.075 g
Volume 2.501E+06 mm^3
Density 0.002 g / mm^3
Area 7.288E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -2.044 mm, 0.454 mm, -57.873 mm

Bounding Box
Length 209.00 mm
Width 335.00 mm
Height 156.747 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 3.508E+07
Ixy 70395.09
Ixz 2.518E+05
Iyx 70395.09
Iyy 1.249E+07
Iyz -1.367E+05
Izx 2.518E+05
Izy -1.367E+05
Izz 3.884E+07
Moment of Inertia at Origin (g mm^2)
Ixx 4.985E+07
Ixy 74487.022
Ixz -2.699E+05
Iyx 74487.022
Iyy 2.727E+07
Iyz -20887.549
Izx -2.699E+05
Izy -20887.549
Izz 3.886E+07

Cam_left

General
Part Number CamleftNCS
Part Name Cam v12
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision

State Working
Change Order

Physical
Mass 106.052 g
Volume 78414.367 mm^3
Density 0.001 g / mm^3
Area 57331.20 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass 29.885 mm, 1.435 mm, 2.687E-10 mm
Bounding Box
Length 170.00 mm
Width 30.00 mm
Height 60.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 23647.332
Ixy -3639.748
Ixz -1.665E-05
Iyx -3639.748
Iyy 2.314E+05
Iyz 3.288E-08
Izx -1.665E-05
Izy 3.288E-08
Izz 2.153E+05
Moment of Inertia at Origin (g mm^2)
Ixx 23865.619
Ixy -8186.774
Ixz -1.750E-05
Iyx -8186.774
Iyy 3.261E+05
Iyz -8.009E-09
Izx -1.750E-05
Izy -8.009E-09
Izz 3.103E+05

Cam_right

General
Part Number CamRightNCS

Part Name Cam v12
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State Working
Change Order

Physical
Mass 106.052 g
Volume 78414.367 mm^3
Density 0.001 g / mm^3
Area 57331.20 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass 29.885 mm, -1.429 mm, -0.125 mm
Bounding Box
Length 170.00 mm
Width 35.115 mm
Height 62.386 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 23647.332
Ixy 3625.898
Ixz 317.225
Iyx 3625.898
Iyy 2.312E+05
Iyz 1392.664
Izx 317.225
Izy 1392.664
Izz 2.154E+05
Moment of Inertia at Origin (g mm^2)
Ixx 23865.619
Ixy 8155.621
Ixz 713.524
Iyx 8155.621
Iyy 3.260E+05
Iyz 1373.712
Izx 713.524

Izy 1373.712
Izz 3.104E+05

Foot

General
Part Number FootRightNCS
Part Name Foot_right v17
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 138.938 g
Volume 1.962E+05 mm^3
Density 0.001 g / mm^3
Area 97888.974 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass 41.194 mm, 0.044 mm, -13.067 mm
Bounding Box
Length 285.916 mm
Width 56.20 mm
Height 60.501 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 62271.904
Ixy -157.002
Ixz -1.145E+05
Iyx -157.002
Iyy 1.388E+06
Iyz -46.741
Izx -1.145E+05
Izy -46.741
Izz 1.394E+06
Moment of Inertia at Origin (g mm^2)

Ixx 85995.475
Ixy -410.366
Ixz -39710.955
Iyx -410.366
Iyy 1.648E+06
Iyz 33.628
Izx -39710.955
Izy 33.628
Izz 1.630E+06

Hip_left

General
Part Number Hip
Part Name Hip v34
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State Working
Change Order

Physical
Mass 3537.567 g
Volume 1.780E+06 mm^3
Density 0.002 g / mm^3
Area 3.388E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -35.093 mm, 9.108 mm, 0.038 mm
Bounding Box
Length 389.00 mm
Width 88.002 mm
Height 132.039 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 3.614E+06
Ixy 41923.187
Ixz 14914.77

Iyx 41923.187
Iyy 5.294E+07
Iyz 2716.02
Izx 14914.77
Izy 2716.02
Izz 5.095E+07
Moment of Inertia at Origin (g mm^2)
Ixx 3.907E+06
Ixy 1.173E+06
Ixz 19588.072
Iyx 1.173E+06
Iyy 5.730E+07
Iyz 1503.133
Izx 19588.072
Izy 1503.133
Izz 5.560E+07

Hip_right

General
Part Number Hip
Part Name Hip v34
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State Working
Change Order

Physical
Mass 3537.567 g
Volume 1.780E+06 mm^3
Density 0.002 g / mm^3
Area 3.388E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -35.093 mm, -9.108 mm, -0.038 mm
Bounding Box

Length 389.00 mm
Width 88.002 mm
Height 132.039 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 3.614E+06
Ixy -41923.187
Ixz -14914.77
Iyx -41923.187
Iyy 5.294E+07
Iyz 2716.02
Izx -14914.77
Izy 2716.02
Izz 5.095E+07
Moment of Inertia at Origin (g mm^2)
Ixx 3.907E+06
Ixy -1.173E+06
Ixz -19588.072
Iyx -1.173E+06
Iyy 5.730E+07
Iyz 1503.133
Izx -19588.072
Izy 1503.133
Izz 5.560E+07

Thigh_right

General
Part Number ThighRightNCS
Part Name Thigh_right v42
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 471.484 g
Volume 4.626E+05 mm^3
Density 0.001 g / mm^3
Area 2.559E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass 0.66 mm, -15.321 mm, -190.933 mm
Bounding Box
Length 66.20 mm
Width 264.90 mm
Height 470.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 9.696E+06
Ixy -4028.614
Ixz 51842.086
Iyx -4028.614
Iyy 9.812E+06
Iyz -20668.416
Izx 51842.086
Izy -20668.416
Izz 2.928E+05
Moment of Inertia at Origin (g mm^2)
Ixx 2.700E+07
Ixy 736.014
Ixz 1.112E+05
Iyx 736.014
Iyy 2.700E+07
Iyz -1.400E+06
Izx 1.112E+05
Izy -1.400E+06
Izz 4.037E+05

Thigh_left

General
Part Number ThighRightNCS
Part Name Thigh_right v42

Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 471.484 g
Volume 4.626E+05 mm^3
Density 0.001 g / mm^3
Area 2.559E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass 0.66 mm, 15.321 mm, -190.933 mm
Bounding Box
Length 66.20 mm
Width 264.90 mm
Height 470.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 9.696E+06
Ixy 4028.614
Ixz 51842.086
Iyx 4028.614
Iyy 9.812E+06
Iyz 20668.416
Izx 51842.086
Izy 20668.416
Izz 2.928E+05
Moment of Inertia at Origin (g mm^2)
Ixx 2.700E+07
Ixy -736.014
Ixz 1.112E+05
Iyx -736.014
Iyy 2.700E+07
Iyz 1.400E+06
Izx 1.112E+05

Izy 1.400E+06
Izz 4.037E+05

Tibia_left

General
Part Number LegRightNCS
Part Name tibia_left v6
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 222.524 g
Volume 2.236E+05 mm^3
Density 0.001 g / mm^3
Area 1.630E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -239.735 mm, 0.045 mm, 1.218 mm
Bounding Box
Length 541.00 mm
Width 58.00 mm
Height 65.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 38475.901
Ixy -3235.12
Ixz -47491.043
Iyx -3235.12
Iyy 5.665E+06
Iyz -308.55
Izx -47491.043
Izy -308.55
Izz 5.633E+06

Moment of Inertia at Origin (g mm^2)
Ixx 38806.64
Ixy -822.499
Ixz 17501.419
Iyx -822.499
Iyy 1.845E+07
Iyz -320.81
Izx 17501.419
Izy -320.81
Izz 1.842E+07

Tibia_right

General
Part Number LegRightNCS
Part Name tibia_right v13
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 218.767 g
Volume 2.193E+05 mm^3
Density 0.001 g / mm^3
Area 1.597E+05 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -242.744 mm, 0.101 mm, 0.833 mm
Bounding Box
Length 541.00 mm
Width 58.00 mm
Height 65.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 36076.062

Ixy -5369.529
Ixz -32608.007
Iyx -5369.529
Iyy 5.545E+06
Iyz -714.293
Izx -32608.007
Izy -714.293
Izz 5.515E+06
Moment of Inertia at Origin (g mm^2)
Ixx 36230.234
Ixy 13.865
Ixz 11646.02
Iyx 13.865
Iyy 1.844E+07
Iyz -732.774
Izx 11646.02
Izy -732.774
Izz 1.841E+07

Pushrod_left

General
Part Number Push_rod_assembly
Part Name Push_rod_assembly v20
Description
Material Name (Various)

Manage
Item Number
Lifecycle
Revision
State
Change Order

Physical
Mass 60.723 g
Volume 41839.582 mm^3
Density 0.001 g / mm^3
Area 46660.427 mm^2

World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -205.00 mm, 5.879 mm, 0.00 mm
Bounding Box
Length 428.00 mm
Width 22.60 mm
Height 34.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 6500.268
Ixy 4.550E-05
Ixz -4.406E-06
Iyx 4.550E-05
Iyy 1.464E+06
Iyz 1.051E-10
Izx -4.406E-06
Izy 1.051E-10
Izz 1.462E+06
Moment of Inertia at Origin (g mm^2)
Ixx 8599.029
Ixy 73183.603
Ixz -4.388E-06
Iyx 73183.603
Iyy 4.016E+06
Iyz -4.184E-10
Izx -4.388E-06
Izy -4.184E-10
Izz 4.016E+06

Pushrod_right

General
Part Number Push_rod_assembly
Part Name Push_rod_assembly v22
Description
Material Name (Various)

Manage
Item Number
Lifecycle

Revision
State
Change Order

Physical
Mass 60.723 g
Volume 41839.582 mm^3
Density 0.001 g / mm^3
Area 46660.427 mm^2
World X,Y,Z 0.00 mm, 0.00 mm, 0.00 mm
Center of Mass -205.00 mm, -5.879 mm, 0.00 mm
Bounding Box
Length 428.00 mm
Width 22.60 mm
Height 34.00 mm
Moment of Inertia at Center of Mass (g mm^2)
Ixx 6500.268
Ixy -4.550E-05
Ixz 4.406E-06
Iyx -4.550E-05
Iyy 1.464E+06
Iyz -3.410E-10
Izx 4.406E-06
Izy -3.410E-10
Izz 1.462E+06
Moment of Inertia at Origin (g mm^2)
Ixx 8599.029
Ixy -73183.603
Ixz 4.387E-06
Iyx -73183.603
Iyy 4.016E+06
Iyz -8.696E-10
Izx 4.387E-06
Izy -8.696E-10
Izz 4.016E+06