

'slides.lua' class for SILE

Introduction

About

- "slides.lua" is a class that allows to make simple presentations with SILE
- It arose from the need of making presentations reusing content already written in SILE documents
- It implements a few new commands to make slides editing easy
- Let's see them

Commands

\slide

The "\slide" command is used to... create new slides

It accepts these arguments:

- **title** to set a title for the slide (default=""), and
- **columns** to set the number of columns (default=1)
- **center** to make the slide contents vertically 'centered' at 1/3 of the frame
— it adds one "vfill" before and two after contents (default=false)

There is also a function "\title", that is called in slides titles, but may be used elsewhere.

The next slide uses "columns=2" and a "\title" in each column.

(Custom titles are needed there because a slide title spans over all slide columns)

`\transition`

The "`\transition`" is used to place a slide with just one sentence in its middle.

This is useful to highlight places in a presentation.

`\section`

The "`\section`" command is used to organize the slides.

It accepts the option "name", which defaults to the content of the command. Section names are displayed as links at the top of slides.

Moreover, a transition slide can appear at the beginning of a new section.

This behavior can be suppressed by calling the "`\noTransitionSlides`" command.

(... see a large title over two columns)

lorem ipsum dolor sit amet consetetur
sadipscing elitr sed diam nonumy
eirmod tempor invidunt ut labore et
dolore magna aliquyam erat sed diam
voluptua at vero eos et accusam et
justo duo dolores et ea rebum stet clita
kasd gubergren no sea takimata
sanctus est lorem ipsum dolor sit amet
lorem ipsum dolor sit amet consetetur
sadipscing elitr sed diam

lorem ipsum dolor sit amet consetetur
sadipscing elitr sed diam nonumy
eirmod tempor invidunt ut labore et
dolore magna aliquyam erat sed diam
voluptua at vero eos et accusam et
justo duo dolores et ea rebum stet clita
kasd gubergren no sea takimata
sanctus est lorem ipsum dolor sit amet

\toc

The command "\toc" is used to display a list of the sections in a presentation.

Its result is something like this:

> Introduction

> Commands

> Options

> Finale

`\litems`

There is also a list environment, "`\litems`", in which each item is defined by calling a "`\litem`" command.

While it would be possible to reuse the "`\lists`" package, the list implemented here displays colored marks, and nested list items appear with smaller font sizes.

Options

Options

Besides the "`\noTransitionSlides`", the following commands may be used to customize presentations:

- **themeColor:** to change the color applied to titles and decorations (default=black)
- **ruleFolios:** to show the presentation progress with an horizontal bar at the bottom (default=false)
- **printNotes:** to print slide notes (default=true)
- **backgroundImage:** to set an image to be shown in background
- **alternateImage:** to set an image to be shown in transitions
- **rootImage:** to show an image in the background of the slide

First Slide

The first slide has no features, since it is expected to be designed manually.

For it, the commands "`\rootImage`" and "`\title`" may be useful.

Finale

Concluding remarks

I learned a bit about SILE while writing this class — i.e., the code surely may be improved.

It may be found here:

https://github.com/leorosa/sile_scripts

"slides.lua" was created for my personal use. If you also find it useful, or have suggestions, please let me know.

Thanks!