


November 25, 2024


Vulnerability Scan Report

Prepared By

HostedScan Security



hostedscan.com



Overview

1	Executive Summary	3
2	Vulnerabilities By Target	4
3	SSL/TLS Security	8
4	Glossary	11




1 Executive Summary

Vulnerability scans were conducted on select servers, networks, websites, and applications. This report contains the discovered potential vulnerabilities from these scans. Vulnerabilities have been classified by severity. Higher severity indicates a greater risk of a data breach, loss of integrity, or availability of the targets.

1.1 Total Vulnerabilities

Below are the total number of vulnerabilities found by severity. Critical vulnerabilities are the most severe and should be evaluated first. An accepted vulnerability is one which has been manually reviewed and classified as acceptable to not fix at this time, such as a false positive detection or an intentional part of the system's architecture.



1.2 Report Coverage

This report includes findings for **3 targets** scanned. Each target is a single URL, IP address, or fully qualified domain name (FQDN).

Vulnerability Categories

6









SSL/TLS Security

2 Vulnerabilities By Target

This section contains the vulnerability findings for each scanned target. Prioritization should be given to the targets with the highest severity vulnerabilities. However, it is important to take into account the purpose of each system and consider the potential impact a breach or an outage would have for the particular target.

2.1 Targets Summary

The number of potential vulnerabilities found for each target by severity.


Target	 Critical	 High	 Medium	 Low	 Accepted
 FastAPI	0	0	2	0	0
 Wazuh	0	0	2	0	0
 Zabbix	0	0	2	0	0

2.2 Target Breakdowns

Details for the potential vulnerabilities found for each target by scan type.

 **FastAPI**
Target - api.abcplace.app.br

Total Risks




SSL/TLS Security	Severity	First Detected	Last Detected
TLS 1.1 is considered an insecure encryption protocol and should be disabled.	● Medium	0 days ago	0 days ago
TLS 1.0 is considered an insecure encryption protocol and should be disabled.	● Medium	0 days ago	0 days ago



Wazuh

Target - dash.abcplace.app.br

Total Risks




SSL/TLS Security	Severity	First Detected	Last Detected
TLS 1.1 is considered an insecure encryption protocol and should be disabled.	● Medium	0 days ago	0 days ago
TLS 1.0 is considered an insecure encryption protocol and should be disabled.	● Medium	0 days ago	0 days ago



Zabbix

Target - sec.abcplace.app.br

Total Risks




SSL/TLS Security	Severity	First Detected	Last Detected
TLS 1.1 is considered an insecure encryption protocol and should be disabled.	● Medium	0 days ago	0 days ago
TLS 1.0 is considered an insecure encryption protocol and should be disabled.	● Medium	0 days ago	0 days ago

3 SSL/TLS Security

The SSlyze security scan tests for misconfigured SSL/TLS certificates, expired certificates, weak ciphers, and SSL/TLS vulnerabilities such as Heartbleed.

3.1 Total Vulnerabilities

Total number of vulnerabilities found by severity.




3.2 Vulnerabilities Breakdown

Summary list of all detected vulnerabilities.

Title	Severity	Open	Accepted
TLS 1.1 is considered an insecure encryption protocol and should be disabled.	● Medium	3	0
TLS 1.0 is considered an insecure encryption protocol and should be disabled.	● Medium	3	0

3.3 Vulnerability Details

Detailed information about each potential vulnerability found by the scan.



TLS 1.1 is considered an insecure encryption protocol and should be disabled.

SEVERITY

AFFECTED TARGETS


LAST DETECTED

Medium

3 targets

0 days ago

Vulnerable Target	First Detected	Last Detected
api.abcplace.app.br FastAPI	0 days ago	0 days ago
dash.abcplace.app.br Wazuh	0 days ago	0 days ago
sec.abcplace.app.br Zabbix	0 days ago	0 days ago



TLS 1.0 is considered an insecure encryption protocol and should be disabled.

SEVERITY

AFFECTED TARGETS

LAST DETECTED

Medium

3 targets

0 days ago

Vulnerable Target	First Detected	Last Detected
api.abcplace.app.br FastAPI	0 days ago	0 days ago
dash.abcplace.app.br Wazuh	0 days ago	0 days ago
sec.abcplace.app.br Zabbix	0 days ago	0 days ago

4 Glossary

Accepted Vulnerability

An accepted vulnerability is one which has been manually reviewed and classified as acceptable to not fix at this time, such as a false positive scan result or an intentional part of the system's architecture.

Fully Qualified Domain Name (FQDN)

A fully qualified domain name is a complete domain name for a specific website or service on the internet. This includes not only the website or service name, but also the top-level domain name, such as .com, .org, .net, etc. For example, 'www.example.com' is an FQDN.

Vulnerability

A weakness in the computational logic (e.g., code) found in software and hardware components that, when exploited, results in a negative impact to confidentiality, integrity, or availability. Mitigation of the vulnerabilities in this context typically involves coding changes, but could also include specification changes or even specification deprecations (e.g., removal of affected protocols or functionality in their entirety).

SSL/TLS Security

The SSLyze security scan tests for misconfigured SSL/TLS certificates, expired certificates, weak ciphers, and SSL/TLS vulnerabilities such as Heartbleed.

Target

A target represents target is a single URL, IP address, or fully qualified domain name (FQDN) that was scanned.

Severity

Severity represents the estimated impact potential of a particular vulnerability. Severity is divided into 5 categories: Critical, High, Medium, Low and Accepted.

CVSS Score

The CVSS 3.0 score is a global standard for evaluating vulnerabilities with a 0 to 10 scale. CVSS maps to threat levels:

0.1 - 3.9 = Low

4.0 - 6.9 = Medium

7.0 - 8.9 = High

9.0 - 10.0 = Critical

This report was prepared using

HostedScan Security®

For more information, visit hostedscan.com

Founded in Seattle, Washington in 2019, HostedScan, LLC. is dedicated to making continuous vulnerability scanning and risk management much more easily accessible to more businesses.



HostedScan, LLC.

2212 Queen Anne Ave N
Suite #521
Seattle, WA 98109

[Terms & Policies](#)
hello@hostedscan.com