


Gustavo

Leonardo Teixeira Raveli

1C3

Atividade 1:



```

void setup()
{
  pinMode(3, OUTPUT);
  pinMode(4, OUTPUT);
  pinMode(5, OUTPUT);
  pinMode(9, OUTPUT);
  pinMode(10, OUTPUT);
}

void loop()
{
  digitalWrite(3, HIGH);
  digitalWrite(4, LOW);
  digitalWrite(5, LOW);
  digitalWrite(9, LOW);
  digitalWrite(10, HIGH);
  delay(5000);
  digitalWrite(3, LOW);
  digitalWrite(4, HIGH);
  delay(2000);
  digitalWrite(4, LOW);
  digitalWrite(5, HIGH);
  digitalWrite(10, LOW);
  digitalWrite(9, HIGH);
  delay(4000);

  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);
  delay(250);
  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);


```

```

  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);
  delay(250);
  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);
  delay(250);
  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);
  delay(250);
  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);
  delay(250);
  digitalWrite(10, HIGH);
  delay(250);
  digitalWrite(10, LOW);
  delay(250);

```

Atividade 2



```
void setup()
{
  pinMode(3, OUTPUT);
  pinMode(4, OUTPUT);
  pinMode(5, OUTPUT);
  pinMode(9, OUTPUT);
  pinMode(10, OUTPUT);
  pinMode(6, OUTPUT);
  pinMode(7, OUTPUT);
  pinMode(8, OUTPUT);
}

void loop()
{
  // Semáforo 1
  digitalWrite(3, HIGH);
  digitalWrite(4, LOW);
  digitalWrite(5, LOW);
  digitalWrite(9, LOW);
  digitalWrite(10, HIGH);
  digitalWrite(6, HIGH);
  delay(5000);

  digitalWrite(3, LOW);
  digitalWrite(4, HIGH);
  delay(2000);

  digitalWrite(4, LOW);
  digitalWrite(5, HIGH);
  digitalWrite(10, LOW);
  digitalWrite(9, HIGH);
  delay(4000);
}
```

//semáforo 2

```
digitalWrite(8, HIGH);  
digitalWrite(3, LOW);  
digitalWrite(5, HIGH);  
digitalWrite(4, LOW);  
digitalWrite(6, LOW);  
digitalWrite(7, LOW);  
digitalWrite(9, LOW);  
digitalWrite(10, HIGH);  
delay(5000);
```

```
digitalWrite(8, LOW);  
digitalWrite(7, HIGH);  
delay(2000);
```

```
    digitalWrite(7, LOW);  
    digitalWrite(6, HIGH);  
    digitalWrite(10, LOW);  
    digitalWrite(9, HIGH);  
    delay(4000);
```

```
digitalWrite(10,HIGH);  
delay(250);  
digitalWrite(10,LOW);  
delay(250);  
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);  
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);
```

```
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);  
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);  
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);  
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);  
    digitalWrite(10,HIGH);  
    delay(250);  
    digitalWrite(10,LOW);  
    delay(250);
```