# A modern Python interface for the Generic Mapping Tools

Leonardo Uieda\* and Paul Wessel

Department of Geology and Geophysics, SOEST, University of Hawai'i at Mānoa

#### Introduction

The Generic Mapping Tools (GMT) are open-source programs for processing geospatial data and making beautiful maps. Python is one of the fastest growing languages for scientific computing.

We are building a bridge to bring the power of GMT to the Python ecosystem.

In port gmt, numpy

lon, lat, magnitude = numpy.loadtxt("usgs\_quakes.txt", unpack=True)

fig = gmt\_Figure()

### Project goals

Be modern: Python 3.5+ and GMT6 only. Provide a simple and Pythonic interface. Use the GMT C API instead of system calls.

Readable aliases for GMT arguments.
Integrate with numpy, pandas, and xarray.
Support for the Jupyter notebook.

### Development stage

Finished ~70% of the C API wrapper (LibGMT). Jupyter integration through the Figure class. Automated tests with > 90% code coverage. Heavy use of decorators and context managers.

Only a few modules wrapped.
Working on: retrieving data from GMT modules.
pandas and xarray integration.
Windows support.

#### Contact and contribute

- www.gmtpython.xyz
- github.com/GenericMappingTools
- leouieda@gmail.com
- @leouieda

We welcome contributions: code, ideas, bugs. **Anyone can contribute**, regardless of skill level.

We have a Code of Conduct to keep you safe.

The project is open-source (BSD license).

## The GMT/Python library

#### Interacting with the GMT C API

```
@fmt_docstring
@use_alias(R="region", J="projection", B="frame", P="portrait", ...)
@kwargs_to_strings(R="sequence", i="sequence_comma")
def plot(self, x=None, y=None, sizes=None, **kwargs):
    "Plot lines, polygons, and symbols on maps."
    with LibGMT() as lib:
        with lib.vectors_to_vfile(x, y) as vfile:
            arg_str = " ".join([vfile, build_arg_string(kwargs)])
            lib.call_module("plot", arg_str)
```





