


Team leader: Zeyuan,Zheng Email Address:zzheng26@hawk.iit.edu


Team member: Luping,Xue Email Address: lxue9@hawk.iit.edu

November 21, 2019

CSP584 final project phase_3

login:






Register:


Customer registration information stored in database:

username	password	repassword	emailaddress
Leo,null	5991308Zheng	5991308Zheng	zzheng26@hawk.iit.edu
ice,null	1234	1234	zzheng26@hawk.iit.edu
123,null	1234	1234	zzheng26@hawk.iit.edu
1111,null	11	11	zzheng26@hawk.iit.edu
12,34	22	22	zzheng26@hawk.iit.edu
Leo,Zheng	5991308Zheng	5991308Zheng	zzheng26@hawk.iit.edu
Kevin,Chen	123	123	zzheng26@hawk.iit.edu
Zeyuan,Zheng	11	11	zzheng26@hawk.iit.edu


Login successfully:



Logout:




Input 60613 on searching bar:



Show restaurants list in 60613:

A screenshot of a web browser displaying a list of restaurants found for the search term "60613". The background features a blurred image of a teapot and a cup. The main heading on the page is "36 results searched". Below this, two restaurants are listed in a card format: "Tank it Easy" and "Blue Sky Bakery & Cafe". Each card includes a small thumbnail image, the restaurant name, its rating (5 stars), the number of reviews (e.g., 39 reviews), its category (e.g., Aquariums/Pet Stores/Aquarium Services), its address (e.g., 3700 N Ashland Ave, Chicago, IL 60613), its status (e.g., opening), and a green "VIEW MENU" button. The browser's address bar shows "localhost:9000/food_war_exploded/ListPageForAjax?searchInput=60613". The top navigation bar is identical to the one in the previous screenshot.

Restaurant detail page:



Home > Category > Page active | Search

[BACK TO SEARCH](#)

- [Starters \(4\)](#)
- [Main Courses \(5\)](#)
- [Desserts \(4\)](#)
- [Drinks \(4\)](#)

Menu

STARTERS

Item	Price	Order
0. Royal Fajitas	\$5.7	+
1. Chicken Enchilada Wrap	\$5.2	-

Your order

Delivery	Take Away
Subtotal	\$56
Delivery fee	\$10
TOTAL	\$66

Select meals:

Home > Restaurants > About us > Faq > Pages > Hello,Zeyuan,Zheng

[BACK TO SEARCH](#)

- [Starters \(4\)](#)
- [Main Courses \(5\)](#)
- [Desserts \(4\)](#)
- [Drinks \(4\)](#)

Need Help?
null
Monday to Friday 9.00am - 7.30pm

Menu

STARTERS

Item	Price	Order
Royal Fajitas	\$5.7	+
Chicken Enchilada Wrap	\$5.2	+
Fajitas	\$6.8	+
Mexican Enchiladas	\$9.4	+

MAIN COURSES

Item	Price	Order
Minced Beef Double Layer	\$6.3	+
Beef Taco	\$8.7	+

Your order

Delivery	Take Away
Royal Fajitas	\$5.7
Chicken Enchilada Wrap	\$5.2
Subtotal	\$10.90
Delivery fee	\$10
TOTAL	\$20.90

ORDER NOW

order success:

The screenshot shows the payment methods section of the Quick Food website. On the left, there are dropdown menus for 'Delivery time' and 'Secure payment'. Below these is a 'Need Help?' section with a lifebuoy icon and the text 'Monday to Friday 9.00am - 7.30pm'. In the center, a teal header bar says 'Payment methods'. Underneath are two main sections: 'Credit card' and 'Paypal'. The 'Credit card' section contains fields for 'Name on card' (First and last name), 'Card number', 'Expiration date' (mm/yyy), 'Security code' (CCV), and 'Address' (address). Below these are buttons for 'Pay with paypal' and 'Pay with cash'. To the right, a sidebar titled 'Your order' lists items: '1x Chicken Enchilada Wrap' (\$5.2) and '1x Royal Fajitas' (\$5.7). It also shows delivery options ('Delivery' and 'Take Away'), a subtotal of \$10.9, a delivery fee of \$10, and a total of \$20.9. A pink 'CONFIRM THE ORDER' button is at the bottom.

Input delivery information:

This screenshot shows the same payment methods page as above, but with specific delivery information entered. The 'Name on card' field contains 'Zeyuan.Zheng', the 'Card number' field contains '0312 273 8674', and the 'Address' field contains '3021 S Michigan Ave, unit 109'. All other fields and sections remain the same as in the first screenshot.

Confirm order successfully:

The screenshot shows a confirmation message: "Order confirmed!" with a large green checkmark icon. Below it says "Thank you!". A summary table lists items: "Chicken Enchilada Wrap \$5.2", "Royal Fajitas \$5.7", and a delivery schedule "Today 07.30 pm". The total is "\$20.9".

Secure payments with



About

About us
FAQ

Newsletter

Join our newsletter to keep be informed about offers and news.

Settings

English ▾

Show best delivery route:

A map of Chicago showing delivery routes from point A (Edgewater) to point B (Back of the Yards). The map includes labels for O'Hare International Airport, Lincolnwood, Skokie, North Shore, and various neighborhoods like Lakeview, Lincoln Park, and River North. Points A and B are marked with red dots. The map interface includes zoom controls and a legend.

Secure payments with



About

About us
FAQ
Contacts
Login
Register
Terms and conditions

Newsletter

Join our newsletter to keep be informed about offers and news.

Your mail

Subscribe

Settings

English ▾

USD ▾



Data of restaurant json file stored in database:

The screenshot shows a database management interface with the following details:

- Schemas:** quickfooddatabase
- Tables:** Businesses
- Columns:**
 - Businesses:** id, alias, businessname, imageUrl, isClosed, url
 - CustomerOrders:** id, alias, businessname
 - dessert:** id, alias, businessname
 - drink:** id, alias, businessname
 - maincourses:** id, alias, businessname
 - Registration:** id, alias, businessname
 - Transactions:** id, alias, businessname
 - Views:** id, alias, businessname
 - Stored Procedures:** id, alias, businessname
 - Functions:** id, alias, businessname

Table: Businesses

Columns:	Type	PK	alias	businessname	imageUrl	isClosed	url
id	varchar(120)	PK					
alias	varchar(100)						
businessname	varchar(100)						

Table: CustomerOrders

Columns:	Type	PK	alias	businessname	imageUrl	isClosed	url
Orderid	int(11) PK						
userName	varchar(120)						
orderName	varchar(100)						
orderPrice	double						
nameCardOrder	varchar(120)						
cardNumber	PK						
expireMonth	int(11)						
expireYear	int(11)						
CCV	int(11)						
address	varchar(255)						
businessId	int(11)						

Query Completed

Order payment stored in database:

The screenshot shows a database management interface with the following details:

- Schemas:** quickfooddatabase
- Tables:** CustomerOrders
- Columns:**
 - CustomerOrders:** Orderid, userName, orderName, orderPrice, nameCardOrder, cardNumber, expireMonth, expireYear, CCV, address, businessId
 - CustomerOrders:** Orderid, userName, orderName, orderPrice, nameCardOrder, cardNumber, expireMonth, expireYear, CCV, address, businessId

Table: CustomerOrders

Columns:	Type	PK	alias	businessname	imageUrl	isClosed	url
Orderid	int(11) PK						
userName	varchar(120)						
orderName	varchar(120)						
orderPrice	double						
nameCardOrder	varchar(120)						
cardNumber	PK						
expireMonth	int(11)						
expireYear	int(11)						
CCV	int(11)						
address	varchar(255)						
businessId	int(11)						

Query Completed

Category of restaurant stored in database:

Table: categories

Columns:

- id** varchar(120)
- alias** varchar(120)
- title** varchar(120)

Table Completed

Transaction of restaurant stored in database:

Table: transactions

Columns:

- id** varchar(120)
- transactionDes** varchar(120)

Table Completed

Starter stored in database:

The screenshot shows the Oracle SQL Developer interface with the 'Local instance 3306' connection selected. The 'Management' tab is active. In the schema tree, the 'quickfooddatabase' schema is expanded, showing tables like 'Businesses', 'CustomerOrders', 'Productdetails', 'Registration', and 'starter'. The 'starter' table is selected in the result grid. The results show a list of starters with columns: id, starter, price, and imageurl. The data includes various items such as Fajitas, Mexican Enchiladas, Royal Fajitas, etc., each with a corresponding image URL.

id	starter	price	imageurl
-Yw337vTC4ILKRcaw-PLQ	Fajitas	6.8	img/Fajitas.jpg
-Yw337vTC4ILKRcaw-PLQ	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg
-64Weew7LL08IEKEKxD38A	Royal Fajitas	5.7	img/Royal Fajitas.jpg
-64Weew7LL08IEKEKxD38A	Chicken Enchilada Wrap	5.2	img/Chicken Enchilada Wrap.jpg
-64Weew7LL08IEKEKxD38A	Fajitas	6.8	img/Fajitas.jpg
-64Weew7LL08IEKEKxD38A	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg
-8sRHGXK12GyXbQUR6ySw	Royal Fajitas	5.7	img/Royal Fajitas.jpg
-8sRHGXK12GyXbQUR6ySw	Chicken Enchilada Wrap	5.2	img/Chicken Enchilada Wrap.jpg
-8sRHGXK12GyXbQUR6ySw	Fajitas	6.8	img/Fajitas.jpg
-8sRHGXK12GyXbQUR6ySw	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg
-Yw2KybB0rDlw9t1A	Royal Fajitas	5.7	img/Royal Fajitas.jpg
-Yw2KybB0rDlw9t1A	Chicken Enchilada Wrap	5.2	img/Chicken Enchilada Wrap.jpg
-Yw2KybB0rDlw9t1A	Fajitas	6.8	img/Fajitas.jpg
-Yw2KybB0rDlw9t1A	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg
-gtBO2X5J0Bx64GPgkBA	Royal Fajitas	5.7	img/Royal Fajitas.jpg
-gtBO2X5J0Bx64GPgkBA	Chicken Enchilada Wrap	5.2	img/Chicken Enchilada Wrap.jpg
-gtBO2X5J0Bx64GPgkBA	Fajitas	6.8	img/Fajitas.jpg
-gtBO2X5J0Bx64GPgkBA	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg
-KZsoQtr3e-mdt7sJ0UQzQ	Royal Fajitas	5.7	img/Royal Fajitas.jpg
-KZsoQtr3e-mdt7sJ0UQzQ	Chicken Enchilada Wrap	5.2	img/Chicken Enchilada Wrap.jpg
-KZsoQtr3e-mdt7sJ0UQzQ	Fajitas	6.8	img/Fajitas.jpg
-KZsoQtr3e-mdt7sJ0UQzQ	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg
-MdMaQpS2ZDvNkb1lDGTQ	Royal Fajitas	5.7	img/Royal Fajitas.jpg
-MdMaQpS2ZDvNkb1lDGTQ	Chicken Enchilada Wrap	5.2	img/Chicken Enchilada Wrap.jpg
-MdMaQpS2ZDvNkb1lDGTQ	Fajitas	6.8	img/Fajitas.jpg
-MdMaQpS2ZDvNkb1lDGTQ	Mexican Enchiladas	9.4	img/Mexican Enchiladas.jpg

Main course stored in database:

The screenshot shows the Oracle SQL Developer interface with the 'Local instance 3306' connection selected. The 'Management' tab is active. In the schema tree, the 'quickfooddatabase' schema is expanded, showing tables like 'Businesses', 'CustomerOrders', 'Productdetails', 'Registration', and 'maincourses'. The 'maincourses' table is selected in the result grid. The results show a list of main courses with columns: id, maincourse, price, and imageurl. The data includes various items such as Minced Beef Double Layer, Beef Taco, Cheese Quesadilla, Chorizo & Cheese, etc., each with a corresponding image URL.

id	maincourse	price	imageurl
-Yw337vTC4ILKRcaw-PLQ	Minced Beef Double Layer	6.3	img/Minced Beef Double Layer.jpg
-Yw337vTC4ILKRcaw-PLQ	Beef Taco	8.7	img/Beef Taco.jpg
-Yw337vTC4ILKRcaw-PLQ	Cheese Quesadilla	12	img/Cheese Quesadilla.jpg
-Yw337vTC4ILKRcaw-PLQ	Chorizo & Cheese	24.71	img/Chorizo & Cheese.jpg
-Yw337vTC4ILKRcaw-PLQ	Piri Piri Chicken	7.4	img/Piri Piri Chicken.jpg
-64Weew7LL08IEKEKxD38A	Minced Beef Double Layer	6.3	img/Minced Beef Double Layer.jpg
-64Weew7LL08IEKEKxD38A	Beef Taco	8.7	img/Beef Taco.jpg
-64Weew7LL08IEKEKxD38A	Cheese Quesadilla	12	img/Cheese Quesadilla.jpg
-64Weew7LL08IEKEKxD38A	Chorizo & Cheese	24.71	img/Chorizo & Cheese.jpg
-64Weew7LL08IEKEKxD38A	Piri Piri Chicken	7.4	img/Piri Piri Chicken.jpg
-8sRHGXK12GyXbQUR6ySw	Minced Beef Double Layer	6.3	img/Minced Beef Double Layer.jpg
-8sRHGXK12GyXbQUR6ySw	Beef Taco	8.7	img/Beef Taco.jpg
-8sRHGXK12GyXbQUR6ySw	Cheese Quesadilla	12	img/Cheese Quesadilla.jpg
-8sRHGXK12GyXbQUR6ySw	Chorizo & Cheese	24.71	img/Chorizo & Cheese.jpg
-8sRHGXK12GyXbQUR6ySw	Piri Piri Chicken	7.4	img/Piri Piri Chicken.jpg
-Yw2KybB0rDlw9t1A	Minced Beef Double Layer	6.3	img/Minced Beef Double Layer.jpg
-Yw2KybB0rDlw9t1A	Beef Taco	8.7	img/Beef Taco.jpg
-Yw2KybB0rDlw9t1A	Cheese Quesadilla	12	img/Cheese Quesadilla.jpg
-Yw2KybB0rDlw9t1A	Chorizo & Cheese	24.71	img/Chorizo & Cheese.jpg
-Yw2KybB0rDlw9t1A	Piri Piri Chicken	7.4	img/Piri Piri Chicken.jpg
-gtBO2X5J0Bx64GPgkBA	Minced Beef Double Layer	6.3	img/Minced Beef Double Layer.jpg
-gtBO2X5J0Bx64GPgkBA	Beef Taco	8.7	img/Beef Taco.jpg
-gtBO2X5J0Bx64GPgkBA	Cheese Quesadilla	12	img/Cheese Quesadilla.jpg
-gtBO2X5J0Bx64GPgkBA	Chorizo & Cheese	24.71	img/Chorizo & Cheese.jpg
-gtBO2X5J0Bx64GPgkBA	Piri Piri Chicken	7.4	img/Piri Piri Chicken.jpg
-KZsoQtr3e-mdt7sJ0UQzQ	Minced Beef Double Layer	6.3	img/Minced Beef Double Layer.jpg

Dessert stored in database:

The screenshot shows the SQL Server Management Studio interface with a query window displaying the results of a SELECT * query on the dessert table from the quickfooddatabase.

Table: dessert

Columns:

- id** varchar(120)
- dessert** varchar(120)
- price** double
- imageurl** varchar(1000)

Result Grid:

	dessert	price	imageurl	
1	F2Nbch02KPaQdM_x0Fa2VQ	9.7	img/Apple Pie & Custard.jpg	
2	F2Nbch02KPaQdM_x0Fa2VQ	9.7	img/Profiteroles.jpg	
3	JNzV1ch0s2WzKgMpaA1g	Chocolate Fudge Cake	24.71	img/Chocolate Fudge Cake.jpg
4	JNzV1ch0s2WzKgMpaA1g	Cheesecake	7.5	img/Cheesecake.jpg
5	JNzV1ch0s2WzKgMpaA1g	Apple Pie & Custard	9.7	img/Apple Pie & Custard.jpg
6	JNzV1ch0s2WzKgMpaA1g	Profiterole	12	img/Profiteroles.jpg
7	VPJk-SEWSWS_nGoVM-C0w	Chocolate Fudge Cake	24.71	img/Chocolate Fudge Cake.jpg
8	VPJk-SEWSWS_nGoVM-C0w	Cheesecake	7.5	img/Cheesecake.jpg
9	VPJk-SEWSWS_nGoVM-C0w	Apple Pie & Custard	9.7	img/Apple Pie & Custard.jpg
10	VPJk-SEWSWS_nGoVM-C0w	Profiterole	12	img/Profiteroles.jpg
11	-KZeoQr3e-mdt7s0JuQzQ	Chocolate Fudge Cake	24.71	img/Chocolate Fudge Cake.jpg
12	-KZeoQr3e-mdt7s0JuQzQ	Cheesecake	7.5	img/Cheesecake.jpg
13	-KZeoQr3e-mdt7s0JuQzQ	Apple Pie & Custard	9.7	img/Apple Pie & Custard.jpg
14	-KZeoQr3e-mdt7s0JuQzQ	Profiterole	12	img/Profiteroles.jpg
15	db7d4IMc_pnPho8rlUhzQ	Chocolate Fudge Cake	24.71	img/Chocolate Fudge Cake.jpg
16	db7d4IMc_pnPho8rlUhzQ	Cheesecake	7.5	img/Cheesecake.jpg
17	db7d4IMc_pnPho8rlUhzQ	Apple Pie & Custard	9.7	img/Apple Pie & Custard.jpg
18	db7d4IMc_pnPho8rlUhzQ	Profiterole	12	img/Profiteroles.jpg
19	bPiaa7gHc97B2Hy50aw	Chocolate Fudge Cake	24.71	img/Chocolate Fudge Cake.jpg
20	bPiaa7gHc97B2Hy50aw	Cheesecake	7.5	img/Cheesecake.jpg
21	bPiaa7gHc97B2Hy50aw	Apple Pie & Custard	9.7	img/Apple Pie & Custard.jpg
22	bPiaa7gHc97B2Hy50aw	Profiterole	12	img/Profiteroles.jpg
23	glWHSeplfVfD3mxPg-eIQ	Chocolate Fudge Cake	24.71	img/Chocolate Fudge Cake.jpg
24	glWHSeplfVfD3mxPg-eIQ	Cheesecake	7.5	img/Cheesecake.jpg
25	glWHSeplfVfD3mxPg-eIQ	Apple Pie & Custard	9.7	img/Apple Pie & Custard.jpg
26	glWHSeplfVfD3mxPg-eIQ	Profiterole	12	img/Profiteroles.jpg

Query Completed

Drink stored in database:

The screenshot shows the SQL Server Management Studio interface with a query window displaying the results of a SELECT * query on the drink table from the quickfooddatabase.

Table: drink

Columns:

- id** varchar(120) PK
- drink** varchar(120) PK
- price** double PK
- imageurl** varchar(1000)

Result Grid:

	drink	price	imageurl
1	-Yw337vTC4ILKRCaw-PLQ	Diet Coke 1L	img/Diet Coke 1L.jpg
2	-Yw337vTC4ILKRCaw-PLQ	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg
3	-64Weew7ELLo8IEKExD38A	Coke 0.33L	img/Coke 0.33L.jpg
4	-64Weew7ELLo8IEKExD38A	Diet Coke 0.33L	img/Diet Coke 0.33L.jpg
5	-64Weew7ELLo8IEKExD38A	Diet Coke 1L	img/Diet Coke 1L.jpg
6	-64Weew7ELLo8IEKExD38A	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg
7	-8sRHGKx12GyXbQUR6ySw	Coke 0.33L	img/Coke 0.33L.jpg
8	-8sRHGKx12GyXbQUR6ySw	Diet Coke 0.33L	img/Diet Coke 0.33L.jpg
9	-8sRHGKx12GyXbQUR6ySw	Diet Coke 1L	img/Diet Coke 1L.jpg
10	-8sRHGKx12GyXbQUR6ySw	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg
11	-IVs2KytBorBwxs9T1A	Coke 0.33L	img/Coke 0.33L.jpg
12	-IVs2KytBorBwxs9T1A	Diet Coke 0.33L	img/Diet Coke 0.33L.jpg
13	-IVs2KytBorBwxs9T1A	Diet Coke 1L	img/Diet Coke 1L.jpg
14	-IVs2KytBorBwxs9T1A	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg
15	-gtB0Zx5JOBx64GPgkBA	Coke 0.33L	img/Coke 0.33L.jpg
16	-gtB0Zx5JOBx64GPgkBA	Diet Coke 0.33L	img/Diet Coke 0.33L.jpg
17	-gtB0Zx5JOBx64GPgkBA	Diet Coke 1L	img/Diet Coke 1L.jpg
18	-gtB0Zx5JOBx64GPgkBA	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg
19	-KZeoQr3e-mdt7s0JuQzQ	Coke 0.33L	img/Coke 0.33L.jpg
20	-KZeoQr3e-mdt7s0JuQzQ	Diet Coke 0.33L	img/Diet Coke 0.33L.jpg
21	-KZeoQr3e-mdt7s0JuQzQ	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg
22	-MdMaQpS2DvNkGBlBDIGTQ	Diet Coke 0.33L	img/Coke 0.33L.jpg
23	-MdMaQpS2DvNkGBlBDIGTQ	Diet Coke 1L	img/Diet Coke 1L.jpg
24	-MdMaQpS2DvNkGBlBDIGTQ	Fanta Orange 0.33L	img/Fanta Orange 0.33L.jpg

Query Completed

Restaurant json file:

The screenshot shows a Jupyter Notebook interface running on localhost:8888. The title bar says "jupyter chicago-yelp-reviews-for-es.json 11/08/2019". The top menu has options like File, Edit, View, and Language. A "Logout" button is in the top right. Below the menu is a "JSON" tab. The main content area displays a large JSON object representing restaurant reviews from Chicago. The JSON structure includes arrays for restaurants, categories, and various location details like address, city, state, and zip code. It also includes review counts and URLs for each establishment.

```
[{"id": "F2NBch93KPaQdM_x0Fa2VQ", "alias": "ninis-deli-chicago", "name": "Nini's Deli", "image_url": "https://s3-media3.fl.yelpcdn.com/bphoto/_7Rep6irkZ1DhGdx58OX9vw/o.jpg", "is_closed": false, "url": "https://www.yelp.com/biz/ninis-deli-chicago?adjust_creative=ILZxcGhyilkInr0aw-2zp&utm_campaign=yelp_api_v3&utm_medium=api_v3_business_search&utm_source=ILZxcGhyilkInr0aw-2zpA", "review_count": 864, "categories": [{"alias": "sandwiches", "title": "Sandwiches"}, {"alias": "empanadas", "title": "Empanadas"}, {"alias": "coffee", "title": "Coffee & Tea"}], "rating": 5.0, "coordinates": {"latitude": 41.89235, "longitude": -87.66198}, "transactions": [{"pickup": true}, {"price": "$"}], "location": {"address1": "543 N Noble St", "address2": null, "address3": null, "city": "Chicago", "zip_code": "60642", "country": "US", "state": "IL", "display_address": ["543 N Noble St", "Chicago, IL 60642"]}, "phone": "+13122439822", "display_phone": "(312) 243-9822", "distance": 2829.1321390636003}, {"id": "JfN2Vzh052lwZkp1Msal1", "alias": "garfield-park-conservatory-chicago", "name": "Garfield Park Conservatory", "image_url": "https://s3-media1.fl.yelpcdn.com/bphoto/_MgE5kXNax5gLbp3zsIhsq/o.jpg", "is_closed": false, "url": "https://www.yelp.com/biz/garfield-park-conservatory-chicago?adjust_creative=ILZxcGhyilkInr0aw-2zp&utm_campaign=yelp_api_v3&utm_medium=api_v3_business_search&utm_source=ILZxcGhyilkInr0aw-2zpA", "review_count": 592, "categories": [{"alias": "parks", "title": "Parks"}, {"alias": "gardens", "title": "Botanical Gardens"}], "rating": 5.0, "coordinates": {"latitude": 41.886342, "longitude": -87.717266}, "transactions": [], "location": {"address1": "300 N Central Park", "address2": null, "address3": null, "city": "Chicago", "zip_code": "60624", "country": "US", "state": "IL", "display_address": ["300 N Central Park", "Chicago, IL 60624"]}, "phone": "+17736381766", "display_phone": "(773) 638-1766", "distance": 7438.146614928117}, {"id": "VPJk-SEWWSn6CoVM-Cow", "alias": "penumbra-chicago", "name": "Penumbra", "image_url": "https://s3-media2.fl.yelpcdn.com/bphoto/_yUkNNWn5YVGNf7O5ysBsw/o.jpg", "is_closed": false, "url": "https://www.yelp.com/biz/penumbra-chicago?adjust_creative=ILZxcGhyilkInr0aw-2zp&utm_campaign=yelp_api_v3&utm_medium=api_v3_business_search&utm_source=ILZxcGhyilkInr0aw-2zpA", "review_count": 501, "categories": [{"alias": "wine bars", "title": "Wine Bars"}, {"alias": "seafood", "title": "Seafood"}], "rating": 5.0, "coordinates": {"latitude": 41.92445, "longitude": -87.710933}, "transactions": [{"restaurant_reservation": true}], "location": {"address1": "3309 W Fullerton Ave", "address2": null, "address3": null, "city": "Chicago", "zip_code": "60647"}, "phone": "+17737722343", "display_phone": "(773) 772-2343", "distance": 7348.150432100523}, {"id": "-K2so0tr3e-md0j7sjuUQzQ", "alias": "the-crepe-shop-chicago", "name": "The Crepe Shop", "image_url": "https://s3-media2.fl.yelpcdn.com/bphoto/_wR1_1F7YkbCPNm04geb3Q/o.jpg", "is_closed": false, "url": "https://www.yelp.com/biz/the-crepe-shop-chicago?adjust_creative=ILZxcGhyilkInr0aw-2zp&utm_campaign=yelp_api_v3&utm_medium=api_v3_business_search&utm_source=ILZxcGhyilkInr0aw-2zpA", "review_count": 303, "categories": [{"alias": "creperies", "title": "Creperies"}, {"alias": "coffee", "title": "Coffee & Tea"}, {"alias": "breakfast_brunch", "title": "Breakfast & Brunch"}], "rating": 5.0, "coordinates": {"latitude": 41.93587, "longitude": -87.64457}, "transactions": [{"pickup": true, "delivery": true}], "location": {"address1": "2928 N Broadway St", "address2": null, "address3": null, "city": "Chicago", "zip_code": "60657"}, "phone": "+17738570018", "display_phone": "(773) 857-0018", "distance": 4292.244613044005}, {"id": "db7p4tMxC_pptYho8RUhzQ", "alias": "aloha-wagon-chicago", "name": "Aloha Wagon", "image_url": "https://s3-media1.fl.yelpcdn.com/bphoto/_MR9vsGDVBMLPG6m163GSxh/o.jpg", "is_closed": false, "url": "https://www.yelp.com/biz/aloha-wagon-chicago?adjust_creative=ILZxcGhyilkInr0aw-2zp&utm_campaign=yelp_api_v3&utm_medium=api_v3_business_search&utm_source=ILZxcGhyilkInr0aw-2zpA", "review_count": 155, "categories": [{"alias": "icecream", "title": "Ice Cream"}, {"alias": "smoothies", "title": "Smoothies"}], "rating": 5.0, "coordinates": {"latitude": 41.93587, "longitude": -87.64457}, "transactions": [{"smoothie": true}], "location": {"address1": "2928 N Broadway St", "address2": null, "address3": null, "city": "Chicago", "zip_code": "60657"}, "phone": "+17738570018", "display_phone": "(773) 857-0018", "distance": 4292.244613044005}]}]
```