NIM : 235410012
Nama : Hafidza Nur Afifah
Kelas : IF 1

0. Unduh Yugabyte

```
root@leoz: ~/Downloads/yug
root@leoz:~# cd ~/Downloads
root@leoz:~/Downloads# wget https://software.yugabyte.com/releases/2025.2.3.0/yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz
echo "$(curl -L https://software.yugabyte.com/releases/2025.2.3.0/yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz.sha) *yugabyte-2025.2.
3.0-b149-linux-x86_64.tar.gz" | shasum --check && \
tar xvfz yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz && cd yugabyte-2025.2.3.0/
./bin/post_install.sh
./bin/yugabyted start
--2026-05-25 16:01:11--  https://software.yugabyte.com/releases/2025.2.3.0/yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz
Resolving software.yugabyte.com (software.yugabyte.com)... 52.33.86.107, 54.244.195.224, 34.213.189.139
Connecting to software.yugabyte.com (software.yugabyte.com)|52.33.86.107|:443... connected.
HTTP request sent, awaiting response... 307 Temporary Redirect
Location: https://downloads.yugabyte.com/releases/2025.2.3.0/yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz [following]
--2026-05-25 16:01:12--  https://downloads.yugabyte.com/releases/2025.2.3.0/yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz
Resolving downloads.yugabyte.com (downloads.yugabyte.com)... 172.66.42.235, 172.66.41.21, 2606:4700:3108::ac42:2aeb, ...
Connecting to downloads.yugabyte.com (downloads.yugabyte.com)|172.66.42.235|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 479131040 (457M) [binary/octet-stream]
Saving to: ‘yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz’

yugabyte-2025.2 100%[=======>] 456.93M  5.61MB/s    in 1m 41s

2026-05-25 16:02:53 (4.53 MB/s) - ‘yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz’ saved [479131040/479131040]

  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
  0     0    0     0    0     0      0      0 --:--:-- --:--:--   0     0    0     0    0     0      0      0 --:--:-- --:--:--   0
   0    0     0    0     0      0      0 --:--:-- --:--:-- --:--:--     0
100    64  100    64    0     0     42      0  0:00:01  0:00:01 100    64  100    64    0     0     42      0  0:00:01  0:00:01 --:--
:--     0
yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz: OK
yugabyte-2025.2.3.0/
yugabyte-2025.2.3.0/bin/
yugabyte-2025.2.3.0/bin/ysqlsh
```

1. Instalasi
   Ekstaraksi

```
yugabyte-2025.2.3.0-b149-linux-x86_64.tar.gz: OK
yugabyte-2025.2.3.0/
yugabyte-2025.2.3.0/bin/
yugabyte-2025.2.3.0/bin/ysqlsh
yugabyte-2025.2.3.0/bin/clockbound_dump
yugabyte-2025.2.3.0/bin/ldb
yugabyte-2025.2.3.0/bin/log-dump
yugabyte-2025.2.3.0/bin/odyssey
yugabyte-2025.2.3.0/bin/sst_dump
yugabyte-2025.2.3.0/bin/yb-admin
yugabyte-2025.2.3.0/bin/yb-bulk_load
yugabyte-2025.2.3.0/bin/yb-generate_partitions_main
yugabyte-2025.2.3.0/bin/yb-master
yugabyte-2025.2.3.0/bin/yb-pbc-dump
yugabyte-2025.2.3.0/bin/yb-ts-cli
yugabyte-2025.2.3.0/bin/yb-tserver
yugabyte-2025.2.3.0/bin/yb-ysck
yugabyte-2025.2.3.0/bin/yugabyted-ui
yugabyte-2025.2.3.0/bin/pprof
yugabyte-2025.2.3.0/bin/bulk_load_cleanup.sh
yugabyte-2025.2.3.0/bin/bulk_load_helper.sh
yugabyte-2025.2.3.0/bin/configure
yugabyte-2025.2.3.0/bin/configure_clockbound.sh
yugabyte-2025.2.3.0/bin/configure_ptp.sh
yugabyte-2025.2.3.0/bin/log_cleanup.sh
yugabyte-2025.2.3.0/bin/yb-check-consistency.py
yugabyte-2025.2.3.0/bin/yugabyted
yugabyte-2025.2.3.0/bin/openssl_proxy.sh
yugabyte-2025.2.3.0/bin/post_install.sh
yugabyte-2025.2.3.0/bin/fips_install.sh
yugabyte-2025.2.3.0/bin/yb-ctl
yugabyte-2025.2.3.0/bin/openssl
```

Pindahkan ke subdirektori

```
    @     0x62e83cbbbff0  google::LogMessage::SendToLog()
    @     0x62e83cbbcfbb  google::LogMessage::Flush()
    @     0x62e83cbbd729  google::LogMessageFatal::~LogMessageFatal()
    @     0x62e83e7c98c9  yb::tserver::TabletServerMain()
    @     0x62e83cb69ec4  main
    @     0x7a219cc2a1ca  (unknown)
    @     0x7a219cc2a28b  __libc_start_main
    @     0x62e83c98002e  _start

*** Check failure stack trace: ***
    @     0x62e83cbbc784  google::LogMessage::SendToLog()
    @     0x62e83cbbcfbb  google::LogMessage::Flush()
    @     0x62e83cbbd729  google::LogMessageFatal::~LogMessageFatal()
    @     0x62e83e7c98c9  yb::tserver::TabletServerMain()
    @     0x62e83cb69ec4  main
    @     0x7a219cc2a1ca  (unknown)
    @     0x7a219cc2a28b  __libc_start_main
    @     0x62e83c98002e  _start
root@leoz:~/var/logs# tail -50 yugabyted.log
```

Kerjalan post intsall.sh

root@leoz: ~/Downloads/yug

```
OpenSSL binary: ./bin/../bin/../bin/openssl
FIPS module: ./bin/../bin/../lib/ossl-modules/fips.so
HMAC : (Module_Integrity) : Pass
SHA1 : (KAT_Digest) : Pass
SHA2 : (KAT_Digest) : Pass
SHA3 : (KAT_Digest) : Pass
TDES : (KAT_Cipher) : Pass
AES_GCM : (KAT_Cipher) : Pass
AES_ECB_Decrypt : (KAT_Cipher) : Pass
RSA : (KAT_Signature) : RNG : (Continuous_RNG_Test) : Pass
Pass
ECDSA : (PCT_Signature) : Pass
ECDSA : (PCT_Signature) : Pass
DSA : (PCT_Signature) : Pass
TLS13_KDF_EXTRACT : (KAT_KDF) : Pass
TLS13_KDF_EXPAND : (KAT_KDF) : Pass
TLS12_PRF : (KAT_KDF) : Pass
PBKDF2 : (KAT_KDF) : Pass
SSHKDF : (KAT_KDF) : Pass
KBKDF : (KAT_KDF) : Pass
HKDF : (KAT_KDF) : Pass
SSKDF : (KAT_KDF) : Pass
X963KDF : (KAT_KDF) : Pass
X942KDF : (KAT_KDF) : Pass
HASH : (DRBG) : Pass
CTR : (DRBG) : Pass
HMAC : (DRBG) : Pass
DH : (KAT_KA) : Pass
ECDH : (KAT_KA) : Pass
RSA_Encrypt : (KAT_AsymmetricCipher) : Pass
RSA_Decrypt : (KAT_AsymmetricCipher) : Pass
RSA_Decrypt : (KAT_AsymmetricCipher) : Pass
INSTALL PASSED
```

Ubah ulimit

Buat file env variables

```
root@leoz: ~
root@leoz:~# nano ~/.yugabyte_env
root@leoz:~# source ~/.yugabyte_env
root@leoz:~# which yugabyted
root@leoz:~# cat ~/.yugabyte_env
export PATH="$HOME/software/dbms/yugabytedb/bin:$HOME/software/dbms/yugabytedb/postgres/bin:$HOME/software/dbms/yugabytedb/tools:$PATH"
root@leoz:~# nano ~/.yugabyte_env
root@leoz:~# source ~/.yugabyte_env
root@leoz:~# which yugabyted
/root/Downloads/yugabyte-2025.2.3.0/bin/yugabyted
root@leoz:~#
```

2. Buat Kluster

```
root@leoz:~# nano ~/.yugabyte_env
root@leoz:~# source ~/.yugabyte_env
root@leoz:~# which yugabyted
/root/Downloads/yugabyte-2025.2.3.0/bin/yugabyted
root@leoz:~# yugabyted stop --base_dir=/root/var/data
yugabyted is not running.
root@leoz:~# mkdir -p ~/var/node1
mkdir -p ~/var/node2
mkdir -p ~/var/node3
root@leoz:~# ls ~/var
conf  data  logs  node1  node2  node3
```

Node 1

```
root@leoz:~# yugabyted start \
--advertise_address=127.0.0.1 \
--base_dir=${HOME}/var/node1 \
--cloud_location=aws.us-east-2.us-east-2a
Starting yugabyted...
✅ YugabyteDB Started
✅ UI ready
/ Verifying data placement constraint on the YugabyteDB Cluster.✅ Data placement constraint successfully verified

⚠WARNINGS:
- Transparent hugepages disabled. Please enable transparent_hugepages.
- ntp/chrony package is missing for clock synchronization. For centos 7, we recommend installing either ntp or chrony package and for centos 8, we recommend
 installing chrony package.
- Cluster started in an insecure mode without authentication and encryption enabled. For non-production use only, not to be used without firewalls blocking
the internet traffic.

Please review the following docs and rerun the start command:
- Quick start for Linux: https://docs.yugabyte.com/preview/quick-start/linux/

+----------------------------------------------------------------------------------------------------------+
|                                               yugabyted                                                  |
+----------------------------------------------------------------------------------------------------------+
| Status              : Running.                                                                           |
| YSQL Status         : Ready                                                                              |
| Replication Factor  : 1                                                                                  |
| YugabyteDB UI       : http://127.0.0.1:15433                                                             |
| JDBC                : jdbc:postgresql://127.0.0.1:5433/yugabyte?user=yugabyte&password=yugabyte          |
| YSQL                : bin/ysqlsh   -U yugabyte -d yugabyte                                               |
| YCQL                : bin/ycqlsh   -u cassandra                                                          |
| Data Dir            : /root/var/node1/data                                                               |
| Log Dir             : /root/var/node1/logs                                                               |
| Universe UUID       : d0fe38cb-7c5f-4a60-914d-7bf4e17cd0b4                                               |
+----------------------------------------------------------------------------------------------------------+
🚀 YugabyteDB started successfully! To load a sample dataset, try 'yugabyted demo'.
🎉 Join us on Slack at https://www.yugabyte.com/slack
👕 Claim your free t-shirt at https://www.yugabyte.com/community-rewards/
```

Node 2

```
root@leoz:~# yugabyted start \
--advertise_address=127.0.0.2 \
--base_dir=${HOME}/var/node2 \
--cloud_location=aws.us-east-2.us-east-2b \
--join 127.0.0.1
Fetching configs from join IP...
Starting yugabyted...
✅ YugabyteDB Started
✅ Node joined a running cluster with UUID d0fe38cb-7c5f-4a60-914d-7bf4e17cd0b4
✅ UI ready
/ Verifying data placement constraint on the YugabyteDB Cluster.✅ Data placement constraint successfully verified

⚠WARNINGS:
- Transparent hugepages disabled. Please enable transparent_hugepages.
- ntp/chrony package is missing for clock synchronization. For centos 7, we recommend installing either ntp or chrony package and for centos 8, we recommend
 installing chrony package.
- Cluster started in an insecure mode without authentication and encryption enabled. For non-production use only, not to be used without firewalls blocking
the internet traffic.

Please review the following docs and rerun the start command:
- Quick start for Linux: https://docs.yugabyte.com/preview/quick-start/linux/

+----------------------------------------------------------------------------------------------------------+
|                                                yugabyted                                                 |
+----------------------------------------------------------------------------------------------------------+
| Status              : Running.                                                                           |
| YSQL Status         : Ready                                                                              |
| Replication Factor  : 1                                                                                  |
| YugabyteDB UI       : http://127.0.0.2:15433                                                             |
| JDBC                : jdbc:postgresql://127.0.0.2:5433/yugabyte?user=yugabyte&password=yugabyte          |
| YSQL                : bin/ysqlsh -h 127.0.0.2  -U yugabyte -d yugabyte                                   |
| YCQL                : bin/ycqlsh 127.0.0.2 9042 -u cassandra                                             |
| Data Dir            : /root/var/node2/data                                                               |
| Log Dir             : /root/var/node2/logs                                                               |
| Universe UUID       : d0fe38cb-7c5f-4a60-914d-7bf4e17cd0b4                                               |
+----------------------------------------------------------------------------------------------------------+
🚀 YugabyteDB started successfully! To load a sample dataset, try 'yugabyted demo'.
🎉 Join us on Slack at https://www.yugabyte.com/slack
👕 Claim your free t-shirt at https://www.yugabyte.com/community-rewards/
```

Node 3

```
root@leoz:~# yugabyted start \
--advertise_address=127.0.0.3 \
--base_dir=${HOME}/var/node3 \
--cloud_location=aws.us-east-2.us-east-2c \
--join 127.0.0.1
Fetching configs from join IP...
Starting yugabyted...
✅ YugabyteDB Started
✅ Node joined a running cluster with UUID d0fe38cb-7c5f-4a60-914d-7bf4e17cd0b4
✅ UI ready
/ Verifying data placement constraint on the YugabyteDB Cluster.- Verifying data placement constraint on the YugabyteDB Cluster.✅ Data placement constraint
 successfully verified

⚠WARNINGS:
- Transparent hugepages disabled. Please enable transparent_hugepages.
- ntp/chrony package is missing for clock synchronization. For centos 7, we recommend installing either ntp or chrony package and for centos 8, we recommend
 installing chrony package.
- Cluster started in an insecure mode without authentication and encryption enabled. For non-production use only, not to be used without firewalls blocking
the internet traffic.

Please review the following docs and rerun the start command:
- Quick start for Linux: https://docs.yugabyte.com/preview/quick-start/linux/

+----------------------------------------------------------------------------------------------------------+
|                                                yugabyted                                                 |
+----------------------------------------------------------------------------------------------------------+
| Status              : Running.                                                                           |
| YSQL Status         : Ready                                                                              |
| Replication Factor  : 3                                                                                  |
| YugabyteDB UI       : http://127.0.0.3:15433                                                             |
| JDBC                : jdbc:postgresql://127.0.0.3:5433/yugabyte?user=yugabyte&password=yugabyte          |
| YSQL                : bin/ysqlsh -h 127.0.0.3  -U yugabyte -d yugabyte                                   |
| YCQL                : bin/ycqlsh 127.0.0.3 9042 -u cassandra                                             |
| Data Dir            : /root/var/node3/data                                                               |
| Log Dir             : /root/var/node3/logs                                                               |
| Universe UUID       : d0fe38cb-7c5f-4a60-914d-7bf4e17cd0b4                                               |
+----------------------------------------------------------------------------------------------------------+
🚀 YugabyteDB started successfully! To load a sample dataset, try 'yugabyted demo'.
🎉 Join us on Slack at https://www.yugabyte.com/slack
```

Atur Data Placement

```
root@leoz:~# yugabyted configure data_placement \
--base_dir=${HOME}/var/node1 \
--fault_tolerance=zone

+----------------------------------------------------------------------------------------------------------+
|                                                yugabyted                                                 |
+----------------------------------------------------------------------------------------------------------+
| Status              : Configuration successful.                                                          |
| Fault Tolerance     : Primary Cluster can survive at most any 1 availability zone failure               |
+----------------------------------------------------------------------------------------------------------+

root@leoz:~# |
```



3. Sharding
   Range Sharding

```
distributeddb=# DROP TABLE IF EXISTS user_range;
DROP TABLE
distributeddb=# CREATE TABLE user_range (
distributeddb(#     id INT,
distributeddb(#     name VARCHAR(50),
distributeddb(#     PRIMARY KEY(id ASC)
distributeddb(# );
CREATE TABLE
distributeddb=# SELECT * FROM user_range;
 id | name
----+------
(0 rows)

distributeddb=# INSERT INTO user_range VALUES
distributeddb-# (1,'user range 1'),
distributeddb-# (2,'user range 2'),
distributeddb-# (3,'user range 3'),
distributeddb-# (4,'user range 4'),
distributeddb-# (5,'user range 5'),
distributeddb-# (6,'user range 6');
INSERT 0 6
distributeddb=# SELECT * FROM user_range;
 id |     name
----+--------------
  1 | user range 1
  2 | user range 2
  3 | user range 3
  4 | user range 4
  5 | user range 5
  6 | user range 6
(6 rows)

distributeddb=#
```

Range Sharding Dengan Split

```
distributeddb=# CREATE TABLE users (
PRIMARY KEY (usedistributeddb(#     user_id INT,
distributeddb(#     username VARCHAR,
distributeddb(#     PRIMARY KEY (user_id ASC)
distributeddb(# ) SPLIT AT VALUES ((3), (6), (9));
CREATE TABLE
distributeddb=#
```

Explain Range Sharding
Query Semua Data

```
distributeddb=# CREATE TABLE users (
PRIMARY KEY (usedistributeddb(#     user_id INT,
distributeddb(#     username VARCHAR,
distributeddb(#     PRIMARY KEY (user_id ASC)
distributeddb(# ) SPLIT AT VALUES ((3), (6), (9));
CREATE TABLE
distributeddb=# EXPLAIN (ANALYZE, DIST, COSTS OFF)
distributeddb-# SELECT * FROM user_range;
                            QUERY PLAN
------------------------------------------------------------------
 Seq Scan on user_range (actual time=1.434..1.438 rows=6 loops=1)
   Storage Table Read Requests: 1
   Storage Table Read Execution Time: 1.203 ms
   Storage Table Read Ops: 1
   Storage Table Rows Scanned: 6
 Planning Time: 0.050 ms
 Execution Time: 450.142 ms
 Storage Read Requests: 1
 Storage Read Execution Time: 1.203 ms
 Storage Read Ops: 1
 Storage Rows Scanned: 6
 Catalog Read Requests: 0
 Catalog Read Ops: 0
 Catalog Write Requests: 0
 Storage Write Requests: 0
 Storage Flush Requests: 0
 Storage Execution Time: 1.203 ms
 Peak Memory Usage: 64 kB
(18 rows)

distributeddb=#
```

Query Satu Data

```
distributeddb=# EXPLAIN (ANALYZE, DIST, COSTS OFF)
distributeddb-# SELECT * FROM user_range WHERE id=1;
                                        QUERY PLAN

---------------------------------------------------------------------------
---------------
 Index Scan using user_range_pkey on user_range (actual time=1.124..1.127 r
ows=1 loops=1)
   Index Cond: (id = 1)
   Storage Table Read Requests: 1
   Storage Table Read Execution Time: 0.957 ms
   Storage Table Read Ops: 1
   Storage Table Rows Scanned: 1
 Planning Time: 1.018 ms
 Execution Time: 1.203 ms
 Storage Read Requests: 1
 Storage Read Execution Time: 0.957 ms
 Storage Read Ops: 1
 Storage Rows Scanned: 1
 Catalog Read Requests: 4
 Catalog Read Execution Time: 2.973 ms
 Catalog Read Ops: 4
 Catalog Write Requests: 0
 Storage Write Requests: 0
 Storage Flush Requests: 0
 Storage Execution Time: 3.930 ms
 Peak Memory Usage: 64 kB
(20 rows)

distributeddb=#
```

Query Range

```
distributeddb=# EXPLAIN (ANALYZE, DIST, COSTS OFF)
distributeddb-# SELECT * FROM user_range
E id > 2 AND id distributeddb-# WHERE id > 2 AND id < 6;
                                        QUERY PLAN

---------------------------------------------------------------------------
---------------
 Index Scan using user_range_pkey on user_range (actual time=0.657..0.660 r
ows=3 loops=1)
   Index Cond: ((id > 2) AND (id < 6))
   Storage Table Read Requests: 1
   Storage Table Read Execution Time: 0.547 ms
   Storage Table Read Ops: 1
   Storage Table Rows Scanned: 3
 Planning Time: 0.659 ms
 Execution Time: 0.714 ms
 Storage Read Requests: 1
 Storage Read Execution Time: 0.547 ms
 Storage Read Ops: 1
 Storage Rows Scanned: 3
 Catalog Read Requests: 7
 Catalog Read Execution Time: 3.931 ms
 Catalog Read Ops: 7
 Catalog Write Requests: 0
 Storage Write Requests: 0
 Storage Flush Requests: 0
 Storage Execution Time: 4.478 ms
 Peak Memory Usage: 64 kB
(20 rows)

distributeddb=#
```

Hash Sharding

Query Semua Data

```
distributeddb=# CREATE TABLE user_hash (
distributeddb(#     id INT PRIMARY KEY,
distributeddb(#     username VARCHAR
distributeddb(# );
CREATE TABLE
distributeddb=# INSERT INTO user_hash VALUES
distributeddb-# (1,'A'),
distributeddb-# (2,'B'),
distributeddb-# (3,'C'),
distributeddb-# (4,'D'),
distributeddb-# (5,'E'),
);distributeddb-# (6,'F');
INSERT 0 6
distributeddb=# EXPLAIN (ANALYZE, DIST, COSTS OFF)
distributeddb-# SELECT * FROM user_hash;
                           QUERY PLAN
-----------------------------------------------------------------
 Seq Scan on user_hash (actual time=0.630..0.633 rows=6 loops=1)
   Storage Table Read Requests: 1
   Storage Table Read Execution Time: 0.536 ms
   Storage Table Read Ops: 1
   Storage Table Rows Scanned: 6
 Planning Time: 5.754 ms
 Execution Time: 0.678 ms
 Storage Read Requests: 1
 Storage Read Execution Time: 0.536 ms
 Storage Read Ops: 1
 Storage Rows Scanned: 6
 Catalog Read Requests: 7
 Catalog Read Execution Time: 4.753 ms
 Catalog Read Ops: 7
 Catalog Write Requests: 0
 Storage Write Requests: 0
 Storage Flush Requests: 0
 Storage Execution Time: 5.289 ms
 Peak Memory Usage: 64 kB
(19 rows)

distributeddb=#
```

Query Satu data

```
distributeddb=# EXPLAIN (ANALYZE, DIST, COSTS OFF)
distributeddb-# SELECT * FROM user_hash WHERE id=1;
                                       QUERY PLAN

-----------------------------------------------------------------------------------
------
 Index Scan using user_hash_pkey on user_hash (actual time=1.106..1.111 rows=1 loo
ps=1)
   Index Cond: (id = 1)
   Storage Table Read Requests: 1
   Storage Table Read Execution Time: 0.827 ms
   Storage Table Read Ops: 1
   Storage Table Rows Scanned: 1
 Planning Time: 0.301 ms
 Execution Time: 1.265 ms
 Storage Read Requests: 1
 Storage Read Execution Time: 0.827 ms
 Storage Read Ops: 1
 Storage Rows Scanned: 1
 Catalog Read Requests: 0
 Catalog Read Ops: 0
 Catalog Write Requests: 0
 Storage Write Requests: 0
 Storage Flush Requests: 0
 Storage Execution Time: 0.827 ms
 Peak Memory Usage: 64 kB
(19 rows)

distributeddb=#
```

Query Range

```
distributeddb=# EXPLAIN (ANALYZE, DIST, COSTS OFF)
distributeddb-# SELECT * FROM user_hash
distributeddb-# WHERE id > 2 AND id < 6;
                           QUERY PLAN
-----------------------------------------------------------------
 Seq Scan on user_hash (actual time=1.528..1.532 rows=3 loops=1)
   Storage Filter: ((id > 2) AND (id < 6))
   Storage Table Read Requests: 1
   Storage Table Read Execution Time: 1.016 ms
   Storage Table Read Ops: 1
   Storage Table Rows Scanned: 6
 Planning Time: 0.087 ms
 Execution Time: 1.566 ms
 Storage Read Requests: 1
 Storage Read Execution Time: 1.016 ms
 Storage Read Ops: 1
 Storage Rows Scanned: 6
 Catalog Read Requests: 0
 Catalog Read Ops: 0
 Catalog Write Requests: 0
 Storage Write Requests: 0
 Storage Flush Requests: 0
 Storage Execution Time: 1.016 ms
 Peak Memory Usage: 64 kB
(19 rows)

distributeddb=#
```

Shutdown YugabyteDB

```
distributeddb=# \q
root@leoz:~# yugabyted stop --base_dir=${HOME}/var/node1
Stopped yugabyted using config /root/var/node1/conf/yugabyted.conf.
root@leoz:~# yugabyted stop --base_dir=${HOME}/var/node2
Stopped yugabyted using config /root/var/node2/conf/yugabyted.conf.
root@leoz:~# yugabyted stop --base_dir=${HOME}/var/node3
Stopped yugabyted using config /root/var/node3/conf/yugabyted.conf.
root@leoz:~#
```