



OpsGate

DailyOps.Tech

OpsGate — User & Admin Guide V2

Administrators · Security champions · Trainers

DailyOps.Tech · OpsGate V2 · EN



Version: 2.0 (product 1.2 + V2 capabilities)

Language

1. Introduction

OpsGate protects company data when staff use AI websites in the browser.

This guide

For executives (CIO/CISO): see DECIDEURS-V2-EN.md.

For QA st

2. Roles

Role	Can
Principal admin	Everything (admins, policy, licenses, recovery)
Console admin	Per permissions (events, agents, policy...)
End user	Extension banner mask/block, local journal

3. First console sign-in

1. Open the console URL (e.g. `http://127.0.0.1:5173`).

2. Check

Change default passwords immediately in production.

4. Dashboards

- Overview: online agents, events, licenses.

• Events

Force sync pushes policy to agents on the next poll (~2 minutes).

5. Browser extension

Install

Browser	Build	Load
Chrome / Edge	<code>pnpm build:chrome</code>	<code>build/chrome-mv3-prod</code>
Firefox	<code>pnpm build:firefox</code>	<code>about:debugging -> manifest</code>



Safari



pnpm build:safari



Xcode converter (Mac)



Daily use

1. Open an allow-listed AI site.

2. Paste a

Org enrollment

Options -> org code (e.g. DEMO-OPSGATE) -> enroll.

Policy and

6. Local proxy (optional)

Complements the extension (HTTPS multi-AI safety net).

```
pnpm proxy:gen-ca # Trust CA
```

Modes: observe (log only) / enforce (block or on-wire soft-mask).

Windows

7. SSO, MFA, passkeys, SAML

Method	Where
OIDC	SSO button; OPSGATE_OIDC_*
SAML	/v1/auth/saml/start; OPSGATE_SAML_*
TOTP MFA	Settings while signed in
WebAuthn	Passkey register/login APIs
LDAP	Settings -> LDAP -> Test / Sync / Cron

8. Admin best practices

1. Durable Postgres (DATABASE_URL) for real pilots.

2. Force-i

9. Support

- Technical trail: CHANGELOG-TECHNIQUE.md, architecture/*
- Privacy