



OpsGate

DailyOps.Tech

OpsGate — User & Admin Guide V2

Administrators · Security champions · Trainers

DailyOps.Tech · OpsGate V2 · EN



Version: 2.0 (product 1.2 + V2 capabilities)
Language: English
Audience: console admins, security champions, trainers

1. Introduction

OpsGate protects company data when staff use AI websites in the browser.
This guide covers the console, extension, optional proxy, and SSO options.

For executives (CIO/CISO): see DECIDEURS-V2-EN.md.

For QA steps: GUIDE-TEST-V2.md.

2. Roles

Role	Can
Principal admin	Everything (admins, policy, licenses, recovery)
Console admin	Per permissions (events, agents, policy...)
End user	Extension banner mask/block, local journal

3. First console sign-in

1. Open the console URL (e.g. `http://127.0.0.1:5173`).
2. Check API OK.
3. Sign in with SSO (if configured) or email/password (demo seed may be `admin@demo.local / 0000`).
4. If SSO enforce is on, only the SSO button appears.
5. If TOTP MFA is enabled, enter the Authenticator code.

Change default passwords immediately in production.

4. Dashboards

- Overview: online agents, events, licenses.
- Events: filter by decision / severity / source.
- Agents: groups, profiles, maintenance, export.
- Policy: default action, AI hosts, department profiles.
- People: users & groups (including LDAP import).
- Settings: monitoring, SIEM, quotas, LDAP, PDF reports.

Force sync pushes policy to agents on the next poll (~2 minutes).

5. Browser extension



Install

Browser	Build	Load
Chrome / Edge	pnpm build:chrome	build/chrome-mv3-prod
Firefox	pnpm build:firefox	about:debugging -> manifest
Safari	pnpm build:safari	Xcode converter (Mac)

Daily use

1. Open an allow-listed AI site.
2. Paste a test secret into the prompt.
3. The OpsGate banner offers mask & send, send anyway (if policy allows), or cancel.
4. Local journal in the popup; org events when enrolled.

Org enrollment

Options -> org code (e.g. DEMO-OPSGATE) -> enroll.
Policy and rule pack sync automatically.

6. Local proxy (optional)

Complements the extension (HTTPS multi-AI safety net).

```
pnpm proxy:gen-ca  
# Trust CA  
pnpm proxy:enroll  
pnpm proxy:dev
```

Modes: observe (log only) / enforce (block or on-wire soft-mask).
Windows production: pnpm proxy:msi (portable Node included).

7. SSO, MFA, passkeys, SAML

Method	Where
OIDC	SSO button; OPSGATE_OIDC_*
SAML	/v1/auth/saml/start; OPSGATE_SAML_*
TOTP MFA	Settings while signed in
WebAuthn	Passkey register/login APIs
LDAP	Settings -> LDAP -> Test / Sync / Cron

8. Admin best practices

1. Durable Postgres (DATABASE_URL) for real pilots.
2. Force-install the extension (MDM / AMO) + policy lock.
3. SSO + MFA for admins.



4. Connect SIEM for the SOC.
5. Monthly intentional secret test (control effectiveness).
6. Never commit IdP or LDAP bind secrets.

9. Support

- Technical trail: CHANGELOG-TECHNIQUE.md, architecture/*
- Privacy: PRIVACY.md
- Proxy runbook: architecture/PROXY-RUNBOOK.md

© DailyOps.Tech - OpsGate