Bibliography 182

[377] D. Winter (PHENIX), PHENIX measurement of particle yields at high p(T) with respect to reaction plane in Au + Au collisions at $s^{**}(1/2) = 200$ -GeV, Nucl. Phys. A774, 545 (2006) [nucl-ex/0511039]. 92

- [378] R. Rapp, V. Greco, and H. van Hees, Heavy-quark spectra at RHIC and resonances in the QGP, Nucl. Phys. A774, 685 (2006) [hep-ph/0510050]. 92
- [379] N. Armesto, A. Dainese, C. A. Salgado, and U. A. Wiedemann, Testing the color charge and mass dependence of parton energy loss with heavy-to-light ratios at RHIC and LHC, Phys. Rev. D71, 054027 (2005) [hep-ph/0501225]. 93, 95
- [380] R. Baier, Jet quenching, Nucl. Phys. A715, 209 (2003) [hep-ph/0209038]. 93
- [381] M. Cacciari, P. Nason, and R. Vogt, QCD predictions for charm and bottom production at RHIC, Phys. Rev. Lett. 95, 122001 (2005) [hep-ph/ 0502203]. 93, 96, 128
- [382] M. G. Mustafa and M. H. Thoma, Quenching of hadron spectra due to the collisional energy loss of partons in the quark gluon plasma, Acta Phys. Hung. **A22**, 93 (2005) [hep-ph/0311168]. 93, 94
- [383] A. K. Dutt-Mazumder, J.-e. Alam, P. Roy, and B. Sinha, Stopping power of hot QCD plasma, Phys. Rev. D71, 094016 (2005) [hep-ph/0411015].
- [384] M. G. Mustafa, D. Pal, D. K. Srivastava, and M. Thoma, *Radiative energy-loss of heavy quarks in a quark-gluon plasma*, Phys. Lett. **B428**, 234 (1998) [nucl-th/9711059]. 93
- [385] Z.-w. Lin, R. Vogt, and X.-N. Wang, Energy loss effects on charm and bottom production in high-energy heavy-ion collisions, Phys. Rev. C57, 899 (1998) [nucl-th/9705006]. 93
- [386] M. Djordjevic and M. Gyulassy, Where is the charm quark energy loss at RHIC?, Phys. Lett. **B560**, 37 (2003) [nucl-th/0302069]. 95
- [387] M. Djordjevic, M. Gyulassy, and S. Wicks, The charm and beauty of RHIC and LHC, Phys. Rev. Lett. $\bf 94$, 112301 (2005) [hep-ph/0410372]. $\bf 95$, $\bf 101$