

The screenshot shows the Jenkins 'General' configuration page. At the top, there are tabs for 'General', 'Source Code Management', 'Build Triggers', 'Build Environment', 'Build', and 'Post-build Actions'. The 'General' tab is active. Below the tabs, there is a 'Description' text area. Underneath, there is a checkbox for 'Discard old builds' which is unchecked. Below that, there is a checkbox for 'GitHub project' which is checked. To the right of this checkbox is a text field for 'Project url' containing the value 'https://github.com/ibm-messaging/mq-container'. This entire section is highlighted with a red rectangle. Below the 'Project url' field is an 'Advanced...' button. Further down, there are several unchecked checkboxes: 'This build requires lockable resources', 'This project is parameterized', 'Throttle builds', 'Disable this project', and 'Execute concurrent builds if necessary'. Below these, there is a checked checkbox for 'Restrict where this project can be run'. To the right of this checkbox is a text field for 'Label Expression' containing the value 'HostMachine'. This section is also highlighted with a red rectangle. Below the 'Label Expression' field, there is a small text note: 'Label HostMachine is serviced by 1 node. Permissions or other restrictions provided by plugins may prevent this job from running on those nodes.' At the bottom right, there is another 'Advanced...' button.

Figure 9-43 Configure the general properties

4. Within the Source Code Management section fill in the following details:
  - Select **Git**
  - Repository URL: <https://github.com/ibm-messaging/mq-container>
  - Branches to build: 9.1.3

**Important:** The preceding example references the 9.1.3 branch, because it is recommended that **master** NOT be used. Over time, it is expected that the 9.1.3 branch will be removed. For information on the available branches, see the following repository: <https://github.com/ibm-messaging/mq-container/branches>