

---

[Section 4.5.2, “mysqladmin — A MySQL Server Administration Program”](#)  
[Section 6.2.15, “Password Management”](#)  
[Section 6.2.17, “Pluggable Authentication”](#)  
[Section 6.2.2, “Privileges Provided by MySQL”](#)  
[Resetting the Root Password: Generic Instructions](#)  
[Section 5.1.7, “Server Command Options”](#)  
[Section 5.1.8, “Server System Variables”](#)  
[Section 26.3.46, “The INFORMATION\\_SCHEMA USER\\_ATTRIBUTES Table”](#)  
[Section 5.3, “The mysql System Schema”](#)  
[Section 6.2.21, “Troubleshooting Problems Connecting to MySQL”](#)  
[Section 4.2.2.1, “Using Options on the Command Line”](#)  
[Section 6.2.13, “When Privilege Changes Take Effect”](#)

## **--skip-graphs**

[Section 23.4.29, “ndb\\_top — View CPU usage information for NDB threads”](#)

## **--skip-gtids**

[Section 4.6.9, “mysqlbinlog — Utility for Processing Binary Log Files”](#)  
[Section 7.5.1, “Point-in-Time Recovery Using Binary Log”](#)

## **--skip-host-cache**

[Section 5.1.12.3, “DNS Lookups and the Host Cache”](#)  
[Section 5.1.7, “Server Command Options”](#)  
[Section 5.1.8, “Server System Variables”](#)  
[Section 6.2.21, “Troubleshooting Problems Connecting to MySQL”](#)

## **--skip-innodb**

[Section 15.14, “InnoDB Startup Options and System Variables”](#)  
[Section 5.6.1, “Installing and Uninstalling Plugins”](#)  
[Section A.14, “MySQL 8.0 FAQ: Replication”](#)  
[Section 5.1.7, “Server Command Options”](#)

## **--skip-innodb-adaptive-hash-index**

[Section 15.14, “InnoDB Startup Options and System Variables”](#)

## **--skip-kill-mysqld**

[Section 4.3.2, “mysqld\\_safe — MySQL Server Startup Script”](#)

## **--skip-line-numbers**

[Section 4.5.1.1, “mysql Client Options”](#)

## **--skip-lock-tables**

[Section 4.5.4, “mysqldump — A Database Backup Program”](#)

## **--skip-log-bin**

[Section 17.1.6.4, “Binary Logging Options and Variables”](#)  
[Section 17.1.3.1, “GTID Format and Storage”](#)  
[Section 5.4.4.2, “Setting The Binary Log Format”](#)  
[Section 17.1.2.2, “Setting the Replica Configuration”](#)  
[Section 17.1.2.1, “Setting the Replication Source Configuration”](#)  
[Section 17.1.3.4, “Setting Up Replication Using GTIDs”](#)  
[Section 25.7, “Stored Program Binary Logging”](#)