Bibliography 156

[80] O. Kaczmarek, F. Karsch, E. Laermann, and M. Lutgemeier, Heavy quark potentials in quenched QCD at high temperature, Phys. Rev. D62, 034021 (2000) [hep-lat/9908010]. vii, 12

- [81] F. Karsch, Lattice results on QCD thermodynamics, Nucl. Phys. A698, 199 (2002) [hep-ph/0103314].
- [82] M. Doring, S. Ejiri, O. Kaczmarek, F. Karsch, and E. Laermann, Heavy quark free energies and screening at finite temperature and density, PoS LAT2005, 193 (2006) [hep-lat/0509150].
- [83] A. Adil, Testing the case for the creation of a strongly interacting quark gluon plasma at RHIC, Ph.D. thesis, Columbia University (2007), [UMI-32-85033]. vii, 12
- [84] Y. Aoki, Z. Fodor, S. D. Katz, and K. K. Szabo, The QCD transition temperature: Results with physical masses in the continuum limit, Phys. Lett. B643, 46 (2006) [hep-lat/0609068]. 12
- [85] I. Arsene et al. (BRAHMS), Quark gluon plasma and color glass condensate at RHIC? The perspective from the BRAHMS experiment, Nucl. Phys. A757, 1 (2005) [nucl-ex/0410020]. 13, 91, 92
- [86] J. Adams et al. (STAR), Experimental and theoretical challenges in the search for the quark gluon plasma: The STAR collaboration's critical assessment of the evidence from RHIC collisions, Nucl. Phys. A757, 102 (2005) [nucl-ex/0501009]. ix, 15, 30
- [87] B. B. Back et al., The PHOBOS perspective on discoveries at RHIC, Nucl. Phys. A757, 28 (2005) [nucl-ex/0410022]. xvi, xviii, xxii, 13, 91, 92, 114, 127, 204, 205
- [88] J. Rafelski and B. Muller, Strangeness Production in the Quark Gluon Plasma, Phys. Rev. Lett. 48, 1066 (1982). 14
- [89] P. Koch, B. Muller, and J. Rafelski, *Strangeness in Relativistic Heavy Ion Collisions*, Phys. Rept. **142**, 167 (1986).
- [90] F. Becattini, A. Giovannini, and S. Lupia, Multiplicity distributions in a thermodynamical model of hadron production in e+ e- collisions, Z. Phys. C72, 491 (1996) [hep-ph/9511203].