

- Chen, H., and Wang, Y. (2011). A penalized spline approach to functional mixed effects model analysis. *Biometrics* **67** 861–870.
- Claeskens, G., Silverman, B. W., and Slaets, L. (2010). A multiresolution approach to time warping achieved by a Bayesian prior–posterior transfer fitting strategy. *Journal of the Royal Statistical Society Series B* **72** 673–694.
- Di, C. Z., Crainiceanu, C. M., Caffo, B. S., and Punjabi, N. M. (2009). Multilevel functional principal component analysis. *The Annals of Applied Statistics* **3** 458–488.
- Fritsch, F. N., and Carlson, R. E. (1980). Monotone piecewise cubic interpolation. *SIAM Journal of Numerical Analysis* **17** 238–246.
- Gervini, D. (2009). Detecting and handling outlying trajectories in irregularly sampled functional datasets. *The Annals of Applied Statistics* **3** 1758–1775.
- Gervini, D., and Gasser, T. (2004). Self-modelling warping functions. *Journal of the Royal Statistical Society Series B* **66** 959–971.
- Gervini, D., and Gasser, T. (2005). Nonparametric maximum likelihood estimation of the structural mean of a sample of curves. *Biometrika* **92** 801–820.
- Gohberg, I., Goldberg, S., and Kaashoek, M. A. (2003). *Basic Classes of Linear Operators*. Basel: Birkhäuser Verlag.
- Gomulkiewicz, R., and Beder, J. H. (1996). The selection gradient of an infinite-dimensional trait. *SIAM Journal of Applied Mathematics* **56** 509–523.
- Guo, W. (2002). Functional mixed effects models. *Biometrics* **58** 121–128.
- Heckman, N. E. (2003). Functional data analysis in evolutionary biology. In *Recent Advances and Trends in Nonparametric Statistics*. Elsevier.