BIBLIOGRAPHY 38

size-selected matrix-isolated silicon clusters. Zeitschrift für Physik D Atoms, Molecules and Clusters, 26(1):141–143.

- Honea, E., Ogura, A., Peale, D., Félix, C., Murray, C., Raghavachari, K., Sprenger, W., Jarrold, M., and Brown, W. (1999). Structures and coalescence behavior of size-selected silicon nanoclusters studied by surfaceplasmon-polariton enhanced Raman spectroscopy. J. Chem. Phys., 110:24.
- Honea, E. C., Ogura, A., Murray, C. A., Raghavachari, K., Sprenger, W. O., Jarrold, M. F., and Brown, W. L. (1993b). Raman spectra of size-selected silicon clusters and comparison with calculated structures. *Nature*, 366:40–44.
- Hoops, A. A., Bise, R. T., Choi, H., and Neumark, D. M. (2001). Photodissociation spectroscopy and dynamics of Si₄. Chem. physics Lett., 346(1):89–96.
- Hou, X., Shi, G., Wang, W., Zhang, F., Hao, P., Huang, D., and Wang, X. (1993). Large blue shift of light emitting porous silicon by boiling water treatment. Appl. Phys. Lett., 62(10):1097–1098.
- Hudgins, R. R., Imai, M., Jarrold, M. F., and Dugourd, P. (1999). High-resolution ion mobility measurements for silicon cluster anions and cations. J. Chem. Phys., 111(17):7865–7870.
- Huisken, F., Kohn, B., Alexandrescu, R., Cojocaru, S., Crunteanu, A., Ledoux, G., and Reynaud, C. (1999). Silicon Carbide Nanoparticles Produced by CO2 Laser Pyrolysis of SiH4/C2H2 Gas Mixtures in a Flow Reactor. *J. Nanopart. Res.*, 1(2):293–303.
- Intartaglia, R., Bagga, K., Genovese, A., Athanassiou, A., Cingolani, R., Diaspro, A., and Brandi, F. (2012a). Influence of organic solvent on optical and structural properties of ultra-small silicon dots synthesized by UV laser ablation in liquid. Phys. Chem. Chem. Phys., 14(44):15406–15411.