Bibliography 175

[298] Y. L. Dokshitzer and D. E. Kharzeev, Heavy quark colorimetry of QCD matter, Phys. Lett. B519, 199 (2001) [hep-ph/0106202]. 37, 95, 122, 123, 129

- [299] S. Jeon and G. D. Moore, Energy loss of leading partons in a thermal QCD medium, Phys. Rev. C71, 034901 (2005) [hep-ph/0309332]. 38
- [300] V. N. Baier and V. M. Katkov, Quantum theory of transition radiation and transition pair creation, Phys. Lett. A252, 263 (1999) [hep-ph/ 9811302]. 38
- [301] D. Schildknecht and B. G. Zakharov, Transition radiation in quantum regime as a diffractive phenomenon (2005) [hep-ph/0501241]. 38
- [302] M. Djordjevic, Transition radiation in QCD matter, Phys. Rev. C73, 044912 (2006) [nucl-th/0512089]. 38, 117
- [303] M. L. Ter-Mikayelian, Dokl. Akad. Nauk SSSR **94**, 1033 (1954). **39**
- [304] M. L. Ter-Mikayelian, *High-Energy Electromagnetic Processes in Condensed Media* (John Wiley & Sons, 1972). 39
- [305] M. Djordjevic and M. Gyulassy, The Ter-Mikayelian effect on QCD radiative energy loss, Phys. Rev. C68, 034914 (2003) [nucl-th/0305062]. 39, 95, 117, 138, 139, 142, 218, 220
- [306] K. J. Eskola, H. Honkanen, C. A. Salgado, and U. A. Wiedemann, The fragility of high-p(T) hadron spectra as a hard probe, Nucl. Phys. A747, 511 (2005) [hep-ph/0406319]. xv, xvi, 40, 41, 97, 107, 110, 111, 112, 116, 129
- [307] Y.-S. Lai and B. A. Cole, Jet reconstruction in hadronic collisions by Gaussian filtering (2008) [0806.1499]. 40
- [308] S. Salur, Direct measurement of jets in  $\sqrt{s_{NN}} = 200$  GeV Heavy Ion Collisions by STAR, in Hard Probes (2008).
- [309] J. Putschke, Modified fragmentation measurements with full jet reconstruction in heavy ion collisions at  $\sqrt{s_{NN}} = 200$  GeV by STAR, in Hard Probes (2008). 40