10

15

20

25

30

-continued

Of the acid labile groups of formula (L1), the cyclic ones 45 are, for example, tetrahydrofuran-2-yl, 2-methyltetrahydrofuran-2-yl, tetrahydropyran-2-yl, and 2-methyltetrahydropyran-2-yl.

Examples of the acid labile groups of formula (L2) include tert-butoxycarbonyl, tert-butoxycarbonylmethyl, tert-amyloxycarbonylmethyl, 1,1-diethylpropyloxycarbonyl, 1,1-diethylpropyloxycarbonylmethyl, 1-ethylcyclopentyloxycarbonyl, 1-ethylcyclopentyloxycarbonylmethyl, 1-ethyl-2-cyclopentenyloxycarbonylmethyl, 1-ethoxycarbonylmethyl, 2-tetrahydropyranyloxycarbonylmethyl, and 2-tetrahydrofuranyloxycarbonylmethyl groups.

Examples of the acid labile groups of formula (L3) include 1-methylcyclopentyl, 1-ethylcyclopentyl, 1-n-propylcyclopentyl, 1-isopropylcyclopentyl, 1-n-butylcyclopentyl, 1-secbutylcyclopentyl, 1-cyclohexylcyclopentyl, 1-(4-methoxybutyl)cyclopentyl, 1-(bicyclo[2.2.1]heptan-2-yl)cyclopentyl, 1-(7-oxabicyclo[2.2.1]heptan-2-yl)cyclopentyl, 1-methylcyclohexyl, 1-ethylcyclohexyl, 1-methyl-2-cyclopentyl, 1-ethyl-2-cyclopentenyl, 1-methyl-2-cyclohexenyl, and 1-ethyl-2-cyclohexenyl groups.

Of the acid labile groups having formula (L4), groups having the following formulas (L4-1) to (L4-4) are preferred.

$$\bigcap_{\mathbb{R}^{I\!A\!1}}^{(I\!A\!1)}$$

$$(L4-2)$$

$$R^{L41}$$

$$(L4-3)$$

$$R^{L4-1}$$

$$\mathbb{R}^{L41}$$

In formulas (L4-1) to (L4-4), the broken line denotes a bonding site and direction. R^{L41} is each independently a monovalent hydrocarbon group, typically a straight, branched or cyclic C₁-C₁₀ alkyl group, such as methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, tert-butyl, tert-amyl, n-pentyl, n-hexyl, cyclopentyl and cyclohexyl.

For formulas (L4-1) to (L4-4), there can exist enantiomers and diastereomers. Each of formulae (L4-1) to (L4-4) collectively represents all such stereoisomers. Such stereoisomers may be used alone or in admixture.

For example, the general formula (L4-3) represents one or a mixture of two selected from groups having the following general formulas (L4-3-1) and (L4-3-2).

$$(\text{I.4-3-1})$$

$$\begin{array}{c}
(\text{I.4-3-2}) \\
R^{I41}
\end{array}$$

Similarly, the general formula (L4-4) represents one or a mixture of two or more selected from groups having the following general formulas (L4-4-1) to (L4-4-4).