underlying quark and gluon dynamics, even if an effective low energy theory that inherits the fundamental QCD symmetries also exists.

[15] J. Polchinski and M. J. Strassler, "Hard scattering and gauge/string duality," Phys. Rev. Lett. **88**, 031601 (2002) [arXiv:hep-th/0109174].

[16] S. J. Brodsky and G. R. Farrar, "Scaling Laws at Large Transverse Momentum," Phys. Rev. Lett. **31**, 1153 (1973); V. A. Matveev, R. M. Muradian and A. N. Tavkhelidze, "Automodellism in the Large-Angle Elastic Scattering and Structure of Hadrons," Lett. Nuovo Cim. **7**, 719 (1973).

[17] A. Karch, E. Katz, D. T. Son and M. A. Stephanov, "Linear Confinement and AdS/QCD," Phys. Rev. D **74**, 015005 (2006) [arXiv:hep-ph/0602229].

[18] O. Andreev and V. I. Zakharov, "Heavy-quark potentials and AdS/QCD," Phys. Rev. D **74**, 025023 (2006) [arXiv:hep-ph/0604204].

[19] S. D. Glazek and M. Schaden, "Gluon Condensate Induces Confinement in Mesons and Baryons," Phys. Lett. B **198**, 42 (1987).

[20] T. Gherghetta, J. I. Kapusta and T. M. Kelley, "Chiral symmetry breaking in the soft-wall AdS/QCD model," Phys. Rev. D **79** (2009) 076003 [arXiv:0902.1998 [hep-ph]].

[21] F. Zuo, "Improved Soft-Wall model with a negative dilaton," arXiv:0909.4240 [hep-ph]. See also S. S. Afonin, "Holographic models for planar QCD without AdS/CFT correspondence," arXiv:1001.3105 [hep-ph].

[22] J. Erlich, E. Katz, D. T. Son and M. A. Stephanov, "QCD and a holographic model of hadrons," Phys. Rev. Lett. **95**, 261602 (2005) [arXiv:hep-ph/0501128].

[23] L. Da Rold and A. Pomarol, "Chiral symmetry breaking from five dimensional spaces," Nucl. Phys. B **721**, 79 (2005) [arXiv:hep-ph/0501218]; "The scalar and pseudoscalar sector in a five-dimensional approach to chiral symmetry breaking," JHEP **0601**, 157 (2006) [arXiv:hep-ph/0510268].

[24] S. J. Brodsky and G. F. de Teramond, "Light-front hadron dynamics and AdS/CFT correspondence," Phys. Lett. B **582**, 211 (2004) [arXiv:hep-th/0310227].

[25] P. A. M. Dirac, "Forms of Relativistic Dynamics," Rev. Mod. Phys. **21**, 392 (1949).

[26] S. J. Brodsky, H. C. Pauli and S. S. Pinsky, "Quantum Chromodynamics and Other Field Theories on the Light Cone," Phys. Rept. **301**, 299 (1998) [arXiv:hep-ph/9705477].

[27] D. E. Soper, "The Parton Model and the Bethe-Salpeter Wave Function," Phys. Rev. D **15**,