nucleon scattering where the required phases come from the final-state rescattering of the struck quark with the nucleon spectators.

This work was supported in part by the U.S. Department of Energy under contracts DE-AC02-05CH11231 and DE-AC02-76SF00515, and by the Research Infrastructure Integrating Activity "Study of Strongly Interacting Matter" (acronym HadronPhysics2, Grant Agreement n. 227431) under the Seventh Framework Programme of the European Community. We are grateful to RIKEN, Brookhaven National Laboratory and the U.S. Department of Energy (contract number DE-AC02-98CH10886) for providing the facilities essential for the completion of this work. SLAC-PUB-13874

- [1] J. B. Kogut and D. E. Soper, Phys. Rev. D 1, 2901 (1971).
- [2] G. P. Lepage and S. J. Brodsky, Phys. Rev. D 22, 2157 (1980).
- [3] S. J. Brodsky, H. C. Pauli and S. S. Pinsky, Phys. Rept. **301**, 299 (1998).
- [4] M. Burkardt, Adv. Nucl. Phys. **23**, 1 (1996).
- [5] S. J. Brodsky, D. S. Hwang and I. Schmidt, Phys. Lett. B 530, 99 (2002); Nucl. Phys. B 642, 344 (2002).
- [6] J. C. Collins, Phys. Lett. B **536**, 43 (2002).
- [7] X. Ji and F. Yuan, Phys. Lett. B 543, 66 (2002); A. V. Belitsky, X. Ji and F. Yuan, Nucl. Phys. B 656, 165 (2003).
- [8] D. Boer, S. J. Brodsky and D. S. Hwang, Phys. Rev. D 67, 054003 (2003) [arXiv:hep-ph/0211110].
- [9] J. Zhou, F. Yuan and Z. T. Liang, Phys. Lett. B 678, 264 (2009) [arXiv:0901.3601 [hep-ph]].
- [10] S. J. Brodsky, P. Hoyer, N. Marchal, S. Peigne and F. Sannino, Phys. Rev. D 65, 114025 (2002) [arXiv:hep-ph/0104291].
- [11] S. J. Brodsky, Nucl. Phys. A 827, 327C (2009) [arXiv:0901.0781 [hep-ph]].
- [12] X. Ji, J. P. Ma and F. Yuan, Nucl. Phys. B 652, 383 (2003).
- [13] A. H. Mueller and J. w. Qiu, Nucl. Phys. B **268**, 427 (1986).
- [14] Y. V. Kovchegov, Phys. Rev. D 55, 5445 (1997).
- [15] A. H. Mueller, arXiv:hep-ph/0111244; and references therein.
- [16] F. Gelis, T. Lappi and R. Venugopalan, Phys. Rev. **D78**, 054019 (2008); ibid., 054020 (2008);