


902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.182x + 1.18 \sim r^2 = 0.020 \sim p\text{-value} = 0.0098 \sim n = 327 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.229x + 1.24 \sim r^2 = 0.065 \sim p\text{-value} = 0.32 \sim n = 17 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.106x + 1.01 \sim r^2 = 0.003 \sim p\text{-value} = 0.3 \sim n = 327 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.381x + 1.62 \sim r^2 = 0.031 \sim p\text{-value} = 0.5 \sim n = 17 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.242x + 1.13 \sim r^2 = 0.007 \sim p\text{-value} = 0.12 \sim n = 327 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.789x - 1.43 \sim r^2 = 0.107 \sim p\text{-value} = 0.2 \sim n = 17 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0655x + 0.996 \sim r^2 = 0.002 \sim p\text{-value} = 0.46 \sim n = 327 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.311x + 1.55 \sim r^2 = 0.025 \sim p\text{-value} = 0.55 \sim n = 17 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.149x + 1.27 \sim r^2 = 0.011 \sim p\text{-value} = 0.056 \sim n = 327 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.758x + 2.64 \sim r^2 = 0.165 \sim p\text{-value} = 0.11 \sim n = 17 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.469x + 1.67 \sim r^2 = 0.014 \sim p\text{-value} = 0.033 \sim n = 327 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.461x + 1.61 \sim r^2 = 0.020 \sim p\text{-value} = 0.59 \sim n = 17 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0586x + 0.982 \sim r^2 = 0.001 \sim p\text{-value} = 0.57 \sim n = 327 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.253x + 1.46 \sim r^2 = 0.031 \sim p\text{-value} = 0.5 \sim n = 17 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0713x + 0.611$ ~ $r^2 = 0.003$ ~ p-value = 0.31 ~ n = 331 ~ score = 0


Regression (comparators, inside the case): $y = 0.325x + 0.0214$ ~ $r^2 = 0.068$ ~ p-value = 0.29 ~ n = 18 ~ score = 0

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.421x + 1.64 \sim r^2 = 0.010 \sim p\text{-value} = 0.074 \sim n = 331 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.288x + 1.39 \sim r^2 = 0.003 \sim p\text{-value} = 0.82 \sim n = 18 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species IndicatorClass_NonRe



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.0312x + 0.991 \sim r^2 = 0.000 \sim p\text{-value} = 0.69 \sim n = 331 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.16x + 0.421 \sim r^2 = 0.009 \sim p\text{-value} = 0.71 \sim n = 18 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0949x + 0.475 \sim r^2 = 0.001 \sim p\text{-value} = 0.57 \sim n = 331 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 1.3x - 2.4 \sim r^2 = 0.125 \sim p\text{-value} = 0.15 \sim n = 18 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species IndicatorClass_Cu_high



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.333x - 0.0115$ ~ $r^2 = 0.033$ ~ p-value = 0.00092 ~ n = 331 ~ score = 0

Regression (comparators, inside the case): $y = 0.354x + 0.0284$ ~ $r^2 = 0.036$ ~ p-value = 0.45 ~ n = 18 ~ score = 0


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species IndicatorClass_TP_high



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = 0.233x + 0.263 \sim r^2 = 0.019 \sim p\text{-value} = 0.011 \sim n = 331 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0252x + 0.844 \sim r^2 = 0.000 \sim p\text{-value} = 0.93 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.113x + 0.566 \sim r^2 = 0.005 \sim p\text{-value} = 0.2 \sim n = 331 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.0976x + 0.518 \sim r^2 = 0.002 \sim p\text{-value} = 0.86 \sim n = 18 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0811x + 0.964 \sim r^2 = 0.005 \sim p\text{-value} = 0.17 \sim n = 368 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.0394x + 0.831 \sim r^2 = 0.002 \sim p\text{-value} = 0.85 \sim n = 21 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.3x + 1.31 \sim r^2 = 0.009 \sim p\text{-value} = 0.064 \sim n = 368 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.0941x + 0.737 \sim r^2 = 0.001 \sim p\text{-value} = 0.88 \sim n = 21 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0786x + 0.991 \sim r^2 = 0.002 \sim p\text{-value} = 0.35 \sim n = 368 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.577x + 2.12 \sim r^2 = 0.080 \sim p\text{-value} = 0.22 \sim n = 21 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0865x + 0.955 \sim r^2 = 0.002 \sim p\text{-value} = 0.38 \sim n = 368 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.451x + 1.71 \sim r^2 = 0.033 \sim p\text{-value} = 0.43 \sim n = 21 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.168x + 1.32 \sim r^2 = 0.019 \sim p\text{-value} = 0.0081 \sim n = 368 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.438x + 1.88 \sim r^2 = 0.059 \sim p\text{-value} = 0.29 \sim n = 21 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.184x + 0.408 \sim r^2 = 0.010 \sim p\text{-value} = 0.058 \sim n = 368 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.643x - 0.636 \sim r^2 = 0.114 \sim p\text{-value} = 0.13 \sim n = 21 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = 0.271x + 0.197 \sim r^2 = 0.022 \sim p\text{-value} = 0.0048 \sim n = 368 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.396x + -0.054 \sim r^2 = 0.047 \sim p\text{-value} = 0.35 \sim n = 21 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target


Regression (all, outside the case): $y = -0.0988x + 1.06 \sim r^2 = 0.004 \sim p\text{-value} = 0.24 \sim n = 368 \sim \text{score} = 0$
 Regression (comparators, inside the case): $y = -0.642x + 2.33 \sim r^2 = 0.136 \sim p\text{-value} = 0.099 \sim n = 21 \sim \text{score} = 1$
 *Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.373x + 1.47 \sim r^2 = 0.012 \sim p\text{-value} = 0.039 \sim n = 368 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.847x + -1.44 \sim r^2 = 0.051 \sim p\text{-value} = 0.33 \sim n = 21 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.26x + 0.83 \sim r^2 = 0.267 \sim p\text{-value} = 1.7e-15 \sim n = 207 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.225x + 0.558 \sim r^2 = 0.038 \sim p\text{-value} = 0.61 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Regression (all, outside the case): $y = -0.172x + 0.773 \sim r^2 = 0.050 \sim p\text{-value} = 0.0012 \sim n = 207 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.108x + 0.791 \sim r^2 = 0.001 \sim p\text{-value} = 0.93 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.598x + 0.805 \sim r^2 = 0.298 \sim p\text{-value} = 1.7e-17 \sim n = 207 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.661x + 0.0675 \sim r^2 = 0.089 \sim p\text{-value} = 0.44 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.182x + 0.853 \sim r^2 = 0.064 \sim p\text{-value} = 0.00022 \sim n = 207 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.265x + 0.698 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.101x + 0.923 \sim r^2 = 0.026 \sim p\text{-value} = 0.021 \sim n = 207 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0205x + 0.723 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.309x + 0.746 \sim r^2 = 0.035 \sim p\text{-value} = 0.0067 \sim n = 207 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.157x + 0.496 \sim r^2 = 0.001 \sim p\text{-value} = 0.93 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.198x + 0.883 \sim r^2 = 0.069 \sim p\text{-value} = 0.00013 \sim n = 207 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.711x + 0.573 \sim r^2 = 0.058 \sim p\text{-value} = 0.53 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.187x + 0.886 \sim r^2 = 0.141 \sim p\text{-value} = 1.8e-08 \sim n = 211 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.196x + 0.846 \sim r^2 = 0.024 \sim p\text{-value} = 0.69 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.544x + 0.991 \sim r^2 = 0.063 \sim p\text{-value} = 0.00024 \sim n = 211 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.795x + 0.813 \sim r^2 = 0.036 \sim p\text{-value} = 0.63 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.116x + 0.76 \sim r^2 = 0.009 \sim p\text{-value} = 0.17 \sim n = 211 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.00531x + 0.653 \sim r^2 = 0.000 \sim p\text{-value} = 1 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.142x + 0.89$ ~ $r^2 = 0.055$ ~ $p\text{-value} = 6e-04$ ~ $n = 211$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -1.39x + 1.4$ ~ $r^2 = 0.149$ ~ $p\text{-value} = 0.31$ ~ $n = 9$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.243x + 0.872 \sim r^2 = 0.250 \sim p\text{-value} = 8.4e-15 \sim n = 212 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.415x + 0.526 \sim r^2 = 0.129 \sim p\text{-value} = 0.34 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.625x + 0.954 \sim r^2 = 0.169 \sim p\text{-value} = 4.7e-10 \sim n = 212 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.382x + 0.248 \sim r^2 = 0.044 \sim p\text{-value} = 0.59 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.187x + 0.85 \sim r^2 = 0.087 \sim p\text{-value} = 1.3e-05 \sim n = 212 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.482x + 0.622 \sim r^2 = 0.064 \sim p\text{-value} = 0.51 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.108x + 0.773 \sim r^2 = 0.025 \sim p\text{-value} = 0.022 \sim n = 212 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0901x + 0.796 \sim r^2 = 0.004 \sim p\text{-value} = 0.88 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0665x + 0.941$ ~ $r^2 = 0.019$ ~ p-value = 0.043 ~ n = 212 ~ score = 0


Regression (comparators, inside the case): $y = 0.935x + 0.269$ ~ $r^2 = 0.057$ ~ p-value = 0.53 ~ n = 9 ~ score = 0

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.245x + 0.912 \sim r^2 = 0.125 \sim p\text{-value} = 1.2e-07 \sim n = 212 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.524x + 0.618 \sim r^2 = 0.028 \sim p\text{-value} = 0.67 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.13x + 0.885 \sim r^2 = 0.048 \sim p\text{-value} = 0.0013 \sim n = 212 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.498x + 0.695 \sim r^2 = 0.170 \sim p\text{-value} = 0.27 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.372x + 0.751 \sim r^2 = 0.084 \sim p\text{-value} = 1.8e-05 \sim n = 212 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0874x + 0.334 \sim r^2 = 0.002 \sim p\text{-value} = 0.92 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.211x + 0.826 \sim r^2 = 0.193 \sim p\text{-value} = 4.9e-11 \sim n = 204 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.283x + 0.529 \sim r^2 = 0.056 \sim p\text{-value} = 0.54 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0987x + 0.755 \sim r^2 = 0.018 \sim p\text{-value} = 0.054 \sim n = 204 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0418x + 0.716 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.521x + 0.806 \sim r^2 = 0.249 \sim p\text{-value} = 3.2e-14 \sim n = 204 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.825x + -0.016 \sim r^2 = 0.127 \sim p\text{-value} = 0.35 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.113x + 0.837 \sim r^2 = 0.027 \sim p\text{-value} = 0.018 \sim n = 204 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.523x + 0.568 \sim r^2 = 0.025 \sim p\text{-value} = 0.69 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.087x + 0.921 \sim r^2 = 0.021 \sim p\text{-value} = 0.039 \sim n = 204 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.283x + 0.855 \sim r^2 = 0.004 \sim p\text{-value} = 0.87 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.316x + 0.765 \sim r^2 = 0.041 \sim p\text{-value} = 0.0039 \sim n = 204 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.398x + 0.617 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.131x + 0.869 \sim r^2 = 0.033 \sim p\text{-value} = 0.0089 \sim n = 204 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.988x + 0.433 \sim r^2 = 0.103 \sim p\text{-value} = 0.4 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.196x + 0.898 \sim r^2 = 0.171 \sim p\text{-value} = 5.2e-10 \sim n = 208 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.00727x + 0.744 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.596x + 1.04 \sim r^2 = 0.083 \sim p\text{-value} = 2.3e-05 \sim n = 208 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.696x + 0.765 \sim r^2 = 0.025 \sim p\text{-value} = 0.68 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0818x + 0.927 \sim r^2 = 0.021 \sim p\text{-value} = 0.039 \sim n = 208 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.772x + 1.12 \sim r^2 = 0.039 \sim p\text{-value} = 0.61 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.117x + 0.768 \sim r^2 = 0.010 \sim p\text{-value} = 0.15 \sim n = 208 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0198x + 0.64 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.15x + 0.898 \sim r^2 = 0.068 \sim p\text{-value} = 0.00014 \sim n = 208 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.92x + 1.16 \sim r^2 = 0.060 \sim p\text{-value} = 0.52 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.222x + 0.876 \sim r^2 = 0.229 \sim p\text{-value} = 2.3e-13 \sim n = 209 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.519x + 0.473 \sim r^2 = 0.186 \sim p\text{-value} = 0.25 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.613x + 0.982 \sim r^2 = 0.179 \sim p\text{-value} = 1.7e-10 \sim n = 209 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.51x + 0.183 \sim r^2 = 0.072 \sim p\text{-value} = 0.48 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.139x + 0.841 \sim r^2 = 0.053 \sim p\text{-value} = 8e-04 \sim n = 209 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.648x + 0.537 \sim r^2 = 0.108 \sim p\text{-value} = 0.39 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.0737x + 0.765$ ~ $r^2 = 0.013$ ~ $p\text{-value} = 0.1$ ~ $n = 209$ ~ $\text{score} = 0$
Regression (comparators, inside the case): $y = -0.138x + 0.82$ ~ $r^2 = 0.008$ ~ $p\text{-value} = 0.82$ ~ $n = 9$ ~ $\text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.055x + 0.94 \sim r^2 = 0.014 \sim p\text{-value} = 0.083 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.5x + 0.485 \sim r^2 = 0.015 \sim p\text{-value} = 0.75 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.233x + 0.917 \sim r^2 = 0.125 \sim p\text{-value} = 1.6e-07 \sim n = 209 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.837x + 0.459 \sim r^2 = 0.065 \sim p\text{-value} = 0.51 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.21x + 0.919 \sim r^2 = 0.112 \sim p\text{-value} = 7.7e-07 \sim n = 209 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.78x + 0.489 \sim r^2 = 0.088 \sim p\text{-value} = 0.44 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.105x + 0.881 \sim r^2 = 0.034 \sim p\text{-value} = 0.0072 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.632x + 0.627 \sim r^2 = 0.253 \sim p\text{-value} = 0.17 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.35x + 0.764 \sim r^2 = 0.082 \sim p\text{-value} = 2.6e-05 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.379x + 0.188 \sim r^2 = 0.029 \sim p\text{-value} = 0.66 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.241x + 1.21 \sim r^2 = 0.212 \sim p\text{-value} = 7.6e-07 \sim n = 105 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.118x + 0.443 \sim r^2 = 0.019 \sim p\text{-value} = 0.72 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0775x + 0.887 \sim r^2 = 0.008 \sim p\text{-value} = 0.37 \sim n = 105 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.706x + -0.617 \sim r^2 = 0.093 \sim p\text{-value} = 0.43 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.752x + 2.08 \sim r^2 = 0.295 \sim p\text{-value} = 2.1e-09 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.286x + 0.947 \sim r^2 = 0.030 \sim p\text{-value} = 0.65 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0603x + 0.71 \sim r^2 = 0.006 \sim p\text{-value} = 0.44 \sim n = 105 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.67x + -0.455 \sim r^2 = 0.080 \sim p\text{-value} = 0.46 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0625x + 0.763 \sim r^2 = 0.007 \sim p\text{-value} = 0.4 \sim n = 105 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.751x + -0.727 \sim r^2 = 0.061 \sim p\text{-value} = 0.52 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.739x + 1.93 \sim r^2 = 0.181 \sim p\text{-value} = 6.1e-06 \sim n = 105 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -1.25x + 2.82 \sim r^2 = 0.141 \sim p\text{-value} = 0.32 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species Org.N.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.00327x + 0.897 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 105 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.124x + 0.691 \sim r^2 = 0.003 \sim p\text{-value} = 0.89 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.232x + 1.27 \sim r^2 = 0.148 \sim p\text{-value} = 4.7e-05 \sim n = 106 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.206x + 1.14 \sim r^2 = 0.047 \sim p\text{-value} = 0.57 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.259x + 1.2 \sim r^2 = 0.012 \sim p\text{-value} = 0.27 \sim n = 106 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.582x + 1.53 \sim r^2 = 0.035 \sim p\text{-value} = 0.63 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.104x + 1.08 \sim r^2 = 0.018 \sim p\text{-value} = 0.17 \sim n = 106 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.614x + 1.91 \sim r^2 = 0.049 \sim p\text{-value} = 0.57 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.423x + 1.51 \sim r^2 = 0.086 \sim p\text{-value} = 0.0023 \sim n = 106 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.928x - 1.13 \sim r^2 = 0.093 \sim p\text{-value} = 0.43 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.266x + 1.35 \sim r^2 = 0.116 \sim p\text{-value} = 0.00035 \sim n = 106 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.701x + 2.05 \sim r^2 = 0.069 \sim p\text{-value} = 0.49 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.264x + 1.31 \sim r^2 = 0.224 \sim p\text{-value} = 3.1e-07 \sim n = 106 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.116x + 0.956 \sim r^2 = 0.018 \sim p\text{-value} = 0.73 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.592x + 1.85 \sim r^2 = 0.112 \sim p\text{-value} = 0.00045 \sim n = 106 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.97x + 2.3 \sim r^2 = 0.517 \sim p\text{-value} = 0.029 \sim n = 9 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.145x + 1.02 \sim r^2 = 0.039 \sim p\text{-value} = 0.042 \sim n = 106 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.104x + 0.552 \sim r^2 = 0.009 \sim p\text{-value} = 0.81 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0598x + 0.785 \sim r^2 = 0.010 \sim p\text{-value} = 0.32 \sim n = 106 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.125x + 0.496 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.236x + 1.35 \sim r^2 = 0.082 \sim p\text{-value} = 0.003 \sim n = 106 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.287x + 0.329 \sim r^2 = 0.015 \sim p\text{-value} = 0.75 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.211x + 1.31 \sim r^2 = 0.078 \sim p\text{-value} = 0.0036 \sim n = 106 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0885x + 0.711 \sim r^2 = 0.002 \sim p\text{-value} = 0.9 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0439x + 0.976 \sim r^2 = 0.005 \sim p\text{-value} = 0.47 \sim n = 106 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0785x + 1.09 \sim r^2 = 0.008 \sim p\text{-value} = 0.82 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.969x + 2.42 \sim r^2 = 0.392 \sim p\text{-value} = 6.9e-13 \sim n = 106 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.812x + 1.94 \sim r^2 = 0.265 \sim p\text{-value} = 0.16 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0664x + 0.702 \sim r^2 = 0.005 \sim p\text{-value} = 0.51 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.597x + -0.257 \sim r^2 = 0.581 \sim p\text{-value} = 0.046 \sim n = 7 \sim \text{score} = -1$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0445x + 0.735 \sim r^2 = 0.001 \sim p\text{-value} = 0.73 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 1.35x + -1.37 \sim r^2 = 0.382 \sim p\text{-value} = 0.14 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.00563x + 0.678 \sim r^2 = 0.000 \sim p\text{-value} = 0.98 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.772x + -0.847 \sim r^2 = 0.345 \sim p\text{-value} = 0.17 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.042x + 0.795$ ~ $r^2 = 0.002$ ~ $p\text{-value} = 0.71$ ~ $n = 84$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 1.32x + -1.22$ ~ $r^2 = 0.338$ ~ $p\text{-value} = 0.17$ ~ $n = 7$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.17x + 0.659 \sim r^2 = 0.028 \sim p\text{-value} = 0.13 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 1.15x + -1.01 \sim r^2 = 0.169 \sim p\text{-value} = 0.36 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.121x + 0.519 \sim r^2 = 0.002 \sim p\text{-value} = 0.71 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -1.95x + 3.44 \sim r^2 = 0.370 \sim p\text{-value} = 0.15 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.0146x + 0.827 \sim r^2 = 0.000 \sim p\text{-value} = 0.91 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.939x + -0.542 \sim r^2 = 0.202 \sim p\text{-value} = 0.31 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.208x + 0.553 \sim r^2 = 0.053 \sim p\text{-value} = 0.035 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.272x + 1.18 \sim r^2 = 0.119 \sim p\text{-value} = 0.45 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.394x + 0.363 \sim r^2 = 0.009 \sim p\text{-value} = 0.39 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.75x + 1.65 \sim r^2 = 0.072 \sim p\text{-value} = 0.56 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species IndicatorClass_NonRe



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.064x + 0.805 \sim r^2 = 0.003 \sim p\text{-value} = 0.6 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -1.84x + 3.64 \sim r^2 = 0.782 \sim p\text{-value} = 0.0082 \sim n = 7 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.259x + 0.384 \sim r^2 = 0.018 \sim p\text{-value} = 0.23 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.883x + -0.741 \sim r^2 = 0.091 \sim p\text{-value} = 0.51 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0721x + 0.762$ ~ $r^2 = 0.005$ ~ $p\text{-value} = 0.53$ ~ $n = 84$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -1.58x + 3.14$ ~ $r^2 = 0.668$ ~ $p\text{-value} = 0.025$ ~ $n = 7$ ~ $\text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.123x + 0.657 \sim r^2 = 0.022 \sim p\text{-value} = 0.18 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.411x + 0.104 \sim r^2 = 0.243 \sim p\text{-value} = 0.26 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.282x + 0.464 \sim r^2 = 0.010 \sim p\text{-value} = 0.37 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.418x + 1.1 \sim r^2 = 0.107 \sim p\text{-value} = 0.47 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.0082x + 0.827 \sim r^2 = 0.000 \sim p\text{-value} = 0.94 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.864x + -0.459 \sim r^2 = 0.390 \sim p\text{-value} = 0.13 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.00375x + 0.799 \sim r^2 = 0.000 \sim p\text{-value} = 0.98 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.407x + 0.13 \sim r^2 = 0.134 \sim p\text{-value} = 0.42 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0808x + 0.808 \sim r^2 = 0.011 \sim p\text{-value} = 0.34 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.541x + -0.00342 \sim r^2 = 0.059 \sim p\text{-value} = 0.6 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.199x + 0.565 \sim r^2 = 0.030 \sim p\text{-value} = 0.12 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 1.28x + -1.14 \sim r^2 = 0.369 \sim p\text{-value} = 0.15 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass_



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.136x + 0.678 \sim r^2 = 0.017 \sim p\text{-value} = 0.23 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.914x + -0.564 \sim r^2 = 0.288 \sim p\text{-value} = 0.21 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0194x + 0.904 \sim r^2 = 0.000 \sim p\text{-value} = 0.85 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.346x + 0.41 \sim r^2 = 0.157 \sim p\text{-value} = 0.38 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = 0.297x + 0.212 \sim r^2 = 0.023 \sim p\text{-value} = 0.17 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.654x + 1.36 \sim r^2 = 0.178 \sim p\text{-value} = 0.35 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.169x + 0.675 \sim r^2 = 0.045 \sim p\text{-value} = 1.9e-05 \sim n = 398 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.102x + 0.779 \sim r^2 = 0.026 \sim p\text{-value} = 0.5 \sim n = 20 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.192x + 0.657 \sim r^2 = 0.026 \sim p\text{-value} = 0.0013 \sim n = 398 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.29x + 0.558 \sim r^2 = 0.041 \sim p\text{-value} = 0.39 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.341x + 0.424 \sim r^2 = 0.037 \sim p\text{-value} = 0.00011 \sim n = 398 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.438x + 0.78 \sim r^2 = 0.054 \sim p\text{-value} = 0.32 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.126x + 0.754 \sim r^2 = 0.013 \sim p\text{-value} = 0.023 \sim n = 398 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.217x + 0.711 \sim r^2 = 0.024 \sim p\text{-value} = 0.52 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0177x + 0.91 \sim r^2 = 0.000 \sim p\text{-value} = 0.7 \sim n = 398 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.394x + 1.09 \sim r^2 = 0.082 \sim p\text{-value} = 0.22 \sim n = 20 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.138x + 0.558 \sim r^2 = 0.003 \sim p\text{-value} = 0.29 \sim n = 398 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.336x + 0.612 \sim r^2 = 0.036 \sim p\text{-value} = 0.42 \sim n = 20 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.197x + 0.746 \sim r^2 = 0.028 \sim p\text{-value} = 0.00073 \sim n = 398 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0494x + 0.922 \sim r^2 = 0.003 \sim p\text{-value} = 0.83 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.129x + 0.726 \sim r^2 = 0.024 \sim p\text{-value} = 0.0017 \sim n = 405 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.108x + 0.729 \sim r^2 = 0.014 \sim p\text{-value} = 0.61 \sim n = 21 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.183x + 0.601 \sim r^2 = 0.004 \sim p\text{-value} = 0.23 \sim n = 405 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.0343x + 0.663 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 21 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.00304x + 0.901 \sim r^2 = 0.000 \sim p\text{-value} = 0.95 \sim n = 405 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0531x + 0.823 \sim r^2 = 0.002 \sim p\text{-value} = 0.86 \sim n = 21 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.234x + 0.567 \sim r^2 = 0.014 \sim p\text{-value} = 0.016 \sim n = 405 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.286x + 0.517 \sim r^2 = 0.015 \sim p\text{-value} = 0.6 \sim n = 21 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species IndicatorClass_Cu_high



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.194x + 0.703 \sim r^2 = 0.033 \sim p\text{-value} = 0.00024 \sim n = 405 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.335x + 0.705 \sim r^2 = 0.093 \sim p\text{-value} = 0.18 \sim n = 21 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.00211x + 0.838 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 405 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.215x + 0.859 \sim r^2 = 0.021 \sim p\text{-value} = 0.53 \sim n = 21 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.144x + 0.71 \sim r^2 = 0.036 \sim p\text{-value} = 6.6e-05 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0267x + 0.779 \sim r^2 = 0.001 \sim p\text{-value} = 0.87 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.274x + 0.511 \sim r^2 = 0.015 \sim p\text{-value} = 0.01 \sim n = 436 \sim \text{score} = 0$
 Regression (comparators, inside the case): $y = -0.124x + 0.663 \sim r^2 = 0.002 \sim p\text{-value} = 0.83 \sim n = 23 \sim \text{score} = 0$
 *Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0888x + 0.743 \sim r^2 = 0.007 \sim p\text{-value} = 0.089 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.0881x + 0.736 \sim r^2 = 0.004 \sim p\text{-value} = 0.77 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.0995x + 0.693 \sim r^2 = 0.007 \sim p\text{-value} = 0.08 \sim n = 436 \sim \text{score} = 0$
 Regression (comparators, inside the case): $y = 0.00578x + 0.653 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 23 \sim \text{score} = 0$
 *Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0404x + 0.95 \sim r^2 = 0.003 \sim p\text{-value} = 0.29 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.221x + 0.982 \sim r^2 = 0.028 \sim p\text{-value} = 0.45 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Portion of hybrid (diatom and soft-bodied) species IndicatorClass_D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.208x + 0.729 \sim r^2 = 0.032 \sim p\text{-value} = 0.00017 \sim n = 436 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.119x + 0.841 \sim r^2 = 0.009 \sim p\text{-value} = 0.67 \sim n = 23 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.05x + 0.805 \sim r^2 = 0.002 \sim p\text{-value} = 0.33 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.047x + 0.848 \sim r^2 = 0.002 \sim p\text{-value} = 0.84 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = 0.264x + 0.523 \sim r^2 = 0.014 \sim p\text{-value} = 0.015 \sim n = 436 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.306x + 0.713 \sim r^2 = 0.017 \sim p\text{-value} = 0.55 \sim n = 23 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.353x + 0.536 \sim r^2 = 0.218 \sim p\text{-value} = 6.3e-23 \sim n = 398 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.146x + 0.615 \sim r^2 = 0.041 \sim p\text{-value} = 0.39 \sim n = 20 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.22x + 0.622 \sim r^2 = 0.037 \sim p\text{-value} = 1e-04 \sim n = 398 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.642x + 0.264 \sim r^2 = 0.154 \sim p\text{-value} = 0.087 \sim n = 20 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.856x + 0.048 \sim r^2 = 0.256 \sim p\text{-value} = 2.8e-27 \sim n = 398 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.18x + 0.396 \sim r^2 = 0.007 \sim p\text{-value} = 0.73 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.203x + 0.692 \sim r^2 = 0.037 \sim p\text{-value} = 0.00012 \sim n = 398 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.529x + 0.456 \sim r^2 = 0.107 \sim p\text{-value} = 0.16 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.115x + 0.843 \sim r^2 = 0.018 \sim p\text{-value} = 0.0078 \sim n = 398 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.185x + 0.997 \sim r^2 = 0.014 \sim p\text{-value} = 0.62 \sim n = 20 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.443x + 0.341 \sim r^2 = 0.032 \sim p\text{-value} = 3e-04 \sim n = 398 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.403x + 0.707 \sim r^2 = 0.040 \sim p\text{-value} = 0.4 \sim n = 20 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.282x + 0.672 \sim r^2 = 0.064 \sim p\text{-value} = 3.1e-07 \sim n = 398 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.113x + 0.869 \sim r^2 = 0.010 \sim p\text{-value} = 0.67 \sim n = 20 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.384x + 0.542 \sim r^2 = 0.237 \sim p\text{-value} = 1.6e-25 \sim n = 405 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.489x + 0.443 \sim r^2 = 0.222 \sim p\text{-value} = 0.031 \sim n = 21 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.796x + 0.171 \sim r^2 = 0.074 \sim p\text{-value} = 2.9e-08 \sim n = 405 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 1.62x + -0.511 \sim r^2 = 0.161 \sim p\text{-value} = 0.071 \sim n = 21 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0941x + 0.836 \sim r^2 = 0.011 \sim p\text{-value} = 0.034 \sim n = 405 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.226x + 0.63 \sim r^2 = 0.022 \sim p\text{-value} = 0.52 \sim n = 21 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.414x + 0.424 \sim r^2 = 0.049 \sim p\text{-value} = 6.3e-06 \sim n = 405 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.595x + 0.261 \sim r^2 = 0.048 \sim p\text{-value} = 0.34 \sim n = 21 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.191x + 0.708 \sim r^2 = 0.041 \sim p\text{-value} = 3.7e-05 \sim n = 405 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.234x + 0.564 \sim r^2 = 0.019 \sim p\text{-value} = 0.56 \sim n = 21 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.388x + 0.534 \sim r^2 = 0.290 \sim p\text{-value} = 3.7e-34 \sim n = 436 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.24x + 0.597 \sim r^2 = 0.097 \sim p\text{-value} = 0.15 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.922x + 0.0525 \sim r^2 = 0.191 \sim p\text{-value} = 9.5e-22 \sim n = 436 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 1.14x + -0.202 \sim r^2 = 0.168 \sim p\text{-value} = 0.052 \sim n = 23 \sim \text{score} = 1$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = 0.215x + 0.651 \sim r^2 = 0.043 \sim p\text{-value} = 1.2e-05 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.524x + 0.424 \sim r^2 = 0.135 \sim p\text{-value} = 0.084 \sim n = 23 \sim \text{score} = 1$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.204x + 0.614 \sim r^2 = 0.033 \sim p\text{-value} = 0.00013 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.42x + 0.365 \sim r^2 = 0.079 \sim p\text{-value} = 0.19 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0784x + 0.874 \sim r^2 = 0.011 \sim p\text{-value} = 0.029 \sim n = 436 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.19x + 0.986 \sim r^2 = 0.019 \sim p\text{-value} = 0.53 \sim n = 23 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.399x + 0.582 \sim r^2 = 0.132 \sim p\text{-value} = 4.3e-15 \sim n = 436 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.128x + 0.821 \sim r^2 = 0.009 \sim p\text{-value} = 0.66 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.447x + 0.55 \sim r^2 = 0.172 \sim p\text{-value} = 1.4e-19 \sim n = 436 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.215x + 0.751 \sim r^2 = 0.029 \sim p\text{-value} = 0.43 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.188x + 0.707 \sim r^2 = 0.034 \sim p\text{-value} = 9.7e-05 \sim n = 436 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.337x + 0.641 \sim r^2 = 0.092 \sim p\text{-value} = 0.16 \sim n = 23 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.651x + 0.24 \sim r^2 = 0.092 \sim p\text{-value} = 9.8e-11 \sim n = 436 \sim \text{score} = 0$
 Regression (comparators, inside the case): $y = -0.656x + 0.992 \sim r^2 = 0.072 \sim p\text{-value} = 0.22 \sim n = 23 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.374x + 1.75 \sim r^2 = 0.296 \sim p\text{-value} = 2.3e-11 \sim n = 130 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.288x + 1.47 \sim r^2 = 0.239 \sim p\text{-value} = 0.22 \sim n = 8 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.339x + 1.66 \sim r^2 = 0.086 \sim p\text{-value} = 0.00072 \sim n = 130 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.337x + 1.72 \sim r^2 = 0.051 \sim p\text{-value} = 0.59 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.712x + 2.47 \sim r^2 = 0.239 \sim p\text{-value} = 3.6e-09 \sim n = 130 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.342x + 1.3 \sim r^2 = 0.054 \sim p\text{-value} = 0.58 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.136x + 1.18 \sim r^2 = 0.017 \sim p\text{-value} = 0.14 \sim n = 130 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.4x + 1.99 \sim r^2 = 0.074 \sim p\text{-value} = 0.52 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.197x + 1.43 \sim r^2 = 0.059 \sim p\text{-value} = 0.0052 \sim n = 130 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.45x + 2.01 \sim r^2 = 0.040 \sim p\text{-value} = 0.64 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low

Log10 Dissolved hardness as calcium carbonate (mg/L)

Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.659x + 2.4 \sim r^2 = 0.088 \sim p\text{-value} = 0.00061 \sim n = 130 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.238x + -0.343 \sim r^2 = 0.013 \sim p\text{-value} = 0.79 \sim n = 8 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.203x + 1.39 \sim r^2 = 0.031 \sim p\text{-value} = 0.046 \sim n = 130 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.439x + 2.14 \sim r^2 = 0.057 \sim p\text{-value} = 0.57 \sim n = 8 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.205x + 1.36 \sim r^2 = 0.099 \sim p\text{-value} = 0.00025 \sim n = 131 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.31x + 1.59 \sim r^2 = 0.137 \sim p\text{-value} = 0.37 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.581x + 2.34 \sim r^2 = 0.041 \sim p\text{-value} = 0.02 \sim n = 131 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -1.05x + 3.27 \sim r^2 = 0.148 \sim p\text{-value} = 0.35 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0185x + 0.644 \sim r^2 = 0.000 \sim p\text{-value} = 0.9 \sim n = 131 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.55x + -0.789 \sim r^2 = 0.041 \sim p\text{-value} = 0.63 \sim n = 8 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.192x + 1.34 \sim r^2 = 0.046 \sim p\text{-value} = 0.014 \sim n = 131 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.389x + 1.73 \sim r^2 = 0.026 \sim p\text{-value} = 0.7 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.344x + 1.71 \sim r^2 = 0.241 \sim p\text{-value} = 2.7e-09 \sim n = 131 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.443x + 1.94 \sim r^2 = 0.422 \sim p\text{-value} = 0.081 \sim n = 8 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3


Log10 Dissolved hardness as calcium carbonate (mg/L)

Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.731x + 2.66 \sim r^2 = 0.128 \sim p\text{-value} = 2.7e-05 \sim n = 131 \sim \text{score} = 1$
 Regression (comparators, inside the case): $y = -0.732x + 2.36 \sim r^2 = 0.470 \sim p\text{-value} = 0.061 \sim n = 8 \sim \text{score} = 1$

*Samples rated not degraded.




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species




Regression (all, outside the case): $y = -0.11x + 1.1 \sim r^2 = 0.015 \sim p\text{-value} = 0.16 \sim n = 131 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.3x + 1.71 \sim r^2 = 0.100 \sim p\text{-value} = 0.45 \sim n = 8 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.294x + 1.55 \sim r^2 = 0.086 \sim p\text{-value} = 0.00067 \sim n = 131 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.145x + 1.15 \sim r^2 = 0.022 \sim p\text{-value} = 0.73 \sim n = 8 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.157x + 1.33 \sim r^2 = 0.050 \sim p\text{-value} = 0.01 \sim n = 131 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.332x + 1.64 \sim r^2 = 0.017 \sim p\text{-value} = 0.76 \sim n = 8 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.184x + 1.33 \sim r^2 = 0.034 \sim p\text{-value} = 0.036 \sim n = 131 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.602x + 2.56 \sim r^2 = 0.123 \sim p\text{-value} = 0.39 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.218x + 1.44 \sim r^2 = 0.051 \sim p\text{-value} = 0.0098 \sim n = 131 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.513x + 2.3 \sim r^2 = 0.120 \sim p\text{-value} = 0.4 \sim n = 8 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.131x + 1.19 \sim r^2 = 0.020 \sim p\text{-value} = 0.11 \sim n = 131 \sim \text{score} = 0$
 Regression (comparators, inside the case): $y = -0.229x + 1.56 \sim r^2 = 0.083 \sim p\text{-value} = 0.49 \sim n = 8 \sim \text{score} = 0$
 *Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.926x + 3.1 \sim r^2 = 0.246 \sim p\text{-value} = 1.7e-09 \sim n = 131 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.693x + 2.22 \sim r^2 = 0.239 \sim p\text{-value} = 0.22 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.165x + 0.864 \sim r^2 = 0.176 \sim p\text{-value} = 2.9e-10 \sim n = 207 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.0658x + 0.712 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0949x + 0.789$ ~ $r^2 = 0.025$ ~ $p\text{-value} = 0.023$ ~ $n = 207$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 0.261x + 0.572$ ~ $r^2 = 0.015$ ~ $p\text{-value} = 0.75$ ~ $n = 9$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.406x + 0.9 \sim r^2 = 0.226 \sim p\text{-value} = 4.3e-13 \sim n = 207 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.229x + 0.544 \sim r^2 = 0.023 \sim p\text{-value} = 0.7 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.111x + 0.875 \sim r^2 = 0.040 \sim p\text{-value} = 0.004 \sim n = 207 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.32x + 0.627 \sim r^2 = 0.022 \sim p\text{-value} = 0.71 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0764x + 0.939 \sim r^2 = 0.023 \sim p\text{-value} = 0.028 \sim n = 207 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.233x + 0.861 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.192x + 0.79 \sim r^2 = 0.023 \sim p\text{-value} = 0.031 \sim n = 207 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.676x + 0.846 \sim r^2 = 0.048 \sim p\text{-value} = 0.57 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.107x + 0.892 \sim r^2 = 0.032 \sim p\text{-value} = 0.0095 \sim n = 207 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.163x + 0.825 \sim r^2 = 0.006 \sim p\text{-value} = 0.84 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.116x + 0.908 \sim r^2 = 0.089 \sim p\text{-value} = 1.1e-05 \sim n = 211 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.154x + 0.845 \sim r^2 = 0.031 \sim p\text{-value} = 0.65 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0908x + 0.901 \sim r^2 = 0.003 \sim p\text{-value} = 0.44 \sim n = 211 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.527x + 0.75 \sim r^2 = 0.034 \sim p\text{-value} = 0.64 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0181x + 0.912 \sim r^2 = 0.001 \sim p\text{-value} = 0.58 \sim n = 211 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.00188x + 0.734 \sim r^2 = 0.000 \sim p\text{-value} = 1 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.285x + 0.905 \sim r^2 = 0.090 \sim p\text{-value} = 9.3e-06 \sim n = 211 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.188x + 0.769 \sim r^2 = 0.004 \sim p\text{-value} = 0.86 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species IndicatorClass_Cu_high



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.0953x + 0.9 \sim r^2 = 0.041 \sim p\text{-value} = 0.0033 \sim n = 211 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.00275x + 0.906 \sim r^2 = 0.000 \sim p\text{-value} = 1 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species IndicatorClass_TP_high



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.0941x + 0.93 \sim r^2 = 0.047 \sim p\text{-value} = 0.0015 \sim n = 211 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0202x + 0.985 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.107x + 0.921 \sim r^2 = 0.052 \sim p\text{-value} = 0.00089 \sim n = 211 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.258x + 0.865 \sim r^2 = 0.011 \sim p\text{-value} = 0.79 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.133x + 0.889$ ~ $r^2 = 0.121$ ~ $p\text{-value} = 2e-07$ ~ $n = 212$ ~ $\text{score} = 1$

Regression (comparators, inside the case): $y = -0.118x + 0.809$ ~ $r^2 = 0.023$ ~ $p\text{-value} = 0.7$ ~ $n = 9$ ~ $\text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.29x + 0.967 \sim r^2 = 0.059 \sim p\text{-value} = 0.00034 \sim n = 212 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.575x + 0.803 \sim r^2 = 0.213 \sim p\text{-value} = 0.21 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0863x + 0.855$ ~ $r^2 = 0.030$ ~ $p\text{-value} = 0.011$ ~ $n = 212$ ~ $\text{score} = 0$

Regression (comparators, inside the case): $y = 0.229x + 0.717$ ~ $r^2 = 0.031$ ~ $p\text{-value} = 0.65$ ~ $n = 9$ ~ $\text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.0141x + 0.756 \sim r^2 = 0.001 \sim p\text{-value} = 0.7 \sim n = 212 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.0376x + 0.727 \sim r^2 = 0.001 \sim p\text{-value} = 0.93 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0443x + 0.947 \sim r^2 = 0.013 \sim p\text{-value} = 0.098 \sim n = 212 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.209x + 0.869 \sim r^2 = 0.006 \sim p\text{-value} = 0.84 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.16x + 0.942 \sim r^2 = 0.085 \sim p\text{-value} = 1.6e-05 \sim n = 212 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0925x + 0.82 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0318x + 0.865 \sim r^2 = 0.005 \sim p\text{-value} = 0.33 \sim n = 212 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.0911x + 0.886 \sim r^2 = 0.012 \sim p\text{-value} = 0.78 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.317x + 0.852 \sim r^2 = 0.100 \sim p\text{-value} = 2.5e-06 \sim n = 212 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.692x + 0.817 \sim r^2 = 0.225 \sim p\text{-value} = 0.2 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0985x + 0.922 \sim r^2 = 0.013 \sim p\text{-value} = 0.3 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.545x + 0.0247 \sim r^2 = 0.374 \sim p\text{-value} = 0.14 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.108x + 0.935 \sim r^2 = 0.010 \sim p\text{-value} = 0.37 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 1.27x + -0.773 \sim r^2 = 0.261 \sim p\text{-value} = 0.24 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0959x + 0.805 \sim r^2 = 0.003 \sim p\text{-value} = 0.63 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.451x + -0.193 \sim r^2 = 0.091 \sim p\text{-value} = 0.51 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0719x + 0.946$ ~ $r^2 = 0.006$ ~ p-value = 0.5 ~ n = 84 ~ score = 0


Regression (comparators, inside the case): $y = 1.23x + -0.625$ ~ $r^2 = 0.228$ ~ p-value = 0.28 ~ n = 7 ~ score = 0

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0789x + 0.814 \sim r^2 = 0.007 \sim p\text{-value} = 0.46 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 1.62x - 1.11 \sim r^2 = 0.257 \sim p\text{-value} = 0.25 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.224x + 0.975 \sim r^2 = 0.006 \sim p\text{-value} = 0.48 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -1.95x + 2.71 \sim r^2 = 0.285 \sim p\text{-value} = 0.22 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.17x + 1.06 \sim r^2 = 0.023 \sim p\text{-value} = 0.16 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.647x + 0.142 \sim r^2 = 0.074 \sim p\text{-value} = 0.55 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.00118x + 0.862$ ~ $r^2 = 0.000$ ~ $p\text{-value} = 0.99$ ~ $n = 84$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -0.332x + 1.14$ ~ $r^2 = 0.137$ ~ $p\text{-value} = 0.41$ ~ $n = 7$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0469x + 0.887 \sim r^2 = 0.000 \sim p\text{-value} = 0.91 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.917x + 1.57 \sim r^2 = 0.083 \sim p\text{-value} = 0.53 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species IndicatorClass_NonRe



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.00138x + 0.898 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -1.95x + 3.07 \sim r^2 = 0.677 \sim p\text{-value} = 0.023 \sim n = 7 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0887x + 0.658 \sim r^2 = 0.002 \sim p\text{-value} = 0.67 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 1.75x - 1.41 \sim r^2 = 0.277 \sim p\text{-value} = 0.22 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0267x + 0.901$ ~ $r^2 = 0.001$ ~ $p\text{-value} = 0.81$ ~ $n = 84$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -1.81x + 2.82$ ~ $r^2 = 0.683$ ~ $p\text{-value} = 0.022$ ~ $n = 7$ ~ $\text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0771 x + 0.935 \sim r^2 = 0.009 \sim p\text{-value} = 0.38 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.251 x + 0.439 \sim r^2 = 0.070 \sim p\text{-value} = 0.57 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.0152x + 0.861 \sim r^2 = 0.000 \sim p\text{-value} = 0.96 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.793x + 1.37 \sim r^2 = 0.297 \sim p\text{-value} = 0.21 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.132x + 1 \sim r^2 = 0.020 \sim p\text{-value} = 0.2 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.77x + -0.0306 \sim r^2 = 0.240 \sim p\text{-value} = 0.26 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.116x + 0.948 \sim r^2 = 0.012 \sim p\text{-value} = 0.33 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.323x + 0.379 \sim r^2 = 0.065 \sim p\text{-value} = 0.58 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.028x + 0.893 \sim r^2 = 0.001 \sim p\text{-value} = 0.73 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.833x + -0.137 \sim r^2 = 0.108 \sim p\text{-value} = 0.47 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0843x + 0.963 \sim r^2 = 0.006 \sim p\text{-value} = 0.49 \sim n = 84 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.99x + -0.326 \sim r^2 = 0.170 \sim p\text{-value} = 0.36 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0916x + 0.993 \sim r^2 = 0.009 \sim p\text{-value} = 0.4 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.587x + 0.152 \sim r^2 = 0.092 \sim p\text{-value} = 0.51 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.183x + 1.1 \sim r^2 = 0.045 \sim p\text{-value} = 0.054 \sim n = 84 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.146x + 0.769 \sim r^2 = 0.022 \sim p\text{-value} = 0.75 \sim n = 7 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0536x + 0.718 \sim r^2 = 0.001 \sim p\text{-value} = 0.8 \sim n = 84 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.846x + 1.34 \sim r^2 = 0.230 \sim p\text{-value} = 0.28 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.14x + 0.854 \sim r^2 = 0.137 \sim p\text{-value} = 4.8e-08 \sim n = 205 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.117x + 0.744 \sim r^2 = 0.021 \sim p\text{-value} = 0.71 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0616x + 0.77 \sim r^2 = 0.011 \sim p\text{-value} = 0.13 \sim n = 205 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.16x + 0.636 \sim r^2 = 0.005 \sim p\text{-value} = 0.85 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.353x + 0.876 \sim r^2 = 0.188 \sim p\text{-value} = 8e-11 \sim n = 205 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.265x + 0.565 \sim r^2 = 0.029 \sim p\text{-value} = 0.66 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0765x + 0.855 \sim r^2 = 0.020 \sim p\text{-value} = 0.043 \sim n = 205 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.219x + 0.692 \sim r^2 = 0.009 \sim p\text{-value} = 0.8 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0631x + 0.932 \sim r^2 = 0.017 \sim p\text{-value} = 0.064 \sim n = 205 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.368x + 0.945 \sim r^2 = 0.016 \sim p\text{-value} = 0.74 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.218x + 0.819 \sim r^2 = 0.031 \sim p\text{-value} = 0.012 \sim n = 205 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.539x + 0.757 \sim r^2 = 0.029 \sim p\text{-value} = 0.66 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0695x + 0.87 \sim r^2 = 0.015 \sim p\text{-value} = 0.084 \sim n = 205 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0915x + 0.871 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.109x + 0.909 \sim r^2 = 0.086 \sim p\text{-value} = 1.7e-05 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.128x + 0.828 \sim r^2 = 0.020 \sim p\text{-value} = 0.72 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0895x + 0.908 \sim r^2 = 0.003 \sim p\text{-value} = 0.43 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.523x + 0.746 \sim r^2 = 0.031 \sim p\text{-value} = 0.65 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0172x + 0.911 \sim r^2 = 0.001 \sim p\text{-value} = 0.59 \sim n = 209 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.151x + 0.637 \sim r^2 = 0.003 \sim p\text{-value} = 0.88 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.254x + 0.895 \sim r^2 = 0.078 \sim p\text{-value} = 4.2e-05 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.175x + 0.761 \sim r^2 = 0.004 \sim p\text{-value} = 0.88 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.104x + 0.923 \sim r^2 = 0.052 \sim p\text{-value} = 9e-04 \sim n = 209 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.109x + 0.77 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.119x + 0.885 \sim r^2 = 0.104 \sim p\text{-value} = 1.9e-06 \sim n = 210 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.164x + 0.837 \sim r^2 = 0.041 \sim p\text{-value} = 0.6 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.256x + 0.956 \sim r^2 = 0.050 \sim p\text{-value} = 0.0011 \sim n = 210 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.555x + 0.789 \sim r^2 = 0.186 \sim p\text{-value} = 0.25 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.0643x + 0.842 \sim r^2 = 0.018 \sim p\text{-value} = 0.052 \sim n = 210 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.172x + 0.754 \sim r^2 = 0.017 \sim p\text{-value} = 0.74 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.00147x + 0.748 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 210 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.0147x + 0.742 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0344x + 0.941 \sim r^2 = 0.008 \sim p\text{-value} = 0.19 \sim n = 210 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.308x + 0.93 \sim r^2 = 0.013 \sim p\text{-value} = 0.77 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.146x + 0.938 \sim r^2 = 0.076 \sim p\text{-value} = 4.8e-05 \sim n = 210 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0188x + 0.891 \sim r^2 = 0.000 \sim p\text{-value} = 0.98 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.117x + 0.93 \sim r^2 = 0.054 \sim p\text{-value} = 7e-04 \sim n = 210 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0052x + 0.884 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0159x + 0.855 \sim r^2 = 0.001 \sim \text{p-value} = 0.62 \sim n = 210 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.0712x + 0.899 \sim r^2 = 0.007 \sim \text{p-value} = 0.83 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.316x + 0.867 \sim r^2 = 0.107 \sim p\text{-value} = 1.3e-06 \sim n = 210 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.687x + 0.811 \sim r^2 = 0.208 \sim p\text{-value} = 0.22 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.225x + 0.847 \sim r^2 = 0.287 \sim p\text{-value} = 3.3e-15 \sim n = 186 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.445x + 0.944 \sim r^2 = 0.217 \sim p\text{-value} = 0.21 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.164x + 0.799 \sim r^2 = 0.057 \sim p\text{-value} = 0.00099 \sim n = 186 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.325x + 0.937 \sim r^2 = 0.016 \sim p\text{-value} = 0.75 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.444x + 0.786 \sim r^2 = 0.293 \sim p\text{-value} = 1.6e-15 \sim n = 186 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.199x + 0.52 \sim r^2 = 0.012 \sim p\text{-value} = 0.78 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.148x + 0.864 \sim r^2 = 0.054 \sim p\text{-value} = 0.0014 \sim n = 186 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.534x + 1.16 \sim r^2 = 0.040 \sim p\text{-value} = 0.6 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.116x + 0.942 \sim r^2 = 0.041 \sim p\text{-value} = 0.0053 \sim n = 186 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -1.53x + 1.65 \sim r^2 = 0.200 \sim p\text{-value} = 0.23 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.298x + 0.791 \sim r^2 = 0.046 \sim p\text{-value} = 0.0033 \sim n = 186 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.285x + 0.242 \sim r^2 = 0.006 \sim p\text{-value} = 0.85 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.18x + 0.899 \sim r^2 = 0.070 \sim p\text{-value} = 0.00027 \sim n = 186 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.371x + 1.16 \sim r^2 = 0.023 \sim p\text{-value} = 0.7 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.195x + 0.918$ ~ $r^2 = 0.202$ ~ $p\text{-value} = 7.7e-11$ ~ $n = 190$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = -0.489x + 1.05$ ~ $r^2 = 0.212$ ~ $p\text{-value} = 0.21$ ~ $n = 9$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.514x + 1.08 \sim r^2 = 0.077 \sim p\text{-value} = 0.00011 \sim n = 190 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -1.46x + 1.31 \sim r^2 = 0.175 \sim p\text{-value} = 0.26 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence


Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green

Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target




Regression (all, outside the case): $y = -0.199x + 0.798 \sim r^2 = 0.036 \sim p\text{-value} = 0.0087 \sim n = 190 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.757x + 1.12 \sim r^2 = 0.049 \sim p\text{-value} = 0.57 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species IndicatorClass_Cu_high



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.125x + 0.886 \sim r^2 = 0.055 \sim p\text{-value} = 0.0011 \sim n = 190 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.308x + 1.1 \sim r^2 = 0.042 \sim p\text{-value} = 0.59 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.161x + 0.922 \sim r^2 = 0.093 \sim p\text{-value} = 2e-05 \sim n = 190 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.204x + 0.827 \sim r^2 = 0.005 \sim p\text{-value} = 0.86 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.234x + 0.902 \sim r^2 = 0.311 \sim p\text{-value} = 5.5e-17 \sim n = 191 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.583x + 1.09 \sim r^2 = 0.368 \sim p\text{-value} = 0.083 \sim n = 9 \sim \text{score} = 1$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.524x + 0.982 \sim r^2 = 0.173 \sim p\text{-value} = 2.2e-09 \sim n = 191 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.808x + 0.936 \sim r^2 = 0.284 \sim p\text{-value} = 0.14 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.131x + 0.851 \sim r^2 = 0.054 \sim p\text{-value} = 0.0012 \sim n = 191 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.424x + 1.12 \sim r^2 = 0.072 \sim p\text{-value} = 0.48 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.119x + 0.803 \sim r^2 = 0.039 \sim p\text{-value} = 0.0059 \sim n = 191 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0321x + 0.771 \sim r^2 = 0.001 \sim p\text{-value} = 0.95 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0732x + 0.951 \sim r^2 = 0.028 \sim p\text{-value} = 0.022 \sim n = 191 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -1.2x + 1.47 \sim r^2 = 0.136 \sim p\text{-value} = 0.33 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.261x + 0.952 \sim r^2 = 0.176 \sim p\text{-value} = 1.5e-09 \sim n = 191 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.599x + 1.25 \sim r^2 = 0.052 \sim p\text{-value} = 0.55 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.106x + 0.887 \sim r^2 = 0.038 \sim p\text{-value} = 0.0068 \sim n = 191 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.142x + 1.03 \sim r^2 = 0.020 \sim p\text{-value} = 0.72 \sim n = 9 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.445x + 0.846 \sim r^2 = 0.161 \sim p\text{-value} = 8.8e-09 \sim n = 191 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -1.07x + 1.04 \sim r^2 = 0.365 \sim p\text{-value} = 0.085 \sim n = 9 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.285x + 1.18 \sim r^2 = 0.057 \sim p\text{-value} = 0.00023 \sim n = 235 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.253x + 0.307 \sim r^2 = 0.081 \sim p\text{-value} = 0.42 \sim n = 10 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.367x + 1.28 \sim r^2 = 0.041 \sim p\text{-value} = 0.0019 \sim n = 235 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.27x + 0.34 \sim r^2 = 0.017 \sim p\text{-value} = 0.72 \sim n = 10 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.349x + 1.17 \sim r^2 = 0.017 \sim p\text{-value} = 0.044 \sim n = 235 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 1.1x + -1.23 \sim r^2 = 0.363 \sim p\text{-value} = 0.065 \sim n = 10 \sim \text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.335x + 1.29 \sim r^2 = 0.040 \sim p\text{-value} = 0.002 \sim n = 235 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.19x + 1.14 \sim r^2 = 0.008 \sim p\text{-value} = 0.81 \sim n = 10 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.324x + 1.36 \sim r^2 = 0.055 \sim p\text{-value} = 3e-04 \sim n = 235 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.00369x + 0.739 \sim r^2 = 0.000 \sim p\text{-value} = 1 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.0216x + 0.705 \sim r^2 = 0.000 \sim p\text{-value} = 0.93 \sim n = 235 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.327x + -0.0819 \sim r^2 = 0.012 \sim p\text{-value} = 0.76 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.316x + 1.29 \sim r^2 = 0.032 \sim p\text{-value} = 0.0062 \sim n = 235 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.00715x + 0.93 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.0401x + 0.796 \sim r^2 = 0.001 \sim p\text{-value} = 0.6 \sim n = 245 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.0156x + 0.819 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of soft-bodied algae species BCG3



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.295x + 0.396 \sim r^2 = 0.003 \sim p\text{-value} = 0.37 \sim n = 245 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 1.52x + -1.64 \sim r^2 = 0.066 \sim p\text{-value} = 0.47 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.29x + 1.21 \sim r^2 = 0.010 \sim p\text{-value} = 0.13 \sim n = 245 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.997x + 2.16 \sim r^2 = 0.132 \sim p\text{-value} = 0.3 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = 0.0695x + 0.755 \sim r^2 = 0.002 \sim p\text{-value} = 0.47 \sim n = 245 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.194x + 1.03 \sim r^2 = 0.006 \sim p\text{-value} = 0.83 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.125x + 0.993 \sim r^2 = 0.011 \sim p\text{-value} = 0.1 \sim n = 247 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.312x + 0.301 \sim r^2 = 0.075 \sim p\text{-value} = 0.44 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Count of hybrid (diatom and soft-bodied) species BCG3



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.0277x + 0.819$ ~ $r^2 = 0.000$ ~ $p\text{-value} = 0.9$ ~ $n = 247$ ~ $\text{score} = 0$
Regression (comparators, inside the case): $y = 1.72x + -1.98$ ~ $r^2 = 0.172$ ~ $p\text{-value} = 0.23$ ~ $n = 10$ ~ $\text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.274x + 1.19 \sim r^2 = 0.029 \sim p\text{-value} = 0.0075 \sim n = 247 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.0184x + 0.91 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 10 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.213x + 1.07 \sim r^2 = 0.016 \sim p\text{-value} = 0.047 \sim n = 247 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.705x + -0.31 \sim r^2 = 0.446 \sim p\text{-value} = 0.035 \sim n = 10 \sim \text{score} = -1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.263x + 1.29 \sim r^2 = 0.052 \sim p\text{-value} = 0.00031 \sim n = 247 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.221x + 0.428 \sim r^2 = 0.007 \sim p\text{-value} = 0.82 \sim n = 10 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0296x + 0.812 \sim r^2 = 0.000 \sim p\text{-value} = 0.79 \sim n = 247 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = 0.0435x + 0.832 \sim r^2 = 0.000 \sim p\text{-value} = 0.96 \sim n = 10 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = 0.0331x + 0.815 \sim r^2 = 0.000 \sim p\text{-value} = 0.76 \sim n = 247 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.126x + 0.708 \sim r^2 = 0.005 \sim p\text{-value} = 0.84 \sim n = 10 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.188x + 1.12 \sim r^2 = 0.016 \sim p\text{-value} = 0.045 \sim n = 247 \sim \text{score} = 0$
 Regression (comparators, inside the case): $y = 0.142x + 0.738 \sim r^2 = 0.030 \sim p\text{-value} = 0.63 \sim n = 10 \sim \text{score} = 0$
 *Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.0941x + 0.826 \sim r^2 = 0.001 \sim p\text{-value} = 0.66 \sim n = 247 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.441x + 1.08 \sim r^2 = 0.083 \sim p\text{-value} = 0.42 \sim n = 10 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.313x + 1.71 \sim r^2 = 0.234 \sim p\text{-value} = 1.3e-21 \sim n = 344 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.245x + 1.51 \sim r^2 = 0.210 \sim p\text{-value} = 0.056 \sim n = 18 \sim \text{score} = 1$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OxyReq.DO_10



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.277x + 1.61 \sim r^2 = 0.088 \sim p\text{-value} = 2.2e-08 \sim n = 344 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.389x + 2.01 \sim r^2 = 0.118 \sim p\text{-value} = 0.16 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.574x + 2.33 \sim r^2 = 0.161 \sim p\text{-value} = 9.1e-15 \sim n = 344 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.346x + 1.61 \sim r^2 = 0.052 \sim p\text{-value} = 0.36 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.204x + 1.46 \sim r^2 = 0.059 \sim p\text{-value} = 5.2e-06 \sim n = 344 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.268x + 1.7 \sim r^2 = 0.072 \sim p\text{-value} = 0.28 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.169x + 1.44 \sim r^2 = 0.052 \sim p\text{-value} = 1.9e-05 \sim n = 344 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.336x + 1.95 \sim r^2 = 0.128 \sim p\text{-value} = 0.14 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species IndicatorClass_TP_low

Log10 Field-measured specific conductivity ($\mu\text{S}/\text{cm}$)

Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target


Regression (all, outside the case): $y = -0.408x + 1.82 \sim r^2 = 0.042 \sim p\text{-value} = 0.00012 \sim n = 344 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.129x + 0.112 \sim r^2 = 0.006 \sim p\text{-value} = 0.76 \sim n = 18 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of diatom species OrgN.NHHONF



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.247x + 1.6 \sim r^2 = 0.067 \sim p\text{-value} = 1.2e-06 \sim n = 344 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.259x + 1.7 \sim r^2 = 0.125 \sim p\text{-value} = 0.15 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.161x + 1.27 \sim r^2 = 0.060 \sim p\text{-value} = 3.5e-06 \sim n = 348 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.241x + 1.59 \sim r^2 = 0.113 \sim p\text{-value} = 0.16 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.529x + 2.3 \sim r^2 = 0.058 \sim p\text{-value} = 5.3e-06 \sim n = 348 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -1.15x + 4.52 \sim r^2 = 0.147 \sim p\text{-value} = 0.11 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species Green



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0679x + 0.902 \sim r^2 = 0.002 \sim p\text{-value} = 0.4 \sim n = 348 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.0277x + 0.791 \sim r^2 = 0.000 \sim p\text{-value} = 0.95 \sim n = 19 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of soft-bodied algae species most tolerant



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.0845x + 1.09 \sim r^2 = 0.011 \sim p\text{-value} = 0.048 \sim n = 348 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.125x + 1.17 \sim r^2 = 0.012 \sim p\text{-value} = 0.65 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.272x + 1.61 \sim r^2 = 0.219 \sim p\text{-value} = 1.3e-22 \sim n = 390 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = -0.366x + 1.94 \sim r^2 = 0.357 \sim p\text{-value} = 0.0033 \sim n = 22 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval


Count of hybrid (diatom and soft-bodied) species BCG3

Log10 Field-measured specific conductivity ($\mu\text{S}/\text{cm}$)

Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- ▲ target

Regression (all, outside the case): $y = -0.61x + 2.49 \sim r^2 = 0.142 \sim p\text{-value} = 1.5e-14 \sim n = 390 \sim \text{score} = 1$
 Regression (comparators, inside the case): $y = -0.848x + 3.34 \sim r^2 = 0.165 \sim p\text{-value} = 0.061 \sim n = 22 \sim \text{score} = 1$
 *Samples rated not degraded.




902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) Cyclotella species



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.225x + 1.49 \sim r^2 = 0.068 \sim p\text{-value} = 1.8e-07 \sim n = 390 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.36x + 1.93 \sim r^2 = 0.101 \sim p\text{-value} = 0.15 \sim n = 22 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OxyReq.D



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.23x + 1.45 \sim r^2 = 0.056 \sim p\text{-value} = 2.5e-06 \sim n = 390 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.449x + 2.11 \sim r^2 = 0.102 \sim p\text{-value} = 0.15 \sim n = 22 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

Proportion of hybrid (diatom and soft-bodied) *Surirella* species



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.156x + 1.41 \sim r^2 = 0.060 \sim p\text{-value} = 1e-06 \sim n = 390 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.382x + 2.08 \sim r^2 = 0.149 \sim p\text{-value} = 0.076 \sim n = 22 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.164x + 1.34 \sim r^2 = 0.028 \sim p\text{-value} = 0.00082 \sim n = 390 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.197x + 1.53 \sim r^2 = 0.036 \sim p\text{-value} = 0.4 \sim n = 22 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples


- all
- not degraded*
- comparator
- comparator not degraded*
- target

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

proportion of hybrid (diatom and soft-bodied) species OrgN.NHH



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.243x + 1.57 \sim r^2 = 0.081 \sim p\text{-value} = 1.1e-08 \sim n = 390 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.32x + 1.85 \sim r^2 = 0.111 \sim p\text{-value} = 0.13 \sim n = 22 \sim \text{score} = 0$


*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval

portion of hybrid (diatom and soft-bodied) species IndicatorClass



Samples

- all
- not degraded*
- comparator
- comparator not degraded*
- target

Regression (all, outside the case): $y = -0.416x + 1.88 \sim r^2 = 0.054 \sim p\text{-value} = 3.4e-06 \sim n = 390 \sim \text{score} = 0$

Regression (comparators, inside the case): $y = -0.176x + 1.16 \sim r^2 = 0.007 \sim p\text{-value} = 0.7 \sim n = 22 \sim \text{score} = 0$

*Samples rated not degraded.