


902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.146x + 1.05 \sim r^2 = 0.085 \sim p\text{-value} = 2.6e-10 \sim n = 453 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.072x + 0.923 \sim r^2 = 0.055 \sim p\text{-value} = 0.33 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.154x + 0.997 \sim r^2 = 0.075 \sim p\text{-value} = 2.7e-09 \sim n = 453 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0589x + 0.758 \sim r^2 = 0.044 \sim p\text{-value} = 0.39 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.138x + 1.1 \sim r^2 = 0.070 \sim p\text{-value} = 9.8e-09 \sim n = 453 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.0852x + 1.09 \sim r^2 = 0.038 \sim p\text{-value} = 0.42 \sim n = 19 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -6.17x + 40.7 \sim r^2 = 0.057 \sim p\text{-value} = 2.4e-07 \sim n = 455 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.103x + 28 \sim r^2 = 0.000 \sim p\text{-value} = 0.98 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0319x + 0.122 \sim r^2 = 0.016 \sim p\text{-value} = 0.0072 \sim n = 455 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.00111x + 0.00491 \sim r^2 = 0.003 \sim p\text{-value} = 0.82 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.408x + 2.01 \sim r^2 = 0.016 \sim p\text{-value} = 0.0074 \sim n = 455 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.139x + 0.768 \sim r^2 = 0.008 \sim p\text{-value} = 0.72 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0625x + 0.424$ ~ $r^2 = 0.060$ ~ $p\text{-value} = 1.2e-07$ ~ $n = 455$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 0.0244x + 0.24$ ~ $r^2 = 0.022$ ~ $p\text{-value} = 0.55$ ~ $n = 19$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0156x + 0.0724 \sim r^2 = 0.026 \sim p\text{-value} = 0.00051 \sim n = 455 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.00503x + 0.0323 \sim r^2 = 0.003 \sim p\text{-value} = 0.84 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0801 x + 0.313 \sim r^2 = 0.099 \sim p\text{-value} = 6.1e-12 \sim n = 455 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0481 x + 0.221 \sim r^2 = 0.069 \sim p\text{-value} = 0.28 \sim n = 19 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.163x + 1.13 \sim r^2 = 0.019 \sim p\text{-value} = 0.0021 \sim n = 496 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.000184x + 0.723 \sim r^2 = 0.000 \sim p\text{-value} = 1 \sim n = 28 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.19x + 1.11 \sim r^2 = 0.026 \sim p\text{-value} = 0.00035 \sim n = 496 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.231x + 1.16 \sim r^2 = 0.065 \sim p\text{-value} = 0.19 \sim n = 28 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.136x + 1.15 \sim r^2 = 0.010 \sim p\text{-value} = 0.024 \sim n = 496 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.23x + 0.285 \sim r^2 = 0.013 \sim p\text{-value} = 0.57 \sim n = 28 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -3.96x + 36.9 \sim r^2 = 0.005 \sim p\text{-value} = 0.13 \sim n = 496 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 6.52x + 10.4 \sim r^2 = 0.010 \sim p\text{-value} = 0.62 \sim n = 28 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.045x + 0.141$ ~ $r^2 = 0.012$ ~ $p\text{-value} = 0.013$ ~ $n = 496$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -0.0314x + 0.0901$ ~ $r^2 = 0.016$ ~ $p\text{-value} = 0.52$ ~ $n = 28$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.176x + 1.3 \sim r^2 = 0.001 \sim p\text{-value} = 0.52 \sim n = 496 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -1.01x + 3.25 \sim r^2 = 0.015 \sim p\text{-value} = 0.53 \sim n = 28 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0951x + 0.525$ ~ $r^2 = 0.025$ ~ $p\text{-value} = 0.00036$ ~ $n = 496$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 0.0777x + 0.0668$ ~ $r^2 = 0.017$ ~ $p\text{-value} = 0.51$ ~ $n = 28$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0651x + 0.19 \sim r^2 = 0.070 \sim p\text{-value} = 2.1e-09 \sim n = 496 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.174x + 0.46 \sim r^2 = 0.259 \sim p\text{-value} = 0.0057 \sim n = 28 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0953x + 0.385$ ~ $r^2 = 0.033$ ~ $p\text{-value} = 4.7e-05$ ~ $n = 496$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -0.0564x + 0.246$ ~ $r^2 = 0.010$ ~ $p\text{-value} = 0.61$ ~ $n = 28$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.248x + 0.843 \sim r^2 = 0.232 \sim p\text{-value} = 5.1e-14 \sim n = 217 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.101x + 0.74 \sim r^2 = 0.005 \sim p\text{-value} = 0.86 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.265x + 0.781 \sim r^2 = 0.249 \sim p\text{-value} = 4.9e-15 \sim n = 217 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.202x + 0.743 \sim r^2 = 0.031 \sim p\text{-value} = 0.65 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.232x + 0.906 \sim r^2 = 0.164 \sim p\text{-value} = 5.7e-10 \sim n = 217 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.404x + 0.737 \sim r^2 = 0.042 \sim p\text{-value} = 0.6 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -11.2x + 31.4 \sim r^2 = 0.201 \sim p\text{-value} = 3.2e-12 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 20.6x + 14.4 \sim r^2 = 0.140 \sim p\text{-value} = 0.32 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0839x + 0.0708 \sim r^2 = 0.184 \sim p\text{-value} = 3.1e-11 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0387x + -0.0131 \sim r^2 = 0.188 \sim p\text{-value} = 0.24 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -1.31x + 1.34 \sim r^2 = 0.197 \sim p\text{-value} = 5.8e-12 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.321x + 0.0617 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0669x + 0.333 \sim r^2 = 0.074 \sim p\text{-value} = 4.4e-05 \sim n = 219 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.337x + 0.464 \sim r^2 = 0.209 \sim p\text{-value} = 0.22 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0401x + 0.0529 \sim r^2 = 0.147 \sim p\text{-value} = 4.6e-09 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.182x + -0.059 \sim r^2 = 0.171 \sim p\text{-value} = 0.27 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.121x + 0.21 \sim r^2 = 0.212 \sim p\text{-value} = 7.1e-13 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.255x + 0.268 \sim r^2 = 0.083 \sim p\text{-value} = 0.45 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.213x + 0.842 \sim r^2 = 0.196 \sim p\text{-value} = 5.3e-12 \sim n = 220 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0284x + 0.776 \sim r^2 = 0.000 \sim p\text{-value} = 0.96 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.232x + 0.781 \sim r^2 = 0.221 \sim p\text{-value} = 1.8e-13 \sim n = 220 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.226x + 0.755 \sim r^2 = 0.036 \sim p\text{-value} = 0.62 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.194x + 0.904$ ~ $r^2 = 0.131$ ~ $p\text{-value} = 3.2e-08$ ~ $n = 220$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = 0.283x + 0.797$ ~ $r^2 = 0.019$ ~ $p\text{-value} = 0.72$ ~ $n = 9$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -10.1x + 31.6 \sim r^2 = 0.186 \sim p\text{-value} = 1.8e-11 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 20.9x + 14.2 \sim r^2 = 0.133 \sim p\text{-value} = 0.34 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.074x + 0.0711 \sim r^2 = 0.160 \sim p\text{-value} = 5.8e-10 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0388x + -0.0133 \sim r^2 = 0.175 \sim p\text{-value} = 0.26 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -1.16x + 1.36 \sim r^2 = 0.174 \sim p\text{-value} = 9.4e-11 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.656x + -0.107 \sim r^2 = 0.027 \sim p\text{-value} = 0.68 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0679x + 0.333 \sim r^2 = 0.083 \sim p\text{-value} = 1.4e-05 \sim n = 222 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.437x + 0.514 \sim r^2 = 0.323 \sim p\text{-value} = 0.11 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0348x + 0.0524 \sim r^2 = 0.126 \sim \text{p-value} = 5.6\text{e-}08 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.257x + -0.0974 \sim r^2 = 0.317 \sim \text{p-value} = 0.11 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.106x + 0.211 \sim r^2 = 0.190 \sim p\text{-value} = 1e-11 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.409x + 0.346 \sim r^2 = 0.196 \sim p\text{-value} = 0.23 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.422x + 1.62 \sim r^2 = 0.500 \sim p\text{-value} = 3.5e-17 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.218x + 0.371 \sim r^2 = 0.043 \sim p\text{-value} = 0.59 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.452x + 1.59 \sim r^2 = 0.504 \sim p\text{-value} = 2.2e-17 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.257x + 0.149 \sim r^2 = 0.092 \sim p\text{-value} = 0.43 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.391x + 1.64 \sim r^2 = 0.383 \sim p\text{-value} = 1.9e-12 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.18x + 0.593 \sim r^2 = 0.015 \sim p\text{-value} = 0.75 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -12.7x + 53 \sim r^2 = 0.209 \sim p\text{-value} = 9.2e-07 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 6.79x + 11.6 \sim r^2 = 0.028 \sim p\text{-value} = 0.67 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.15x + 0.346 \sim r^2 = 0.299 \sim p\text{-value} = 1.6e-09 \sim n = 105 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.0318x + -0.0548 \sim r^2 = 0.232 \sim p\text{-value} = 0.19 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -1.37x + 3.42 \sim r^2 = 0.184 \sim p\text{-value} = 4.9e-06 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.797x - 1.31 \sim r^2 = 0.078 \sim p\text{-value} = 0.47 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.113x + 0.532$ ~ $r^2 = 0.160$ ~ $p\text{-value} = 2.4e-05$ ~ $n = 105$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = 0.347x + -0.37$ ~ $r^2 = 0.403$ ~ $p\text{-value} = 0.066$ ~ $n = 9$ ~ $\text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0493x + 0.135$ ~ $r^2 = 0.161$ ~ $p\text{-value} = 2.2e-05$ ~ $n = 105$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = -0.0975x + 0.219$ ~ $r^2 = 0.090$ ~ $p\text{-value} = 0.43$ ~ $n = 9$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.2x + 0.557 \sim r^2 = 0.390 \sim p\text{-value} = 1.1e-12 \sim n = 105 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.262x + -0.361 \sim r^2 = 0.159 \sim p\text{-value} = 0.29 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.188x + 1.11 \sim r^2 = 0.172 \sim p\text{-value} = 4.1e-21 \sim n = 473 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.00542x + 0.817 \sim r^2 = 0.000 \sim p\text{-value} = 0.95 \sim n = 18 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.192x + 1.06 \sim r^2 = 0.143 \sim p\text{-value} = 1.6e-17 \sim n = 473 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.0635x + 0.587 \sim r^2 = 0.036 \sim p\text{-value} = 0.45 \sim n = 18 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.184x + 1.17 \sim r^2 = 0.153 \sim p\text{-value} = 9.4e-19 \sim n = 473 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.0526x + 1.05 \sim r^2 = 0.010 \sim p\text{-value} = 0.69 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -8.22x + 43.9 \sim r^2 = 0.124 \sim p\text{-value} = 2.4e-15 \sim n = 475 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.719x + 29.3 \sim r^2 = 0.001 \sim p\text{-value} = 0.91 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0645x + 0.17 \sim r^2 = 0.076 \sim p\text{-value} = 1.1e-09 \sim n = 475 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.00159x + 0.00453 \sim r^2 = 0.005 \sim p\text{-value} = 0.79 \sim n = 18 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -1.01x + 2.84 \sim r^2 = 0.117 \sim p\text{-value} = 1.6e-14 \sim n = 475 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = -0.0684x + 0.597 \sim r^2 = 0.002 \sim p\text{-value} = 0.87 \sim n = 18 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0435x + 0.402$ ~ $r^2 = 0.035$ ~ $p\text{-value} = 3.7e-05$ ~ $n = 475$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 0.0985x + 0.136$ ~ $r^2 = 0.250$ ~ $p\text{-value} = 0.035$ ~ $n = 18$ ~ $\text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0148x + 0.0729$ ~ $r^2 = 0.029$ ~ $p\text{-value} = 0.00017$ ~ $n = 475$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = -0.0248x + 0.0738$ ~ $r^2 = 0.044$ ~ $p\text{-value} = 0.4$ ~ $n = 18$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0815x + 0.319$ ~ $r^2 = 0.122$ ~ $p\text{-value} = 4.5e-15$ ~ $n = 475$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = 0.063x + 0.0669$ ~ $r^2 = 0.082$ ~ $p\text{-value} = 0.25$ ~ $n = 18$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.24x + 0.429 \sim r^2 = 0.080 \sim p\text{-value} = 0.0079 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.491x + 0.0313 \sim r^2 = 0.231 \sim p\text{-value} = 0.28 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.191x + 0.425 \sim r^2 = 0.050 \sim p\text{-value} = 0.036 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.294x + 0.197 \sim r^2 = 0.145 \sim p\text{-value} = 0.4 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.289x + 0.433 \sim r^2 = 0.089 \sim p\text{-value} = 0.0051 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.687x + -0.135 \sim r^2 = 0.253 \sim p\text{-value} = 0.25 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 7.6x + 17.7 \sim r^2 = 0.037 \sim p\text{-value} = 0.075 \sim n = 87 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 23.8x - 11.4 \sim r^2 = 0.361 \sim p\text{-value} = 0.15 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0352x - 0.0121$ ~ $r^2 = 0.016$ ~ $p\text{-value} = 0.25$ ~ $n = 87$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 0.0497x - 0.0688$ ~ $r^2 = 0.593$ ~ $p\text{-value} = 0.043$ ~ $n = 7$ ~ $\text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.481x + 0.153 \sim r^2 = 0.014 \sim p\text{-value} = 0.27 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 1.92x + -2.77 \sim r^2 = 0.832 \sim p\text{-value} = 0.0042 \sim n = 7 \sim \text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0572x + 0.236 \sim r^2 = 0.021 \sim p\text{-value} = 0.18 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0319x + 0.235 \sim r^2 = 0.004 \sim p\text{-value} = 0.89 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0245x + 0.00726$ ~ $r^2 = 0.021$ ~ $p\text{-value} = 0.18$ ~ $n = 87$ ~ $\text{score} = 0$


Regression (comparators, inside the case): $y = 0.168x + -0.225$ ~ $r^2 = 0.318$ ~ $p\text{-value} = 0.19$ ~ $n = 7$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0297x + 0.12 \sim r^2 = 0.005 \sim p\text{-value} = 0.5 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0303x + 0.197 \sim r^2 = 0.002 \sim p\text{-value} = 0.92 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.319x + 0.629 \sim r^2 = 0.142 \sim p\text{-value} = 7.1e-24 \sim n = 666 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.00265x + 0.806 \sim r^2 = 0.000 \sim p\text{-value} = 0.98 \sim n = 26 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.334x + 0.558 \sim r^2 = 0.129 \sim p\text{-value} = 1.1e-21 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.0309x + 0.69 \sim r^2 = 0.003 \sim p\text{-value} = 0.79 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.305x + 0.7 \sim r^2 = 0.117 \sim p\text{-value} = 1.2e-19 \sim n = 666 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.0362x + 0.923 \sim r^2 = 0.001 \sim p\text{-value} = 0.86 \sim n = 26 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 15.1x + 21.5 \sim r^2 = 0.125 \sim p\text{-value} = 4.1e-21 \sim n = 666 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = -2.49x + 29.2 \sim r^2 = 0.004 \sim p\text{-value} = 0.76 \sim n = 26 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0878x + 0.0174 \sim r^2 = 0.048 \sim p\text{-value} = 1.1e-08 \sim n = 666 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0124x + 0.0258 \sim r^2 = 0.007 \sim p\text{-value} = 0.69 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 1.26x + 0.538 \sim r^2 = 0.062 \sim p\text{-value} = 7.9e-11 \sim n = 666 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.271x + 0.976 \sim r^2 = 0.003 \sim p\text{-value} = 0.8 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.111x + 0.275 \sim r^2 = 0.067 \sim p\text{-value} = 9.9e-12 \sim n = 666 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.115x + 0.214 \sim r^2 = 0.112 \sim p\text{-value} = 0.094 \sim n = 26 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0335x + 0.0248 \sim r^2 = 0.045 \sim p\text{-value} = 3.4e-08 \sim n = 666 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0529x + 0.0706 \sim r^2 = 0.083 \sim p\text{-value} = 0.15 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.111x + 0.135 \sim r^2 = 0.073 \sim p\text{-value} = 1.3e-12 \sim n = 666 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0373x + 0.134 \sim r^2 = 0.013 \sim p\text{-value} = 0.58 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.49x + 0.481 \sim r^2 = 0.356 \sim p\text{-value} = 1.9e-65 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.265x + 0.626 \sim r^2 = 0.111 \sim p\text{-value} = 0.096 \sim n = 26 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.516x + 0.401 \sim r^2 = 0.328 \sim p\text{-value} = 2.4e-59 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.234x + 0.509 \sim r^2 = 0.119 \sim p\text{-value} = 0.084 \sim n = 26 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.465x + 0.561 \sim r^2 = 0.288 \sim p\text{-value} = 5.9e-51 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.296x + 0.742 \sim r^2 = 0.068 \sim p\text{-value} = 0.2 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 23.9x + 14.1 \sim r^2 = 0.333 \sim p\text{-value} = 2.2e-60 \sim n = 666 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 17.9x + 15.3 \sim r^2 = 0.144 \sim p\text{-value} = 0.056 \sim n = 26 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.143x + -0.0291 \sim r^2 = 0.136 \sim p\text{-value} = 6.4e-23 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.029x + -0.00187 \sim r^2 = 0.027 \sim p\text{-value} = 0.42 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 2.27x + -0.274 \sim r^2 = 0.213 \sim p\text{-value} = 1.6e-36 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.935x + 0.164 \sim r^2 = 0.024 \sim p\text{-value} = 0.45 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = 0.153x + 0.235$ ~ $r^2 = 0.135$ ~ $p\text{-value} = 1e-22$ ~ $n = 666$ ~ $\text{score} = 1$
Regression (comparators, inside the case): $y = 0.143x + 0.187$ ~ $r^2 = 0.125$ ~ $p\text{-value} = 0.076$ ~ $n = 26$ ~ $\text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0523x + 0.00864 \sim r^2 = 0.117 \sim p\text{-value} = 1.1e-19 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0166x + 0.0264 \sim r^2 = 0.006 \sim p\text{-value} = 0.71 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.194x + 0.0678 \sim r^2 = 0.236 \sim p\text{-value} = 8.2e-41 \sim n = 666 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.00513x + 0.153 \sim r^2 = 0.000 \sim p\text{-value} = 0.95 \sim n = 26 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.426x + 1.92 \sim r^2 = 0.361 \sim p\text{-value} = 3.4e-14 \sim n = 131 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0794x + 0.581 \sim r^2 = 0.007 \sim p\text{-value} = 0.84 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.468x + 1.96 \sim r^2 = 0.384 \sim p\text{-value} = 3.1e-15 \sim n = 131 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.122x + 0.322 \sim r^2 = 0.026 \sim p\text{-value} = 0.7 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.384x + 1.88 \sim r^2 = 0.249 \sim p\text{-value} = 1.3e-09 \sim n = 131 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.037x + 0.84 \sim r^2 = 0.001 \sim p\text{-value} = 0.95 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -20.7x + 85.1 \sim r^2 = 0.298 \sim p\text{-value} = 1.1e-11 \sim n = 133 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 1.83x + 19.7 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0954x + 0.296$ ~ $r^2 = 0.150$ ~ $p\text{-value} = 4.3e-06$ ~ $n = 133$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = 0.0172x + -0.0389$ ~ $r^2 = 0.088$ ~ $p\text{-value} = 0.48$ ~ $n = 8$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -1.93x + 6.1 \sim r^2 = 0.218 \sim p\text{-value} = 1.5e-08 \sim n = 133 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.19x + -0.258 \sim r^2 = 0.006 \sim p\text{-value} = 0.86 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0867x + 0.534 \sim r^2 = 0.078 \sim p\text{-value} = 0.0011 \sim n = 133 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.319x + -0.551 \sim r^2 = 0.451 \sim p\text{-value} = 0.068 \sim n = 8 \sim \text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0639x + 0.215 \sim r^2 = 0.186 \sim p\text{-value} = 2.2e-07 \sim n = 133 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.197x + 0.561 \sim r^2 = 0.476 \sim p\text{-value} = 0.058 \sim n = 8 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.143x + 0.543 \sim r^2 = 0.178 \sim p\text{-value} = 4.3e-07 \sim n = 133 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.304x + -0.674 \sim r^2 = 0.264 \sim p\text{-value} = 0.19 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.172x + 0.88 \sim r^2 = 0.182 \sim p\text{-value} = 4.9e-11 \sim n = 217 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = -0.14x + 0.879 \sim r^2 = 0.021 \sim p\text{-value} = 0.71 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.186x + 0.821 \sim r^2 = 0.200 \sim p\text{-value} = 4.7e-12 \sim n = 217 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.0204x + 0.655 \sim r^2 = 0.001 \sim p\text{-value} = 0.95 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.158x + 0.938 \sim r^2 = 0.125 \sim p\text{-value} = 8.3e-08 \sim n = 217 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.26x + 1.1 \sim r^2 = 0.037 \sim p\text{-value} = 0.62 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -5.84x + 31.9 \sim r^2 = 0.089 \sim p\text{-value} = 7.4e-06 \sim n = 219 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 2.37x + 23.2 \sim r^2 = 0.004 \sim p\text{-value} = 0.87 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0626x + 0.0862 \sim r^2 = 0.171 \sim p\text{-value} = 1.8e-10 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0253x + -0.00985 \sim r^2 = 0.172 \sim p\text{-value} = 0.27 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -1.07x + 1.63 \sim r^2 = 0.216 \sim p\text{-value} = 4e-13 \sim n = 219 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.375x + -0.0161 \sim r^2 = 0.020 \sim p\text{-value} = 0.72 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0625x + 0.352 \sim r^2 = 0.110 \sim p\text{-value} = 5e-07 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0431x + 0.268 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.016x + 0.052 \sim r^2 = 0.039 \sim p\text{-value} = 0.0034 \sim n = 219 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0292x + 0.0503 \sim r^2 = 0.009 \sim p\text{-value} = 0.8 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.102x + 0.239 \sim r^2 = 0.249 \sim p\text{-value} = 3.5e-15 \sim n = 219 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0208x + 0.128 \sim r^2 = 0.001 \sim p\text{-value} = 0.93 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?


Linear regression with 75th percentile prediction interval



902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0483x + 0.766$ ~ $r^2 = 0.004$ ~ p-value = 0.58 ~ n = 87 ~ score = 0
Regression (comparators, inside the case): $y = 0.497x + 0.0739$ ~ $r^2 = 0.322$ ~ p-value = 0.18 ~ n = 7 ~ score = 0
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.033x + 0.9 \sim r^2 = 0.001 \sim p\text{-value} = 0.74 \sim n = 87 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.927x + -0.153 \sim r^2 = 0.356 \sim p\text{-value} = 0.16 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -3.56x + 33.3 \sim r^2 = 0.009 \sim p\text{-value} = 0.38 \sim n = 87 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 27.7x - 6.95 \sim r^2 = 0.378 \sim p\text{-value} = 0.14 \sim n = 7 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0296x + 0.0762 \sim r^2 = 0.012 \sim p\text{-value} = 0.31 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0596x + -0.0616 \sim r^2 = 0.659 \sim p\text{-value} = 0.027 \sim n = 7 \sim \text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.166x + 0.658$ ~ $r^2 = 0.002$ ~ p-value = 0.69 ~ n = 87 ~ score = 0


Regression (comparators, inside the case): $y = 1.99x + -2.14$ ~ $r^2 = 0.692$ ~ p-value = 0.02 ~ n = 7 ~ score = -1

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = 0.0707x + 0.234$ ~ $r^2 = 0.035$ ~ p-value = 0.084 ~ n = 87 ~ score = 0


Regression (comparators, inside the case): $y = 0.296x - 0.0553$ ~ $r^2 = 0.266$ ~ p-value = 0.24 ~ n = 7 ~ score = 0

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.00851x + 0.0539 \sim r^2 = 0.003 \sim p\text{-value} = 0.63 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0541x + -0.0317 \sim r^2 = 0.025 \sim p\text{-value} = 0.73 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0304x + 0.201 \sim r^2 = 0.006 \sim p\text{-value} = 0.47 \sim n = 87 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.241x + -0.124 \sim r^2 = 0.113 \sim p\text{-value} = 0.46 \sim n = 7 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.15x + 0.868 \sim r^2 = 0.155 \sim p\text{-value} = 1.3e-09 \sim n = 220 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.145x + 0.882 \sim r^2 = 0.021 \sim p\text{-value} = 0.71 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.161x + 0.806 \sim r^2 = 0.169 \sim p\text{-value} = 2.2e-10 \sim n = 220 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.00222x + 0.64 \sim r^2 = 0.000 \sim p\text{-value} = 0.99 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.14x + 0.929 \sim r^2 = 0.109 \sim p\text{-value} = 5.4e-07 \sim n = 220 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.292x + 1.12 \sim r^2 = 0.044 \sim p\text{-value} = 0.59 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -5.38x + 31.7 \sim r^2 = 0.083 \sim p\text{-value} = 1.2e-05 \sim n = 222 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 2.68x + 23 \sim r^2 = 0.005 \sim p\text{-value} = 0.86 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0581x + 0.0847 \sim r^2 = 0.160 \sim p\text{-value} = 6e-10 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0254x + -0.00983 \sim r^2 = 0.163 \sim p\text{-value} = 0.28 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.979x + 1.61 \sim r^2 = 0.202 \sim p\text{-value} = 2e-12 \sim n = 222 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.416x + -0.0404 \sim r^2 = 0.023 \sim p\text{-value} = 0.7 \sim n = 9 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0522x + 0.342 \sim r^2 = 0.079 \sim p\text{-value} = 2.2e-05 \sim n = 222 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0426x + 0.268 \sim r^2 = 0.007 \sim p\text{-value} = 0.83 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0136x + 0.0498 \sim r^2 = 0.030 \sim p\text{-value} = 0.0092 \sim n = 222 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.0354x + 0.0541 \sim r^2 = 0.013 \sim p\text{-value} = 0.77 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.088x + 0.23 \sim r^2 = 0.218 \sim p\text{-value} = 2.2e-13 \sim n = 222 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0345x + 0.119 \sim r^2 = 0.003 \sim p\text{-value} = 0.89 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.248x + 0.881 \sim r^2 = 0.302 \sim p\text{-value} = 5.3e-17 \sim n = 198 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.312x + 0.982 \sim r^2 = 0.070 \sim p\text{-value} = 0.49 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.269x + 0.823 \sim r^2 = 0.331 \sim p\text{-value} = 7.6e-19 \sim n = 198 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.147x + 0.732 \sim r^2 = 0.024 \sim p\text{-value} = 0.69 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.226x + 0.939$ ~ $r^2 = 0.205$ ~ $p\text{-value} = 2.1e-11$ ~ $n = 198$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = -0.477x + 1.23$ ~ $r^2 = 0.084$ ~ $p\text{-value} = 0.45$ ~ $n = 9$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -10.9x + 33.1 \sim r^2 = 0.253 \sim p\text{-value} = 3.1e-14 \sim n = 200 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -9.27x + 30.4 \sim r^2 = 0.041 \sim p\text{-value} = 0.6 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0751x + 0.0776 \sim r^2 = 0.229 \sim p\text{-value} = 7.9e-13 \sim n = 200 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.00581x + 0.00265 \sim r^2 = 0.006 \sim p\text{-value} = 0.84 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -1.2x + 1.43 \sim r^2 = 0.262 \sim p\text{-value} = 8.9e-15 \sim n = 200 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0444x + 0.195 \sim r^2 = 0.000 \sim p\text{-value} = 0.97 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0615x + 0.343 \sim r^2 = 0.088 \sim p\text{-value} = 2.1e-05 \sim n = 200 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.171x + 0.19 \sim r^2 = 0.078 \sim p\text{-value} = 0.47 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0377x + 0.0585 \sim r^2 = 0.176 \sim p\text{-value} = 6.1e-10 \sim n = 200 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.191x + 0.149 \sim r^2 = 0.276 \sim p\text{-value} = 0.15 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.121x + 0.227 \sim r^2 = 0.297 \sim p\text{-value} = 6.9e-17 \sim n = 200 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.109x + 0.0737 \sim r^2 = 0.022 \sim p\text{-value} = 0.7 \sim n = 9 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.173x + 1.12 \sim r^2 = 0.018 \sim p\text{-value} = 0.01 \sim n = 373 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.413x + 0.174 \sim r^2 = 0.168 \sim p\text{-value} = 0.15 \sim n = 14 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.222x + 1.14 \sim r^2 = 0.023 \sim p\text{-value} = 0.0036 \sim n = 373 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.345x + 0.145 \sim r^2 = 0.120 \sim p\text{-value} = 0.23 \sim n = 14 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.125x + 1.1 \sim r^2 = 0.009 \sim p\text{-value} = 0.074 \sim n = 373 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.48x + 0.203 \sim r^2 = 0.125 \sim p\text{-value} = 0.22 \sim n = 14 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -14x + 53.2 \sim r^2 = 0.042 \sim p\text{-value} = 6.1e-05 \sim n = 375 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 36.3x - 28.7 \sim r^2 = 0.265 \sim p\text{-value} = 0.06 \sim n = 14 \sim \text{score} = -1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0419x + 0.152 \sim r^2 = 0.003 \sim p\text{-value} = 0.26 \sim n = 375 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.0151x + -0.0164 \sim r^2 = 0.054 \sim p\text{-value} = 0.42 \sim n = 14 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -1.44x + 3.58 \sim r^2 = 0.028 \sim p\text{-value} = 0.0011 \sim n = 375 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 2.38x + -3.26 \sim r^2 = 0.349 \sim p\text{-value} = 0.026 \sim n = 14 \sim \text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.209x + 0.644 \sim r^2 = 0.099 \sim p\text{-value} = 5e-10 \sim n = 375 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = -0.296x + 0.745 \sim r^2 = 0.339 \sim p\text{-value} = 0.029 \sim n = 14 \sim \text{score} = 1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0195x + 0.0812 \sim r^2 = 0.006 \sim p\text{-value} = 0.13 \sim n = 375 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.245x + -0.335 \sim r^2 = 0.474 \sim p\text{-value} = 0.0065 \sim n = 14 \sim \text{score} = -1$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.195x + 0.491 \sim r^2 = 0.081 \sim p\text{-value} = 2e-08 \sim n = 375 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = -0.168x + 0.421 \sim r^2 = 0.074 \sim p\text{-value} = 0.35 \sim n = 14 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.293x + 1.62 \sim r^2 = 0.220 \sim p\text{-value} = 2.6e-32 \sim n = 566 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.117x + 0.35 \sim r^2 = 0.028 \sim p\text{-value} = 0.38 \sim n = 29 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.323x + 1.63 \sim r^2 = 0.263 \sim p\text{-value} = 2.6e-39 \sim n = 566 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = -0.00629x + 0.641 \sim r^2 = 0.000 \sim p\text{-value} = 0.94 \sim n = 29 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.262x + 1.61 \sim r^2 = 0.136 \sim p\text{-value} = 1e-19 \sim n = 566 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.241x + 0.0592 \sim r^2 = 0.054 \sim p\text{-value} = 0.22 \sim n = 29 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -10.9x + 60 \sim r^2 = 0.125 \sim p\text{-value} = 5e-18 \sim n = 565 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 4.44x + 11.8 \sim r^2 = 0.018 \sim p\text{-value} = 0.49 \sim n = 29 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.0747x + 0.26 \sim r^2 = 0.120 \sim p\text{-value} = 2e-17 \sim n = 565 \sim \text{score} = 1$
Regression (comparators, inside the case): $y = 0.022x + -0.0537 \sim r^2 = 0.031 \sim p\text{-value} = 0.36 \sim n = 29 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.965x + 3.77 \sim r^2 = 0.085 \sim p\text{-value} = 1.6e-12 \sim n = 565 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 1.13x + -2.69 \sim r^2 = 0.075 \sim p\text{-value} = 0.15 \sim n = 29 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.137x + 0.717 \sim r^2 = 0.178 \sim p\text{-value} = 7.2e-26 \sim n = 565 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0347x + 0.14 \sim r^2 = 0.013 \sim p\text{-value} = 0.55 \sim n = 29 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0423x + 0.163 \sim r^2 = 0.112 \sim p\text{-value} = 3.4e-16 \sim n = 565 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = -0.12x + 0.433 \sim r^2 = 0.468 \sim p\text{-value} = 4.3e-05 \sim n = 29 \sim \text{score} = 1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.136x + 0.572 \sim r^2 = 0.234 \sim p\text{-value} = 1.8e-34 \sim n = 565 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.11x + -0.234 \sim r^2 = 0.154 \sim p\text{-value} = 0.035 \sim n = 29 \sim \text{score} = -1$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.00173x + 0.899 \sim r^2 = 0.249 \sim p\text{-value} = 8e-37 \sim n = 563 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.00171x + 0.734 \sim r^2 = 0.114 \sim p\text{-value} = 0.41 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0017x + 0.834 \sim r^2 = 0.210 \sim p\text{-value} = 1.5e-30 \sim n = 563 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.00109x + 0.601 \sim r^2 = 0.069 \sim p\text{-value} = 0.53 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.00176x + 0.964 \sim r^2 = 0.223 \sim p\text{-value} = 1.3e-32 \sim n = 563 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.00233x + 0.866 \sim r^2 = 0.112 \sim p\text{-value} = 0.42 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.0835x + 34.7 \sim r^2 = 0.219 \sim p\text{-value} = 6.5e-32 \sim n = 563 \sim \text{score} = 1$


Regression (comparators, inside the case): $y = 0.0872x + 26.2 \sim r^2 = 0.289 \sim p\text{-value} = 0.17 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval




Regression (all, outside the case): $y = -0.000438x + 0.088 \sim r^2 = 0.077 \sim p\text{-value} = 2.1e-11 \sim n = 563 \sim \text{score} = 0$
Regression (comparators, inside the case): $y = 0.000102x + 0.00818 \sim r^2 = 0.030 \sim p\text{-value} = 0.68 \sim n = 8 \sim \text{score} = 0$
*Samples rated not degraded.

902S01097: Stressor–Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.00603x + 1.53 \sim r^2 = 0.085 \sim p\text{-value} = 1.5e-12 \sim n = 563 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.00044x + 0.859 \sim r^2 = 0.002 \sim p\text{-value} = 0.91 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.000474x + 0.358 \sim r^2 = 0.069 \sim p\text{-value} = 2.4e-10 \sim n = 563 \sim \text{score} = 0$


Regression (comparators, inside the case): $y = 0.000919x + 0.219 \sim r^2 = 0.131 \sim p\text{-value} = 0.38 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.000211x + 0.054$ ~ $r^2 = 0.110$ ~ $p\text{-value} = 6.1e-16$ ~ $n = 563$ ~ $\text{score} = 1$


Regression (comparators, inside the case): $y = 2e-05x + 0.0439$ ~ $r^2 = 0.000$ ~ $p\text{-value} = 0.97$ ~ $n = 8$ ~ $\text{score} = 0$

*Samples rated not degraded.

902S01097: Stressor-Response (linear regression) line of evidence

Is there evidence of a biological gradient from inside or outside the case?

Linear regression with 75th percentile prediction interval



Regression (all, outside the case): $y = -0.000615x + 0.23 \sim r^2 = 0.142 \sim p\text{-value} = 1.9e-20 \sim n = 563 \sim \text{score} = 1$

Regression (comparators, inside the case): $y = 0.000727x + 0.0927 \sim r^2 = 0.109 \sim p\text{-value} = 0.42 \sim n = 8 \sim \text{score} = 0$

*Samples rated not degraded.