


SIMOG Request & Response Lifecycles



An architectural overview of system interfaces, state management, and shared operational cores.



The Four Runtime Domains



Web UI

Human-driven interactions mapped through web.xml and standard servlet processing.



SOAP Service

System-to-system data exchange and procurement operations driven by JAX-WS endpoints.



Batch Operations


Automated, file-system-driven operations executed via command-line triggers.




Administrative Flows

Ad hoc support and data handling utilities operating outside user-facing flows.


Web UI Standard Pipeline



Session Establishment Flow



Procurement Service Execution



Contrasting SOAP Architectures

Standard SOAP Flow

Endpoint: SimogWSPDD



Data Handling: Standard XML/JAXB
unmarshalling



Persistence: ConnectionWSManager
utilizing standard JDBC

TED Flow

Endpoint: /services/SimogWSTED




Data Handling: Rigorous XML/XSD
validation runs first, followed by TED-
specific delta/notice manipulation



Persistence: JPA-backed persistence
via TEDDbService

TED operations diverge from standard SOAP by introducing strict XSD validation and JPA abstractions in place of raw JDBC.

Automated Batch Operations



The Administrative Toolbox



Support & Data Handling


- QueryCIG
- BuildListTypes
- DatabaseNavigatorSQLServer

Ad hoc utility flows operating outside central user-facing lifecycles,
dedicated to operational support and data handling.

Lifecycle Diagnostic Matrix

	Web UI	SOAP Service	Batch Operations
Entry Point	web.xml mappings	JAX-WS endpoints	Command-line Main.java
Payload Type	HTTP Request Parameters	SOAP XML Payload	IN / OUT / WRK Files
State Management	HTTP Session (+ DB)	Session Tickets (+ DB)	Runtime Configs
Transaction Boundary	Servlet / JDBC controlled	ConnectionWSManager	File processing block

The Shared Operational Core



Despite distinct entry points, validation schemas, and transaction managers, SOAP and Web lifecycles natively reuse the same core modules for business logic execution and database access.

Cross-Cutting Realities



Distributed Validation

Validation is not centralized. It is spread across controllers, validators, manager preconditions, and AccessiDB state checks.



Manual Transactions

Connection and transaction boundaries are managed manually and repeated across lifecycles.



External Config Dependency

Execution flows heavily depend on external configuration files loaded dynamically at runtime.