

Research prototype—not for clinical diagnosis or treatment.
BRPI has not yet been trained or validated in patient cohorts.
The displayed probabilities and thresholds are illustrative. This application must not delay urgent assessment, endoscopy, reflux monitoring, cardiac evaluation, or other clinically indicated care.

Versions

- Questionnaire: BRPI Seven-Day Symptom Questionnaire v1.0.0
- Model: IllustrativeLogisticModel v1.0.0
- Validation status: illustrative_only · clinical use permitted: false

Safety-screen status

No safety override


Difficulty swallowing (dysphagia): **no**
Painful swallowing (odynophagia): **no**
Gastrointestinal bleeding or black stool: **no**
Unexplained weight loss: **no**
Persistent vomiting: **no**
Known anemia: **no**
Abdominal or neck mass: **no**
Concerning chest pain or symptoms that may need cardiac assessment: **no**

Illustrative probability

0.14

Demonstration action zone: **low demonstration zone**
 η (eta) = -1.78 · zones are illustrative cutoffs (below 0.20 / 0.20–<0.80 / ≥ 0.80), not clinical thresholds.

A statistically valid uncertainty interval is unavailable because this demonstration model has not been fitted to patient data.



Mathematical contributors


In this illustrative equation, heartburn intensity, regurgitation intensity and heartburn frequency increased the displayed value most strongly. Contributors are associations within an illustrative equation, not causes.

Term	Contribution to η
heartburn intensity	1.0
regurgitation intensity	0.96
heartburn frequency	0.9
regurgitation frequency	0.7
heartburn frequency–intensity interaction	0.675

Term	Contribution to η
regurgitation frequency–intensity interaction	0.44
postprandial association	0.25
epigastric-pain term	-0.1
nocturnal symptoms	0.0
positional (supine/bending) association	0.0


Patient-specific heartburn frequency curve

Heartburn days varied from 0–7 while holding other entered responses fixed. Marker shows the entered heartburn frequency (3 days).




Illustrative—not clinically validated

Regurgitation frequency curve (optional)



Illustrative—not clinically validated

Bivariate frequency–intensity surface (optional)



Illustrative—not clinically validated

Response certainty
40%