

Research prototype—not for clinical diagnosis or treatment.
BRPI has not yet been trained or validated in patient cohorts.
The displayed probabilities and thresholds are illustrative. This application must not delay urgent assessment, endoscopy, reflux monitoring, cardiac evaluation, or other clinically indicated care.

Versions

- Questionnaire: BRPI Seven-Day Symptom Questionnaire v1.0.0
- Model: IllustrativeLogisticModel v1.0.0
- Validation status: illustrative_only · clinical use permitted: false

Safety-screen status

No safety override

Difficulty swallowing (dysphagia): **no**
Painful swallowing (odynophagia): **no**
Gastrointestinal bleeding or black stool: **no**
Unexplained weight loss: **no**
Persistent vomiting: **no**
Known anemia: **no**
Abdominal or neck mass: **no**
Concerning chest pain or symptoms that may need cardiac assessment: **no**


Illustrative probability

0.98

Demonstration action zone: **high-probability demonstration zone**

η (eta) = 3.96 · zones are illustrative cutoffs (below 0.20 / 0.20–<0.80 / ≥ 0.80), not clinical thresholds.

Prewritten manuscript illustration interval: 0.74–0.94. This is *not* a calculated posterior or confidence interval.



Illustrative—not clinically validated

Mathematical contributors


In this illustrative equation, regurgitation frequency, heartburn frequency–intensity interaction and regurgitation frequency–intensity interaction increased the displayed value most strongly. Contributors are associations within an illustrative equation, not causes.

Term	Contribution to η
regurgitation frequency	2.1
heartburn frequency–intensity interaction	1.8
regurgitation frequency–intensity interaction	1.65
heartburn intensity	1.6

Term	Contribution to η
heartburn frequency	1.5
regurgitation intensity	1.2
nocturnal symptoms	0.36
postprandial association	0.25
positional (supine/bending) association	0.2
epigastric-pain term	-0.1


Patient-specific heartburn frequency curve

Heartburn days varied from 0–7 while holding other entered responses fixed.
Marker shows the entered heartburn frequency (5 days).




Illustrative—not clinically validated

Regurgitation frequency curve (optional)



Illustrative—not clinically validated

Bivariate frequency–intensity surface (optional)



Illustrative—not clinically validated

Response certainty
80%