com.hust.ittnk68.cnpm.model.	com.hust.ittnk68.cnpm.model. FindPersonModel  personId  familyId  fullname  enableDateOfBirth  dateOfBirth  citizenId  phoneNumber  sex  nation  residenceStatus  tableView  FindPersonModel()  getPersonIdProperty()  getFamilyIdProperty()  getFamilyIdProperty()  getEnableDateOfBirth()  getDateOfBirthProperty()  getCitizenIdProperty()  getPhoneNumberProperty()  getSexProperty()  getResidenceStatusProperty()  setTableView()  getTableView()	com.hust.ittnk68.cnpm.model. CreatePersonModel  - fullname  - dateOfBirth  - citizenId  - phoneNumber  - sex  - nation  - residenceStatus  + CreatePersonModel()  + getFullnameProperty()  + getDateOfBirthProperty()  + getCitizenIdProperty()  + getPhoneNumberProperty()  + getSexProperty()  + getNationProperty()  + getResidenceStatusProperty()	com.hust.ittnk68.cnpm.model. CreateFamilyModel - personId - houseNumber + CreateFamilyModel() + personIdProperty() + houseNumberProperty()	com.hust.ittnk68.cnpm.model. FindFamilyModel  - familyId  - personId  - houseNumber  - tableView  + FindFamilyModel()  + personIdProperty()  + familyIdProperty()  + setTableView()  + getTableView()	com.hust.ittnk68.cnpm.model.	com.hust.ittnk68.cnpm.model. CreateAccountModel - familyId - username - password - password2 - accountType + CreateAccountModel() + familyIdProperty() + usernameProperty() + password2Property() + password2Property() + accountTypeProperty()	com.hust.ittnk68.cnpm.model. FindAccountModel  - accountId - familyId - username - digestPassword - accountType - tableView + FindAccountModel() + accountIdProperty() + familyIdProperty() + usernameProperty() + digestPasswordProperty() + accountTypeProperty() + setTableView() + getTableView()	com.hust.ittnk68.cnpm.model.	com.hust.ittnk68.cnpm.model. CreateExpenseModel  - expenseTitle  - expenseDescription  - publishedDate  - totalCost  - expenseType  - required  + CreateExpenseModel()  + expenseTitleProperty()  + expenseDescriptionProperty()  + publishedDateProperty()  + totalCostProperty()  + expenseTypeProperty()  + requiredProperty()	com.hust.ittnk68.cnpm.model. FindExpenseModel  - enableDayFilter  - beginPublishedDate  - endPublishedDate  - minTotalCost  - maxTotalCost  - expenseType  - required  - tableView  + FindExpenseModel()  + enableDayFilterProperty()  + beginPublishedDateProperty()  + minTotalCostProperty()  + maxTotalCostProperty()  + maxTotalCostProperty()  + requiredProperty()  + setTableView()  + getTableView()	com.hust.ittnk68.cnpm.model.	com.hust.ittnk68.cnpm.model. CreatePaymentStatusModel - paymentStatusId - expenseId - familyId - totalPay - publishedDate + CreatePaymentStatusModel() + paymentStatusIdProperty() + expenseIdProperty() + familyIdProperty() + totalPayProperty() + publishedDateProperty()	com.hust.ittnk68.cnpm.model. FindPaymentStatusModel  - paymentStatusId  - expenseId  - familyId  - totalPay  - enableDateFilter  - beginPublishedDate  - endPublishedDate  - tableView  + FindPaymentStatusModel()  + paymentStatusIdProperty()  + expenseIdProperty()  + totalPayProperty()  + totalPayProperty()  + beginPublishedDateProperty()  + endPublishedDateProperty()  + setTableView()  + getTableView()	com.hust.ittnk68.cnpm.model.     UpdatePaymentStatusModel - paymentStatusId - expenseId - familyId - totalPay - publishedDate - updatePaymentStatusWindow + UpdatePaymentStatusModel() + paymentStatusIdProperty() + familyIdProperty() + totalPayProperty() + publishedDateProperty() + getUpdatePaymentStatusWindow() + setUpdatePaymentStatusWindow()	com.hust.ittnk68.cnpm.model.     ClientModel     username     password     token     uriBase     restClient     ClientModel()     getRestClient()     setUriBase()     getUriBase()     getToken()     getUsernameProperty()     getUsername()     setUsername()     getPasswordProperty()     getPassword()     setPassword()
	-updatePerson	Model -findPersonN	Model -createPersonN	Model -createFamily	Model -findFamilyN	Model -updateFamilyN	Application		r -clientInteractor  ittnk68.cnpm.interactor. ClientInteractor	indExpenseModel -upd	lateExpenseModel C	reatePaymentStatusModel -find	PaymentStatusModel -upda	atePaymentStatusModel -client	~model

com.hust.ittnk68.cnpm.Client

+ stop()

+ start()

+ main()

+ ClientInteractor()
+ loginHandler()

+ getMainScreen()

+ notificate()

and 24 more...

+ showFailedWindow()

+ createPersonHandler()

- notificateUpdateSuccessfully()

+ logout() + setRoot()

+ forgetPasswordButtonHandler()

+ showConfirmationWindow()