Scrumify.

Agile Sprint Management Platform

Administrator Manual

Version 1.0 | 2026

Table of Contents

1. Introduction 3

1.1 What is Scrumify? 3

1.2 Admin Role Overview 3

2. Getting Started 4

2.1 Logging In 4

2.2 Navigating the Interface 4

3. Team Management 5

3.1 Creating a Team 5

3.2 Editing and Deleting Teams 5

3.3 Opening a Team Dashboard 5

4. User Management 6

4.1 Creating a User 6

4.2 Access Links 6

4.3 Managing Existing Users 6

5. Team Dashboard 7

5.1 Overview Metrics 7

5.2 Active Sprint Board 7

6. Sprint Management 8

6.1 Creating a Sprint 8

6.2 Managing Stories 9

6.3 Importing Stories 9

6.4 Sprint Lifecycle 10

7. Team Settings 11

7.1 Developer Management 11

7.2 Category Allocation 11

8. Velocity & Analytics 12

1. Introduction

1.1 What is Scrumify?

Scrumify is an agile sprint management platform designed for scrum teams. It provides a centralized workspace to plan and track sprints, manage user stories, monitor team velocity, and coordinate developer capacity.

Sprint Planning

Create and manage sprints with configurable capacity, story points, and timelines.

Kanban Board

Visual story tracking across To Do, In Progress, Dev Done, and Done columns.

Velocity Tracking

Historical charts and AI-powered retrospective insights for continuous improvement.

Team Management

Manage developers, days off, and capacity allocation across multiple teams.

1.2 Admin Role Overview

As an Administrator, you have full access to all Scrumify features. Your responsibilities include:

- **Managing teams** — create, configure, and delete scrum teams
- **Managing users** — add team members and distribute access links
- **Running sprints** — create, start, and complete sprint cycles
- **Managing stories** — add, edit, move, and delete user stories
- **Configuring capacity** — set developer capacities and category allocations
- **Monitoring analytics** — track velocity trends and team performance

> **Note:** Users (non-admin team members) have read-only access to the team workspace. Only admins can create or modify content.

2. Getting Started

2.1 Logging In

Admin access is protected by email and password authentication.

1. Open your browser and navigate to the Scrumify URL.
2. Enter your **email address** and **password** in the login form.
3. Click **Sign in**. You will be redirected to the Admin Dashboard.

> **Tip:** Use the eye icon next to the password field to show or hide your password while typing.

2.2 Navigating the Interface

After logging in, you will see the top navigation bar with the following elements:

Element	Description
Scrumify logo	Click to return to the Admin Dashboard from anywhere
Team Switcher	Dropdown to switch between team dashboards quickly
Settings icon (⚙)	Returns to the Admin Dashboard
Logout button	Signs you out and clears your session

Admin Dashboard

The Admin Dashboard (`/admin`) is your central hub. It has two main sections:

- **Teams** — create and manage scrum teams
- **Users** — add team members and manage access

Team Workspace Tabs

When inside a team, you have access to five tabs:

Tab	Purpose

Dashboard	Overview metrics, velocity chart, and active sprint board
Sprint	Full list of all sprints and detailed sprint boards
Velocity	Historical performance charts and AI retrospective analysis
Team	Developer roster, days off calendar, and capacity settings
Settings	Team name, sprint duration, category allocation, delete team

3. Team Management

3.1 Creating a Team

Teams are the core organizational unit in Scrumify. Each team has its own sprint history, developers, and settings.

1. From the Admin Dashboard, locate the **Teams** section.
2. Enter a **Team name** in the text field.
3. Select the **Sprint duration** (1, 2, 3, or 4 weeks). Default is 2 weeks.
4. Click **Create**. The team will appear in the table below.

3.2 Editing and Deleting Teams

Editing a Team

In the team table, click the **pencil icon** (✏) next to a team to edit it inline. You can update the team name and sprint duration. Click the **checkmark** to save or **X** to cancel.

Deleting a Team

Click the **trash icon** (🗑) next to a team to delete it.

> **Warning:** Deleting a team permanently removes all associated sprints, user stories, developer records, and analytics. This action cannot be undone.

Team Status Indicators

The team table shows useful at-a-glance information:

- `active sprint` badge indicates the team has a running sprint
- The **Stats** column shows the number of developers and sprints

3.3 Opening a Team Dashboard

There are two ways to navigate to a team workspace:

- Click the **external link icon** (↗) in the team table row
- Use the **Team Switcher** dropdown in the navigation bar

4. User Management

4.1 Creating a User

Regular users (non-admin team members) do not use passwords. Instead, they receive a unique access link that logs them in automatically.

1. From the Admin Dashboard, scroll to the **Users** section.
2. Enter the user's **name** in the text field.
3. Select the **team** to assign them to from the dropdown.
4. Click **Add User**. The user appears in the table with their access link.

> **Note:** A team must exist before you can add users to it. Create your teams first.

4.2 Access Links

Each user has a unique access link that serves as their authentication credential.

- **Copy link** — click the copy icon (⧉) next to a user's access link to copy it to your clipboard. Share this link with the user via email or messaging.
- **Regenerate link** — click the refresh icon (↻) to generate a new token. The old link will stop working immediately.

> **Tip:** The access link is displayed in full in the user table for easy copying and testing.

4.3 Managing Existing Users

Editing a User

Click the **pencil icon** to edit a user's name or reassign them to a different team inline.

Deleting a User

Click the **trash icon** to permanently delete a user account. Their access link will immediately become invalid.

Admin Users

Admin accounts (including your own) are displayed with an `admin` badge. Admin accounts cannot be modified or deleted through the user management interface. They authenticate via email and password only.

5. Team Dashboard

The Team Dashboard is the main workspace for a team. Navigate to it by clicking the external link icon in the admin table or using the Team Switcher.

5.1 Overview Metrics

The top row of the dashboard shows five key performance indicators:

Metric	Description
Total Sprints	Number of sprints created for this team
Average Velocity	Average story points delivered per sprint
Avg Dev Time	Average time stories spend in "In Progress" status
Avg Test Time	Average time stories spend in "Dev Done / Testing" status
Avg Completion Rate	Percentage of planned capacity delivered on average

Velocity & Category Charts

Below the metrics, two charts provide visual insights:

- **Velocity Chart** — bar chart showing planned vs. delivered SP per sprint, with a velocity trend line and average reference line. Click sprint buttons to filter which sprints appear.
- **Category Donut Chart** — distribution of story types (User Story, Bug, MCO, Best-effort, Tech Lead) across all sprints.

5.2 Active Sprint Board

If an active sprint exists, a Kanban board is displayed showing all stories in their current status columns.

Story Cards

Each story card displays:

- Story ID (8-character truncated identifier)
- Story title

- Story points (shown in red if the points were ever changed)
- Assignee name (if assigned)
- Status move button, edit button, and delete button

> **Tip:** Hover over a story's point value to see the full history of point changes with timestamps.

No Active Sprint

If no sprint is active, the dashboard shows buttons to create a new sprint or view existing sprints.

Upcoming and Completed Sprints

Below the active sprint board, planned and completed sprints are displayed as cards in a 4-per-row grid. Click any sprint card to open its detailed board.

6. Sprint Management

6.1 Creating a Sprint

Navigate to **Sprint** tab → click **New Sprint** (or use the button on the dashboard if no active sprint exists).

1. Enter a **Sprint name** (e.g., "Sprint 1", "Q1 Sprint 2").
2. Set the **Start date**. The system shows the sprint duration to help you pick the end date.
3. Set the **End date**.
4. Click **Create Sprint**. The sprint is created in `Planned` status.

6.2 Managing Stories

Open a sprint board by clicking a sprint card or the sprint name. You will see the full Kanban board with all four status columns.

Adding a Story

1. Scroll to the **Add Story** form at the bottom of the sprint board.
2. Enter the **story title**.
3. Select **story points** (Fibonacci scale: 1, 2, 3, 5, 8, 13, 21, 34, 55, 89).
4. Select a **category** and optionally an **assignee**.
5. Click **Add**. The story appears in the "To Do" column.

Story Status Flow

To Do → **In Progress** → **Dev Done / Testing** → **Done**

Click the **move button** (→) on a story card to advance it to the next status. The system automatically records the time spent at each status for analytics.

Editing a Story

Click the **pencil icon** on a story card to open the inline editor. You can update the title, story points, category, and assignee. Click **Save** to confirm changes.

Deleting a Story

Click the **trash icon** on a story card to permanently remove it from the sprint.

Story Categories

Category	Description
User Story	Business feature or user-facing functionality
Bug	Defect or bug fix
MCO	Must-Continue-Operations (operational tasks)
Best-effort	Nice-to-have improvements
Tech Lead	Technical leadership tasks

6.3 Importing Stories

You can bulk-import stories from a CSV or Excel file instead of adding them one by one.

1. On the sprint board, click the **Import** button (upload icon).
2. Select a **.csv**, **.xls**, or **.xlsx** file from your computer.
3. The system detects columns automatically. Review or manually map the column fields (ID, Title, Points, Status, Category, Assignee).
4. A **preview** of the first 10 stories is shown. Verify the data looks correct.
5. Click **Import** to add all stories to the sprint.

> **Warning:** If the sprint already has stories, importing will replace them. The import supports up to 500 stories per file.

6.4 Sprint Lifecycle

A sprint moves through three statuses: `Planned` → `Active` → `Completed`.

Changing Sprint Status

On the sprint board, use the **status dropdown** in the sprint header to change the sprint status. Only admins can change sprint status.

Status	Meaning	What Becomes Available
`Planned`	Sprint is being prepared	Add, edit, delete stories; set capacity
`Active`	Sprint is in progress	Move stories between columns; time tracking starts
`Completed`	Sprint is finished	Read-only; visible in velocity analytics

> **Note:** Only one sprint can be active at a time per team. The dashboard's sprint board only shows the active sprint.

Sprint Statistics

The sprint board header shows five real-time statistics:

- **SP Capacity** — total story points the team can deliver (sum of all developer capacities)
- **SP Planned** — target story points for this sprint
- **SP Current** — total story points of all stories currently in the sprint
- **SP Done** — story points of stories in "Done" status
- **Completion %** — SP Done as a percentage of SP Capacity

Category Breakdown

Below the progress bars, a category breakdown table shows how stories are distributed by type, including SP done vs. total for each category.

Transition Times

The sprint board also displays average time metrics:

- **Avg In Progress → Dev Done** — how long development is taking on average
- **Avg Testing → Done** — how long testing/review is taking on average

7. Team Settings

7.1 Developer Management

Go to the **Team** tab to manage developers and team capacity.

Adding a Developer

1. Scroll to the **Add Developer** form at the bottom of the Team tab.
2. Enter the developer's **name**.
3. Select their **role**: Developer or Tech Lead.
4. Enter their **story point capacity per sprint** (how many SP they can realistically deliver in a full sprint).
5. Click **Add**.

Days Off Calendar

The calendar shows all developers' days off for the current month. Click on any cell to toggle it through three states:

- **Empty** — developer is working that day
- ½ — developer is off for half the day
- ✕ — developer is off for the full day

Use the **Previous / Next** arrows to navigate between months. Weekends are shown in gray and cannot be toggled.

7.2 Category Allocation

Go to the **Settings** tab to configure how story points are distributed across categories.

For each category, set the **percentage** of sprint capacity it should represent. The *User Story* percentage is calculated automatically as 100% minus all other categories.

> **Note:** Changes are saved automatically when you leave each field (on blur). The system also updates the Tech Lead developer's story point capacity to match their

> allocation percentage.

You can also customize the **color** of each category using the color picker on the left. These colors appear on story cards, charts, and the category breakdown.

Other Settings

- **Team Name** — rename the team at any time
- **Sprint Duration** — change the default sprint length (affects new sprint date guidance)
- **Delete Team** — permanently removes the team and all its data (irreversible)

8. Velocity & Analytics

The **Velocity** tab provides historical performance data and AI-powered insights to help you improve your team's processes.

8.1 Velocity Chart

The chart shows SP Planned vs. SP Done for each sprint, with a velocity trend line. Use the sprint toggle buttons above the chart to include or exclude specific sprints from the view.

A dashed **average velocity** line is shown as a reference. This helps identify whether your team's performance is improving, declining, or stable.

8.2 Category Distribution Chart

The donut chart shows the breakdown of story categories across all selected sprints. This helps you understand the balance of feature work, bugs, operational tasks, and tech lead work over time.

8.3 AI Retrospective Advisor

Powered by Claude (Anthropic's AI), the retrospective advisor analyzes your last three sprints and provides personalized recommendations.

1. Click **Analyse** to generate a new AI retrospective report.
2. Wait a few seconds for the analysis to complete.
3. Read the formatted recommendations in the expandable panel below the button.
4. Click **Regenerate** at any time to get a fresh analysis.

> **Tip:** For best results, have at least 2-3 completed sprints before running the AI analysis. The more sprint history available, the more accurate the insights.

8.4 Sprint Performance Table

Below the charts, a table lists all sprints with:

- **Sprint name** and **date range**
- **Capacity** — total team story point capacity
- **Planned** — story points planned for the sprint
- **Delivered** — actual story points completed
- **Efficiency** — delivered as a percentage of capacity (color-coded: green ≥80%, amber 50-79%, red <50%)

> **Note:** The active (in-progress) sprint is included in the table with its current progress. Only completed sprints are factored into the average velocity calculation.