



### Final Ranking of Datasets


| Rank | Dataset  | OC              | CNR              | SNR              |
|------|----------|-----------------|------------------|------------------|
| 1    | Method D | $0.82 \pm 0.06$ | $11.42 \pm 2.23$ | $15.94 \pm 2.21$ |
| 2    | Method G | $0.39 \pm 0.06$ | $9.40 \pm 1.62$  | $22.63 \pm 1.95$ |
| 3    | Method B | $0.39 \pm 0.09$ | $7.78 \pm 1.65$  | $20.77 \pm 1.62$ |
| 4    | Method A | $0.10 \pm 0.02$ | $8.13 \pm 1.75$  | $82.87 \pm 6.48$ |
| 5    | Method F | $0.24 \pm 0.05$ | $8.21 \pm 1.75$  | $29.34 \pm 2.14$ |
| 6    | Method E | $0.14 \pm 0.03$ | $8.02 \pm 1.75$  | $45.54 \pm 3.43$ |
| 7    | Method C | $1.55 \pm 0.25$ | $6.90 \pm 1.13$  | $7.46 \pm 1.10$  |




## Result of the Sensitivity Analysis



Win-Loss-Matrix: Overview of Comparisons (Row vs. Column)



Sankey Diagram for Visualizing Rank Shifts



## Distribution of final Bootstrap Ranks (B = 175)

