## Relational Schema:

Matches(MId, Date/Time, Length, Round, Hteam, Ateam, Referee, Stadium)

- MId not null
- Hteam/Ateam foreign key referencing home/away Team Name/Country
- Hteam/Ateam not null
- Referee foreign key referencing Referees
- Referee not null
- Stadium foreign key referencing Stadium
- Stadium not null

Teams(Name/Country, Group, URL, National Assoc.)

- Name/Country not null

NOTE: No Members entity translations because ISA is covering and non-overlapping

Players(PId, Name, DOB, Position, Shirt #, Team)

- PId not null (primary/reference key cannot be null)

Coach(PId, Name, DOB, Role)

- PId not null (primary/reference key cannot be null)

Playing in(MId, PId, Entered, Left, Yellow, Red)

- MId and PId not null
- MId foreign key referencing Match
- PId foreign key referencing Players

Goal(MId, Occurrence, Minute Scored, Penalty Kick, PId)

- MId and Occurence not null
- MId foreign key referencing Matches
- PId foreign key referencing Players

Referees(PId, Name, Country Born, Role, Years Experience)

- PId not null

# Officiating(Mid, PId)

- MId and PId not null
- MId foreign key referencing Match
- PId foreign key referencing Players

Stadium(Name, Location, Capacity)

Name not null

Ticket(PId, Cost, MId, Seat#, Email)

- PId not null
- MId foreign key referencing Matches
- Seat# foreign key referencing Seat
- Email foreign key referencing Customer

Customer(Email, Name, Phone #, Address, Credit Card #)

- Email not null

Seat(Seat #, Row, Section, Cost, Stadium)

- Seat# not null
- Stadium foreign key referencing Stadium

# **Application Interaction:**

```
3a)
```

i

	ENGTH ROUND	НТЕАМ	ATEAM	REFEREE STADIUM
1 2023-03-11-20.00.00.000000	90 Group Stage			
	00 00000 00000	Argentina	Spain	1 Maracana Stadium
2 2023-03-11-22.00.00.000000	90 Group Stage	Brazil	South Korea	2 Allianz Arena
3 2023-03-12-20.00.00.000000	90 Group Stage	France	Portugal	3 Signal Iduna Park
4 2023-03-13-22.00.00.000000	90 Group Stage	Germany	Mexico	4 Johan Cruyff Arena
5 2023-03-12-20.00.00.000000	90 Group Stage	Japan	Japan	5 Wembley Stadium
6 2023-03-12-22.00.00.000000	90 Group Stage	Mexico	Germany	6 King Baudouin Stadium
7 2023-03-13-20.00.00.000000	90 Group Stage	Portugal	France	7 La Bombonera
8 2023-03-10-22.00.00.000000	90 Group Stage	South Korea	Brazil	
9 2023-03-13-20.00.00.000000	90 Group Stage	Spain	Argentina	8 Estadio do Dragao
			Argentzia	9 Parc des Princes

ii

Soccer Main Menu

- 1. List information of matches of a country
- 2. Insert initial player information for a match
- 3. Insert a Goal
- 4. Exit application

[Please Enter Your Option: 1

Enter the name of the country: Argentina

Argentina Spain 2023-03-11 Group Stage 1 2 4 Spain Argentina 2023-03-13 Group Stage 0 0 2

Enter [A] to find matches of another country, [P] to go to the previous menu: lacksquare

;;;

[Enter [A] to find matches of another country, [P] to go to the previous menu: P Soccer Main Menu

- 1. List information of matches of a country
- 2. Insert initial player information for a match
- 3. Insert a Goal
- Exit application
- Please Enter Your Option:

12 Jaden Leach

i March 12th date of runtime db2 => SELECT MId, Hteam, Ateam, Date\_Time, Round FROM Matches WHERE Date\_Time BETWEEN CURRENT\_DATE AND CURRENT\_DATE + 3 DAY;c DATE\_TIME ROUND 3 France Portugal 2023-03-12-20.00.00.000000 Group Stage 4 Germany Mexico 2023-03-13-22.00.00.000000 Group Stage Japan 2023-03-12-20.00.00.000000 Group Stage 6 Mexico Germany 2023-03-12-22.00.00.000000 Group Stage 7 Portugal 2023-03-13-20.00.00.000000 Group Stage 9 Spain Argentina 2023-03-13-20.00.00.000000 Group Stage 6 record(s) selected. ii |db2 => select name from players,playing\_in where players.PID = playing\_in.PID and playing\_in.Entered >= 0 and players.team = 'Portugal' and playing\_in.MID = 3; 0 record(s) selected. db2 => select \* from players where team = 'Portugal'; POSITION SHIRT\_NUM TEAM 11/30/1992 Goalkeeper 1 Portugal 10 Jacob Lerner 6 Portugal 11 Ben Halpern

06/24/1990 Defense

04/21/1991 Defense

05/21/1993 Left Wing

55 Portugal

66 Portugal

77 Portugal

```
iv
```

Soccer Main Menu

- 1. List information of matches of a country
- 2. Insert initial player information for a match
- 3. Insert a Goal
- 4. Exit application

[Please Enter Your Option: 2

#### Matches:

- 3 France Portugal 2023-03-12 Group Stage
- 4 Germany Mexico 2023-03-13 Group Stage
- 5 Japan Japan 2023-03-12 Group Stage
- 6 Mexico Germany 2023-03-12 Group Stage
- 7 Portugal France 2023-03-13 Group Stage
- 9 Spain Argentina 2023-03-13 Group Stage

Enter [P] to go to the previous menu or anything else to continue:

V

[Enter [P] to go to the previous menu or anything else to continue: anything [Enter the Match ID: 3 [Enter the Country: Portugal

Vi

(No players currently set in the match which is consistent with ii) can be seen through message "No players in the match"

[Enter the Match ID: 3 [Enter the Country: Portugal

The following players from Portugal are already entered for match 3:

No players in the match

Bench Players:

Sara Lee 1 Goalkeeper
 Jacob Lerner 6 Forward
 Ben Halpern 55 Defense
 Jaden Leach 66 Defense

Enter the number of the player you want to insert or [P] to go to the previous menu:

```
Vii
[to go to the previous menu: 1
Enter the position of the player: Goalkeeper
Sara Lee
                    Goalkeeper
                                  from minute 0
                                                   to minute NULL yellow: 0 red: 0
Bench Players:
1. Jacob Lerner
                   6
                        Forward
 2. Ben Halpern
                   55
                        Defense
3. Jaden Leach
                        Defense
                   66
Enter [P] to go to main menu or anything else to select another Match ID 
lap{4}
Viii (This is assuming I added two more players then tried adding a fourth for the same country C and
match ID M)
(notice how bench players are not showing and only option is to quit along with the message too many players)
Enter the Match ID: 3
[Enter the Country: Portugal
The following players from Portugal are already entered for match 3:
Sara Lee
                     Goalkeeper
                                  from minute 0
                                                    to minute NULL yellow: 0 red: 0
Jacob Lerner
                  6
                         Forward
                                   from minute 0
                                                    to minute NULL yellow: 0 red: 0
                                                    to minute NULL yellow: 0 red: 0
Ben Halpern
                 55
                         Defense
                                   from minute 0
Already 3 players in the game, cannot add any more
Enter [P] to go to the previous menu:
ix
 Already 3 players in the game, cannot add any more
[Enter [P] to go to the previous menu: P
 Soccer Main Menu
 1. List information of matches of a country
 2. Insert initial player information for a match
 Insert a Goal
 Exit application
[Please Enter Your Option: 4
 Exiting application...
```

cs421g10@winter2023-comp421:~\$

# X(taken after adding all three players into the database for country C and Match ID M, taking into account question viii)

Mb2 => SELECT Players.Name, Players.Shirt\_Num, Players.Position, Playing\_in.Entered AS Start\_Time, Playing\_in.Left AS End\_Time, Playing\_in.Yellow, Playing\_in.Red FROM Playing\_in
INNER JOIN Players ON Playing\_in.PId = Players.PId
INNER JOIN Matches ON Playing\_in.MId = Matches.MId
|WHERE Matches.MId = 3 AND Playing\_in.Entered >= 0 AND Players.Team = 'Portugal';db2 (cont.) => db2 (cont.) => db2 (cont.) => db2 (cont.) => ;

NAME	SHIRT_NUM		START_TIME	_	YELLOW	RED	
Sara Lee	1	Goalkeeper					
Jacob Lerner			e		-	0	0
	6	Forward	e	, .	_	0	0
Ben Halpern	55	Defense					
		6		-	0	0	
3 record(s) selected	١.						

3c)

We designed this part to input goals to a game anytime after the game occurred up until 24 hours of the game. The reason we did that is for an easier organization of games shown in the menu when selecting this option. Also when inputting a score to a game, someone would do this right after the game finished or a few hours later.

Firstly when selecting 3 it shows all the games that occurred in the last day:

And to handle errors, if there are no games it will give a message and return to main menu automatically:

```
Please Enter Your Option: 3

Matches:
No games in the past day
Soccer Main Menu
1. List information of matches of a country
2. Insert initial player information for a match
3. Insert a Goal
4. Exit application
Please Enter Your Option:
```

If there are games:

```
Soccer Main Menu

1. List information of matches of a country

2. Insert initial player information for a match

3. Insert a Goal

4. Exit application
[Please Enter Your Option: 3

Matches:

1. Argentina Spain 2023-03-11 Group Stage

2. Brazil South Korea 2023-03-11 Group Stage

Enter [P] to go to the previous menu or anything else to continue:
```

After selecting the match ID, the current goals recorded and all the players on the team are selected with the option to choose the player number. If the player is not on the list then a message will be displayed and returned to the main menu: (note it will only show the players that played in the match (entered time  $\geq 0$ )).

```
[Enter the Match ID: 2

The following are goals from that have already been entered for match 2:

Jane Doe 7 1 17 1
Jane Doe 7 3 14 0
Jane Doe 7 2 81 0
Tom Davis 3 4 12 0

The following are are the names and shirt number of the player that played and were active in the game with MatchID: 2:

Jane Doe 7
Tom Davis 3

Enter the number of the player who scored the goal or [P] to go to the previous menu:
```

### Before inserting:

```
        db2 => select p.Name, p.shirt_num, g.occurrence, g.minute_scored, g.penalty_kick, p.pid from Goal g, players p, matches m where p.pid = g.pid and m.mid = g.mid and g.mid = 2;

        NAME
        SHIRT_NUM
        OCCURRENCE MINUTE_SCORED PENALTY_KICK PID

        Image: Subject of the color of the col
```

And then we then insert the following information. (if the minute is over 100 which includes extra time then a message will be displayed and sent back to main menu)

```
[Enter the number of the player who scored the goal or [P] to go to the previous menu: 3
[Enter the minute scored: 15
[was this a penalty (1 for yes, 0 for no): 1

Jane Doe 7 1 17 1
Jane Doe 7 3 14 0
Jane Doe 7 2 81 0
Tom Davis 3 4 12 0
Tom Davis 3 5 15 1

The following are are the names and shirt number of the player that played and were active in the game with MatchID: 2:

Jane Doe 7
Tom Davis 3

Select [P] to go to main menu or anything else to pick a new Match ID:
```

### After inserting:

```
    db2 => select p.Name, p.shirt_num, g.occurrence, g.minute_scored, g.penalty_kick, p.pid from Goal g, players p, matches m where p.pid = g.pid and m.mid = g.mid and g.mid = 2;

    NAME
    SHIRT_NUM OCCURRENCE MINUTE_SCORED PENALTY_KICK PID

    Jane Doe
    7
    1
    17
    1
    2

    Jane Doe
    7
    3
    14
    8
    2

    Jane Doe
    7
    2
    81
    8
    2

    Tom Davis

    3
    4
    12
    8
    9

    Tom Davis

    3
    5
    15
    1
    9

    5 record(s) selected.
```

If we select a Match ID not in the available games a message will be shown and return to main menu:

```
[Enter the Match ID: 3

Match Id not in list of games played in the last day

Soccer Main Menu

1. List information of matches of a country

2. Insert initial player information for a match

3. Insert a Goal

4. Exit application

Please Enter Your Option: ■
```

```
db2 => CREATE INDEX Match ON Matches(MId, Hteam, Ateam);
DB20000I The SQL command completed successfully.
db2 =>
```

We chose to create an index over the match id, the home team, and the away team. We chose to create an index for these attributes of the matches table because we found that most of our queries referenced information from the matches table. Additionally, it was particularly helpful to be able to reference the specific match (match id) and the teams competing in that match. The match id is used as a foreign key in most of our other tables, makinging it especially useful to quickly access this. The teams values are referenced often because we want specific information for certain teams.

### Data Analytics:

SELECT Teams.Name\_Country, COUNT(Goal.MId) AS Goals\_Scored FROM Teams

JOIN Players ON Teams.Name\_Country = Players.Team

JOIN Playing\_in ON Players.PId = Playing\_in.PId

JOIN Goal ON Playing\_in.MId = Goal.MId AND Playing\_in.PId = Goal.PId

JOIN Matches ON Playing\_in.MId = Matches.MId

WHERE Matches.Round = 'Group Stage'

GROUP BY Teams.Name\_Country;

Name of excel file: Goals Per Team

