AgroFlow: live web journey retest

23 October 2026 | Public site, staff console and farmer web app

1. Verdict

The web experience has improved substantially, but the complete customer-to-installed-farm journey is not signed off. The redesigned public navigation works at both tested sizes, the staff logo loads, small-farm area is readable, and the installation wizard reaches Review. Important faults remain in farmer reassurance, draft agreement handling, localisation and visual contrast.

Ready for a supervised web walkthrough: yes, with these limitations explained. Ready to call the whole onboarding and physical irrigation journey complete: no. This retest did not accept agreements, create a new account, commission hardware or verify real watering. Security findings below are observations and coverage limits, not a penetration-test certification.

Top priorities:

1. Stop Drip saying every zone looks good when there are no readings and advice confidence is low.
2. Resolve the production setup screen asking farmers to accept documents labelled Draft - needs approval.
3. Make Open farmer app actually reach farmer login instead of looping to Get the app.
4. Repair Technology-section and dark-gallery contrast; repair selected radio semantics.
5. Finish essential Afrikaans/Setswana copy and replace false loading states with actual loading indicators.

No application code, configuration, migration, Git branch, pull request or deployment was changed by this retest. Local test scripts, reports and evidence are the authored outputs.

2. What ran and exact counts

Workstream	Result	Scope
Core public regression	**68 Pass / 0 Fail**	34 intents at 390x844 and 1366x768, adapted to the new routes and controls
Expanded checks	**52 Pass / 2 Fail**	44 route/theme/layout cases, two all-zero-phone checks and eight interaction/link/navigation cases
Total unique automated functional cases	**122: 120 Pass / 2 Fail**	68 + 54; the two failures are the same farmer-app-link defect at two sizes
Accessibility	**22 scans; 9 failing rule instances; 44 affected node instances; 2 distinct rule IDs**	Contrast and target-size; recurring nodes are not 44 distinct bugs
Authenticated manual checkpoints	**37: 28 Pass / 4 Fail / 4 Partly / 1 Blocked**	Defined in manual-checks.json; navigation/display checks are not full backend acceptance tests
Tokenless API GET probes	**7 completed**	Public ping 200; five protected endpoints 401; /health 401 for API-key requirement
CORS preflights	**3 completed**	Two application origins allowed; unrelated origin not granted allow-origin
HTML header samples	**3 completed, all HTTP 200**	Product, staff entry and farmer login
APK availability	**1 HEAD request, HTTP 200**	Server reports 121,081,035 bytes; no fresh complete download or Android execution

Screenshots, JSON results and runnable audit scripts accompany the report. Exact file totals are recorded in final-summary.json after evidence collection completes. Authenticated cloud-browser screenshots could not be made available in the shared output directory; those observations are documented as manual text evidence rather than linked to missing files. The exported screenshots are from the headless signed-out/public tests.

Method and corrections

Headless Chromium 153.0.8010.0 ran with a certificate-validating Playwright APIRequest transport forwarding GET/HEAD/OPTIONS. All writes were blocked in that headless transport; service workers were blocked. No TLS-validation or browser-web-security bypass flag was used. This reproduces page/UI behaviour under that transport, not real-device networking, offline caching, touch keyboards or native Android.

The initial core run recorded 54 passes and 14 failures. Those failures consisted of a phone-label selector mismatch and dependent validation cases, plus testing direct-load focus instead of the actual call-request link. Corrected selectors and the real call-request journey were rerun: all 14 replacement cases passed. final-summary.json keeps one result per viewport/test ID. Initial results remain in results.json for transparency; they are not 14 product bugs and are not added as extra tests.

Two initial all-zero-phone cases hit that same selector issue. Their corrected reruns passed and replace the initial results. The enlarged check set retains two genuine failures for the farmer-app entry path. The old anchor-navigation assertions were adapted to real pages; intended route changes are not failures.

Two route clicks at each size showed no visible full-screen splash immediately after clicking. Observed click-to-overlay-hidden times were 35-42 ms across those four clicks. This is a small warm-navigation sample under the audit transport, not a page-speed benchmark or proof that every loader scenario is fixed.

Authenticated staff and the previously authorised existing farmer account were reviewed separately through the visible browser. They were not rerun at both headless viewport sizes. FarmTime remained the synthetic staff-side record; the farmer login was the existing authorised account, so these do not form one continuous same-identity acceptance test.

3. Journey coverage: enquiry to handover

Stage	Status	What was actually established
Public explanation/navigation	Works in tested cases	Separate pages, menu, root/deep-link responses and no public staff/admin links
Call-request validation	Works in tested cases	Name, phone, province, town, crop, time and contact-consent gates; Other field; all-zero phone rejected
Successful new enquiry submission	Can't verify in this run	No new live enquiry submitted; existing synthetic enquiry used for downstream inspection
Staff enquiry review	Works for inspection	Existing FarmTime enquiry #8, Open / You, retained original synthetic notes
Enquiry-to-existing-farmer link	Partly	Possible FarmTime match, explicit identity warning and no-call explanation; closed before Link and complete
Farmer/farm record	Works for display	FarmTime assigned, Sesobe shown, 0.02 ha (200 m²), Awaiting installation
Fresh rural account/farm creation	Can't verify	No new record submitted; coordinate acceptance, partial recovery and idempotency not retested
Farmer sign-in	Works for existing authorised account	Secure login reached Home; FarmTime credentials were not available/read/transferred
Farmer setup entry	Partly	Four tasks and installer separation visible; first screens of farm/water/crops and first two preferences screens inspected
Setup save/progression	Partly	Saving unchanged English advanced once; full save/reload/resume, unknown-help persistence and all later task screens not tested
Terms acceptance	Not completed	Screen asks acceptance of documents explicitly marked draft; checkbox left unchecked
Service/quote	Partly	Example prices clearly labelled examples; team approval, real agreement and billing not verified
Booking/first visit	Can't verify	No visit booked or appointment save exercised
Kit registration	Partly	All five stages through Review for FarmTime; no enrolment credential created
Commissioning and physical handover	Can't verify	No kit enrolled, real reading, Start/Stop, physical flow or failsafe test
Ongoing farmer navigation	Works for inspected screens	Home, irrigation/zone, alerts, history, reports, tank, forecast, settings and field guide reached; operational saves/exports not inferred

The previous 17-screen setup has been reorganised. This report does not claim that all 17 legacy screens, or every screen within the four new tasks, was completed. Account and agreement boundaries prevented a complete fresh-customer walkthrough; that limit matters more than a large passing smoke-test count.

4. Findings and suggested fixes

RET-01 | High | False all-good reassurance from Drip

Evidence: authenticated Home showed All your zones look good today, while also showing no kit connected, waiting for the first soil reading and low-confidence advice. Manual F02. URL: farmer app root; accessible button name begins Drip says.

Reproduce: use an authorised no-kit farmer with incomplete readings; allow Home to load and compare helper text with Farm status and confidence. **Why it matters:** the personality feature communicates confidence that the displayed evidence does not support. No physical crop-health conclusion is justified.

Fix: drive the helper from authoritative availability and priority states. Unknown/no-kit should explain the next step, not imply healthy zones. **Verify:** fixtures for no kit, no readings, stale data, low confidence, real fault and genuinely available normal data. Codex owns presentation; Claude owns the state contract/rules.

RET-02 | High | Setup asks acceptance of unapproved drafts

Evidence: preferences screen 2 of 6, Before you start, says both documents still need approval and presents an acceptance checkbox. Links identify version 0.1-draft dated 23 October. Public /terms and /privacy independently display draft/approval warnings. Manual F09. No agreement was accepted.

Reproduce: open Your details > Your preferences, save unchanged language and inspect the next screen. **Why it matters:** the customer is asked to accept material the product itself says is unfinished; it prevents an honest complete onboarding sign-off. This is a product-readiness finding, not a legal opinion or a finding that an unlawful agreement was formed.

Fix: obtain approved documents and define the activation/acceptance policy before enabling production acceptance. Keep draft preview distinct from recorded acceptance; use approved versioned backend records. **Verify:** drafts cannot be recorded as approved service acceptance, approved versions persist correctly, optional permissions remain separate and failure does not show success. Team/legal approval plus Claude contract; Codex screen states.

RET-03 | Medium | Open farmer app loops to the download page

Evidence: public content links labelled Open farmer app point to /get-the-app, including on /get-the-app itself. The Already registered? Open farmer app phrase appears as text without a direct link in the captured content links. Both CUSTOMER-WEB-APP-LINK cases fail. Actual farmer login was independently reached at the separate farmer-app origin.

Reproduce: follow Open farmer app from Home, then look for a working registered-user web-login route on Get the app. **Why it matters:** an existing customer can be sent round a marketing loop instead of reaching sign-in.

Fix: link the explicit Open farmer app action to the approved farmer web login; keep Get the app as a separate download destination. **Verify:** click-through reaches login at both sizes, including direct entry to Get the app. Codex.

RET-04 | Medium | Technology content remains difficult to read

Evidence: desktop axe scans reported 14 contrast nodes in Light and 15 in Dark. Examples: stage headings 1.84:1 on pale blue and 2.51:1 on dark blue; stage copy 1.82:1 and 2.54:1. See accessibility entries /technology-Light and /technology-Dark; selectors article[data-hardware-stage] headings, paragraphs and .hardware-stage-number.

Reproduce: open Technology at 1366x768 in each theme, scroll through controller explanation stages and inspect inactive/current-stage text. **Why it matters:** the explanation becomes faint, so the hardware story is harder to follow. Counts vary by viewport/state and are not a complete accessibility certification.

Fix: give all readable stages contrast-safe text, including inactive stages. Indicate selection with borders/icons rather than fading required copy. Scope model styles and preserve the surrounding page typography/gutters. **Verify:** every stage, callout and control in both themes, including scroll transitions and reduced motion. Codex.

RET-05 | Medium | Dark-mode app captions and eyebrows fail contrast

Evidence: gallery captions at #0b3a5b on #101c25 measured 1.45:1. .landing-eyebrow measured 2.97:1 in sampled dark pages. Desktop Get the app scan found eight contrast nodes; phone found two in its visible/assessed state. These counts overlap the overall accessibility totals.

Reproduce: select Dark, visit Get the app and scroll the seven previews. **Why it matters:** labels telling customers what each screen does become difficult to read.

Fix: use theme-specific caption/eyebrow foreground tokens, rather than retaining light-theme dark blue. **Verify:** all seven captions, headings, links and focus states in each theme. Codex.

RET-06 | Medium | Essential English remains in both beta languages

Evidence: Afrikaans and Setswana Home translated much navigation and the main installer advice, but retained the drought disclaimer, Why am I seeing this?, the English confidence reason, weather description, Humidity / Wind / Rain chance / Updated and some map controls. Manual F21/F22. Proper farmer/farm names are not counted as missing translations.

Reproduce: Settings > Afrikaans, inspect Home, repeat Setswana, then restore English. **Why it matters:** users can find a feature without understanding its uncertainty or consequences.

Fix: localise generated explanations, helper strings, weather and accessible labels through stable message contracts. Have fluent speakers review action meanings. **Verify:** essential tasks in all three languages with long labels and real error states. No new dictionary-key inventory or fluency assessment was performed in this run. Codex plus Claude message contracts.

RET-07 | Medium | Selected radios are not exposed as selected

Evidence: English is visibly selected but is a DIV with role=radio and no aria-checked. The accessibility tree reports all language options as unselected. Similar unselected announcements appear in drought/filter groups, but only the language control's exact DOM semantics were explicitly inspected. Manual F10.

Reproduce: inspect the selected English control in preferences or Settings with the accessibility tree and DOM. **Why it matters:** a screen-reader user cannot identify the current language reliably.

Fix: provide checked state and proper group/keyboard behaviour, or use appropriate native controls. **Verify:** selected-state announcements before/after changes and keyboard navigation. Do not confuse this with Simple view: that is a native checkbox whose checked property was inspected separately and restored false. Codex.

RET-08 | Medium | Loading briefly invents a missing tank

Evidence: entering zone/25 first showed Water Tank / No tank set up; after loading it showed 2,500 L, Good, about 100% full. Home already displayed the saved 2,500 L. Manual F14. Settled values agree; this is a loading-state problem, not proof of lost tank data.

Reproduce: navigate to the zone while its farm data is still arriving; compare first and settled tank cards. **Why it matters:** a farmer may think setup has been lost or needs repeating.

Fix: show Loading or an explicit unavailable state until tank availability is known. Reserve No tank set up for an authoritative no-tank response. **Verify:** slow response, genuine no-tank, populated tank and error. Codex with explicit availability contract if needed.

RET-09 | Medium | Operational readiness checks remain incomplete

Evidence: authenticated Overview reported database response, but schema Could not be checked and a failed weather-status check. It explicitly said the failed check says nothing about forecasts. Manual A08. Raw SQL from the earlier audit was not shown in the observed copy.

Reproduce: view staff System health and read schema/weather status. **Why it matters:** staff cannot establish those readiness signals, despite the cleaner error handling. This does not establish a database outage or Open-Meteo outage; a farmer forecast did load.

Fix: investigate diagnostic failures using server-side references and expose actionable, accurate status. **Verify:** known healthy dependencies, failed dependency and failed diagnostic separately. Claude; Codex should retain safe error copy.

RET-10 | Medium | Installation label mixes account and installation state

Evidence: farmer Home initially said Installation: details being checked and later Installation: account active, despite no kit connected and 0 of 4 detail tasks complete. The precise cause of that label change is unverified. Saving unchanged English occurred during the session; this report does not prove it caused a backend transition.

Reproduce: inspect the current journey card for an account active without installed hardware. **Why it matters:** account access is not installation or commissioning, so this does not tell a farmer whether a visit is pending.

Fix: display account, farmer-information and installation status separately, with authoritative next action/owner. **Verify:** account active but unbooked, details incomplete, booked, installed and commissioned fixtures. Claude state contract plus Codex labels.

RET-11 | Low | Callback helper text has insufficient contrast

Evidence: #enquiryPhoneHint measured 3.84:1, foreground #758491 on white at 12px, in both initial contact scans. The expected normal-text threshold reported by axe was 4.5:1. It is not counted again as two separate product defects.

Fix: darken the helper token and retest error/help/disabled text, in both themes. **Verify:** contact validation state plus default form. Codex.

RET-12 | Low | Farmer enquiry link is a small touch target

Evidence: farmer-login target-size rule flagged the call-request link at 23px high, with insufficient neighbouring spacing, at both sizes. Widths were 358px and 446px; the rule reported a 24px minimum with spacing criteria.

Fix: increase vertical padding and separation, preferably using the same generous target policy as other phone actions. **Verify:** keyboard focus and touch target geometry without clipping long translations. Codex.

RET-13 | Low | Repeated photography and illustrative badges weaken the page hierarchy

Evidence: public screenshots show the same generic farm hero across the separate pages and retain the visible Illustrative landscape badge the user asked to remove. This is a visual assessment against the requested design direction, not a functional/security defect.

Fix: use purposeful page-specific imagery/compositions and remove the intrusive overlay. Keep appropriate generated-image disclosure discreet and truthful. Technology should lead with the controller, app access with the app, and About with purpose/people where approved assets exist. **Verify:** a visual review across all eleven public destinations. Codex.

RET-14 | Low | Signed-in staff page title still says sign-in

Evidence: authenticated Overview, enquiries, farmer and kit routes retained browser title AgroFlow staff sign-in. This is directly observable UI metadata, not evidence that authentication failed.

Fix: update the document title on authentication and route changes. **Verify:** login, Overview, Farmers and Kits show appropriate titles. Codex.

Additional observations needing investigation, not confirmed root causes

- Current confidence copy says no weather for this farm yet, while live weather/forecast are available and advice refers to a historical period. Clarify which dates/inputs confidence describes; this retest does not establish an incorrect FAO calculation.
- The soil-feel sheet opened with useful descriptions, but the accessibility tree exposed it as a container and focus remained on the opener. Review modal semantics/focus; no soil observation was saved.
- Kit-type copy mentions flow metering, while the farmer water-use copy explicitly says no water meter. Confirm whether this is a future hardware capability, fitted hardware capability or incorrect wording. Hardware capability was not established from the web UI.
- Public and Settings prices are labelled examples: R4,000 installation and R610/month for two zones. I cannot confirm their approval, commercial basis or billing implementation. Do not present them as validated prices in this audit.

5. Improvements verified since the earlier audit

Earlier problem	Current observation	Limit
Hidden phone navigation	All seven core destinations reachable using the mobile menu; separate pages respond	Not every browser/device certified
Broken staff logo	Visible logo decoded at both sizes	Scope is login/recovery entry assets
All-zero phone passed client gate	Corrected PHONE-ZERO checks reject it	No ownership verification or successful server submission tested
Small farm rounded to zero	FarmTime displays 0.02 ha (200 m²), including kit farm choice	Full unit conversion rules not audited
Newly created farms looked operationally broken	FarmTime says Awaiting installation	Farmer journey label still needs work
Enquiry stayed separate after direct onboarding	Link to existing farmer now offers a possible match and explicit completion action	Persistence was not submitted
Farmer/installer responsibilities mixed	Four farmer tasks; flow/calibration/kit/longest-run/test-run assigned to installer	Full workflow persistence not verified
Saved 20-minute schedule versus five-minute limit unclear	Explicit effective five-minute cap and inactive saved schedule explanation	Backend/firmware enforcement not tested
Tank-budget copy claimed tank not recorded	Home acknowledges 2,500 L and explains missing records for days remaining	Zone's initial loading copy still wrong
Raw SQL health failure	User-safe diagnostic copy, no raw SQL in observed Overview	Diagnostic checks still incomplete
Browser-hardening headers absent	Three samples now include HSTS, SAMEORIGIN, nosniff, referrer and permissions policies; CSP report-only present	No enforced CSP header observed; report-only is not an enforcement pass
Repeated public full-screen loader	Four warm route transitions showed no splash	Initial/cold/per-device performance not certified
New irrigation simulation	Start, Stop and Reset worked at both sizes; no write request was attempted in captured transport	Not a real command-path or hydraulic test

6. Security and physical safety boundaries

Sampled protected GETs /api/admin/health, /api/admin/settings/drought-community, /api/farmer/dashboard, /api/farms and /api/users all returned 401 without a token. Public /api/public/ping returned 200 with ok=true. /health rejected a missing/invalid API-key header. The three CORS results retained selective application origins. Details: probes.json.

These checks do not establish RLS, role authorisation with a farmer token, other-farm isolation, credential expiry, reset-code single-use/attempt limits, MQTT ACLs, repository secrets or dependency security. No token was extracted from either signed-in session. No source-history, npm/NuGet or migration audit was run in this web retest.

Water now was disabled in the settled no-kit zone. No real watering command was sent. No Wi-Fi/broker outage, restart, stuck valve, physical stop, three-minute failsafe or volume measurement was tested. The kit wizard's single-use 24-hour credential is UI copy; expiry/enforcement was not exercised. No enrolment credential was created or read.

7. Changes and restoration

- Reused the existing synthetic FarmTime record; no new enquiry, farmer, farm, zone, user, hardware or appointment was created. Enquiry linking was previewed, not submitted.
- Opened the synthetic account-removal alertdialog, pressed Cancel and verified the account stayed listed. No removal confirmed.
- Opened kit registration through Review, then closed it. No credential created.
- Saved the existing English preference once to test progression. It advanced to the draft agreement screen; no new password or agreement was entered. The journey label later read account active; its cause and any underlying progress update were not independently reversed or verified from the backend.
- Temporarily switched English -> Afrikaans -> Setswana -> English. English restoration was verified in the UI. No Telegram message was sent.
- Temporarily enabled Simple view, disabled it again and confirmed the native checkbox was false. No notification, drought, tank, schedule or watering setting was saved.
- No alerts were marked read or dismissed, no report generated, no soil-feel/pH observation or refill logged, and no community/fire report submitted.
- Staff sign-out was verified by return to the sign-in form. Passwords, tokens and unrelated customer contact details are excluded from deliverables.

8. Fix order and next acceptance pass

Codex: first fix contrast, captions, radio semantics, direct farmer-login links and honest loading; then align Technology and refine the repetitive public imagery. Keep the successful mobile menu and readable unit display. Add state-based helper copy after Claude supplies its contract.

Claude/team: approve/version agreements; fix helper priority/availability rules, clarify lifecycle stages and investigate schema/weather diagnostics. Verify rural-coordinate creation and recovery against the backend before declaring AF-01 resolved. Confirm example prices and actual flow hardware.

The next isolated acceptance run should submit one clearly synthetic enquiry, link or create exactly one authorised test farmer, complete approved farmer-information saves, reload/resume, book a test visit, enrol isolated hardware and demonstrate first reading and controlled Start/Stop. Use approved terms or an explicitly nonbinding test fixture; do not manufacture a real customer's acceptance. Record actual command acknowledgement and measured stops separately from UI tests.

This audit stops short of that complete acceptance. I cannot confirm the end-to-end installed irrigation service from the work performed here.

Evidence register

- **E1:** retest-2026-10-23/results.json: initial headless cases, page content/links, errors and 22 axe scans.
- **E2:** retest-2026-10-23/rechecks.json: corrected selectors/focus, phone validation, demo/3D-control interactions and warm navigation observations.
- **E3:** retest-2026-10-23/final-summary.json: deduplicated final functional cases and exact totals. Initial failures remain available, not silently deleted.
- **E4:** retest-2026-10-23/manual-checks.json: defined authenticated manual checkpoints, using the visible browser. These are recorded observations, not repository test implementations.
- **E5:** retest-2026-10-23/probes.json: tokenless API, CORS, selected headers and APK HEAD metadata. No credential values.
- **E6:** retest-2026-10-23/screens/: signed-out/public screenshots; initial captures can precede image/transition settlement, with separately named settled/full-page captures for the important

rechecks.

- **E7:** earlier system-audit-2026-10-22.md, read for the original 34-by-two test intents and earlier public findings. No old test result is presented as a new run.

Primary live targets: https://agro-flow-gules.vercel.app/ ; /contact#enquire ; /experience ; /technology ; /get-the-app ; /terms ; /privacy ; /staff/ . Farmer: https://agroflow-mobile.vercel.app/login and authenticated /, /setup, /irrigation, /zone/25, /alerts, /history, /reports, /tank, /forecast, /settings. API: https://agroflow-production-998d.up.railway.app . Original private source paths/line numbers were not available for this live-web retest; URL, DOM selector and test ID evidence is supplied instead.