Quick Start Guide

⚠ Caution & Warning

- Use only the provided power supply.
- Keep the power supply dry.
- Stay out of the pool while the cleaner is working.
- Unplug before servicing.
- Don't use the cable to pull the cleaner out of the water.
- Keep it away from children and those who need supervision.
- Check the cable for obstructions regularly.

Operating the Robot Using the App

- Download the app.
- Turn on Bluetooth and Wifi on your device.
- Begin the registration process.
- Follow the app's instructions.

Welcome to your new Purily Robotic Pool Cleaner!

Purily Robotic Pool Cleaners are designed to offer cutting-edge cleaning technologies, durable performance, and effortless maintenance. With Purily, you and your family can swim with peace of mind, knowing that your pool is impeccably clean and ready for endless enjoyment.

Robotic Cleaner Operation

Press the ON/ ⏻ button to power it ON

Submerge the Robotic pool cleaner

Use the remote control to pilot the Robotic pool cleaner

⚠ Warning

Make sure the **Protective cap** and **Charging cap** are ON and SCREWED in all the way.
DO NOT allow the Robotic Pool Cleaner to operate underwater for more than eight (8) hours a day

LED indicators described:
Standby mode: The LED will flash yellow.
Manual Mode: The LED stays green.
Wall Cleaning Mode: The LED flashes in a green gradient.
Bottom Cleaning Mode: The LED flashes green.
Battery Low Indicator: The LED indicator stays red.
Error Indicator: The LED indicator flashes red.

Cleaning Buoy Operation

To connect the cable:

- Hold the 4-Pin notched ends of the floating cable, insert them into the Cleaning Buoy, and twist clockwise to secure.
- Repeat the same process for the 5-Pin end when connecting to the robotic pool cleaner.

Cautions:

- Do not attempt to twist the entire cable to avoid damaging it.
- Ensure the connector is fully screwed in with no gaps to prevent water exposure to the connector pins.

⚠Warning

Make sure the **Charging cap** is ON and SCREWED in all the way.

Pilot the robot by the app

- Press the "Power" button to turn on the Robotic pool cleaner.
- Press and hold the "Setup" button of the Cleaning buoy for 3 seconds. Ensure the light is blinking.
- Open your app and click on "Add device" to initiate the connection.
- Follow the instructions provided within the app.

Signal Buoy Operation

To connect the cable:
- Hold the 4-Pin notched ends of the floating cable, insert them into the Cleaning Buoy, and twist clockwise to secure.
- Repeat the same process for the 5-Pin end when connecting to the robotic pool cleaner.

Cautions:
- Do not attempt to twist the entire cable to avoid damaging it.
- Ensure the connector is fully screwed in with no gaps to prevent water exposure to the connector pins.

⚠Warning

Make sure the **Charging cap** is ON and SCREWED in all the way.

Pilot the robot by the app

- Press the "Power" button to turn on the Robotic pool cleaner.
- Press and hold the "Wifi" button of the Cleaning buoy for 3 seconds. Ensure the light is blinking.
- Open your app and click on "Add device" to initiate the connection.
- Follow the instructions provided within the app.

AC-Power Operation

To connect the cable:

- Hold the 4-Pin notched ends of the floating cable, insert them into the Cleaning Buoy, and twist clockwise to secure.
- Repeat the same process for the 5-Pin end when connecting to the robotic pool cleaner.

Cautions:

- Ensure the connector is fully screwed in with no gaps to prevent water exposure to the connector pins.

⚠Warning

Keep the AC-Power **AWAY** from water and ensure it remains clear of the pool area.

Make sure the **Charging cap** is ON and SCREWED in all the way.

Pilot the robot by the app

- Press the "Power" ⏻ button to turn on the Robotic pool cleaner.
- press the "Power" ⏻ button to turn on the AC-Power.
- Press and hold the "Wifi" button of the Cleaning buoy for 3 seconds. Ensure the light is blinking.
- Open your app and click on "Add device" to initiate the connection.
- Follow the instructions provided within the app.

Charging

Hold the notched end of the cable, insert it into the connector, and rotate clockwise to secure it. Make sure the connector is dry before plugging it in.

Indicators on the Adaptor:
A **red light** indicates that the charging is in progress.
A **green light** indicates that the battery is fully charged.

⚠ Warning

After charging, make sure the **Charging cap** is ON and SCREWED in all the way.

Filter Cleaning

It is highly recommended to clean the filter basket after each cleaning cycle.

Note: Don't let the filter cartridges dry out before cleaning.

⚠ **Warning: Unplug the power supply before servicing**

- Press the button to open the filter cover.
- Hold the handle to lift up the basket independently.
- Dismantle the 2 panels using your thumbs.
- Clean the filter panels with hose.
- Insert the filter basket and close the filter cover.