BUSFIN 8200: Problem Set 2

Xi Wang

October 22, 2026

Question 1

(a)

We have complete markets iff we can find a unique matrix Ω s.t. $X\Omega = I$, where

$$X = \begin{bmatrix} 10 & 10 & 0 \\ 20 & 10 & 10 \\ 30 & 10 & 10 \end{bmatrix}, \qquad \Omega = \begin{bmatrix} | & | & | \\ w_1 & w_2 & w_3 \\ | & | & | \end{bmatrix},$$

and each w_i is a portfolio weight vector using A, B and C. For example, $(10, 20, 30)'$ is asset A's payoff across the three states.

$X\Omega = I$ means

$$Xw_1 = \begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix}, \qquad Xw_2 = \begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix}, \qquad Xw_3 = \begin{pmatrix} 0 \\ 0 \\ 1 \end{pmatrix}.$$

Because X is 3×3, $X\Omega = I$ has a unique solution iff X is invertible, and

$$X \text{ invertible} \iff \det(X) \neq 0 \iff \operatorname{rank}(X) = 3.$$

$$X = \begin{bmatrix} 10 & 10 & 0 \\ 20 & 10 & 10 \\ 30 & 10 & 10 \end{bmatrix} = 10 \begin{bmatrix} 1 & 1 & 0 \\ 2 & 1 & 1 \\ 3 & 1 & 1 \end{bmatrix}.$$

Row reduction:

$$\begin{aligned} \text{row } 3 - \text{row } 2: &\quad \begin{bmatrix} 1 & 1 & 0 \\ 1 & 0 & 0 \\ 3 & 1 & 1 \end{bmatrix} \\ \text{exchange rows 1 and 2}: &\quad \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 3 & 1 & 1 \end{bmatrix} \\ \text{row } 2 - \text{row } 1: &\quad \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 3 & 1 & 1 \end{bmatrix} \\ \text{row } 3 - 3 \cdot \text{row } 1 - \text{row } 2: &\quad \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \end{aligned}$$

Thus $\operatorname{rank}(X) = 3$ and X is invertible. $\Omega = X^{-1}$ exists and is unique, with $X\Omega = XX^{-1} = I$. Thus, the market is complete.

(b)

Let X be the matrix of $N = 3$ non-redundant asset payoffs, let P be the price vector of the original assets, and let $P_c = (q_1, q_2, q_3)'$ be the price vector of the contingent claims. Use the LOP to solve for P_c as a function of X and P:

$$P = \begin{pmatrix} 16 \\ 8 \\ 6 \end{pmatrix}, \qquad X = \begin{bmatrix} 10 & 10 & 0 \\ 20 & 10 & 10 \\ 30 & 10 & 10 \end{bmatrix}.$$

The LOP says that two assets with identical payoffs in every state of nature must have the same price. Therefore,

$$X'P_c = P \quad \Longrightarrow \quad \begin{bmatrix} 10 & 20 & 30 \\ 10 & 10 & 10 \\ 0 & 10 & 10 \end{bmatrix} \begin{pmatrix} q_1 \\ q_2 \\ q_3 \end{pmatrix} = \begin{pmatrix} 16 \\ 8 \\ 6 \end{pmatrix}.$$

Dividing everything by 10:

$$\begin{cases} q_1 + 2q_2 + 3q_3 = 1.6 \\ q_1 + q_2 + q_3 = 0.8 \\ q_2 + q_3 = 0.6 \end{cases} \quad \Longrightarrow \quad \begin{cases} q_1 = 0.2 \\ q_2 = 0.4 \\ q_3 = 0.2 \end{cases}$$

Thus, $P_c = (0.2, 0.4, 0.2)'$.

(c)

$$P_D = \text{Payoff}(D) \cdot P_c = \begin{pmatrix} 30 & 20 & 10 \end{pmatrix} \begin{pmatrix} 0.2 \\ 0.4 \\ 0.2 \end{pmatrix} = 6 + 8 + 2 = 16.$$

(d)

$$P(X) = E[MX] = \sum_{s=1}^{S} \pi(s) M(s) X(s).$$

Since $q_s = \pi(s)M(s)$, we have $M(s) = q_s/\pi(s)$. With

$$P_c = \begin{pmatrix} 0.2 \\ 0.4 \\ 0.2 \end{pmatrix}, \qquad \pi(s) = \begin{pmatrix} 1/4 \\ 1/2 \\ 1/4 \end{pmatrix} \quad \Longrightarrow \quad M(s) = \begin{pmatrix} 0.8 \\ 0.8 \\ 0.8 \end{pmatrix}.$$

By definition, no arbitrage means that

1. An asset with payoff ≥ 0 must have price ≥ 0.
2. An asset with payoff ≥ 0 and a chance for payoff > 0 must have price > 0.

We have $X \geq 0$, $\Pr(X > 0) > 0$, and $P(X) = E[MX] > 0$ (since $M > 0$). Thus, there is no arbitrage.

Moreover, $P(X) = E[MX] = 0.8\,E[X]$. The SDF stays constant across the three states, which implies it is risk-neutral.

(e)

$$\begin{aligned} P_D = E[MX_D] &= \sum_{s=1}^{S} \pi(s) M(s) X_D(s) \\ &= \tfrac{1}{4} \cdot 0.8 \cdot 30 + \tfrac{1}{2} \cdot 0.8 \cdot 20 + \tfrac{1}{4} \cdot 0.8 \cdot 10 \\ &= 6 + 8 + 2 = 16. \end{aligned}$$

This is the same as in Q1(c).

Question 2

(a)




Figure 1: Estimated coefficients $\hat{b}_j$ in the unconditional SDF $\hat{M}_t^* = \hat{a} - \hat{b}' x R_t$, normalized so that $\widehat{E}[\hat{M}^*] = 1$. The sample contains all 1,202 overlapping monthly observations from July 1926 through August 2026, as specified in the analysis prompt. Returns are in decimals, and the sample covariance matrix uses divisor T.