

MEDIMATCH · NATIONAL REDISTRIBUTION COMMAND

See surplus. Detect need. Coordinate impact.

Leveraging geospatial intelligence
for equitable medical-supply redistribution

Lesnar Gitonga · USIU-Africa · 23 June 2026

Conference demo · synthetic inventory · no patient records

SECTION 01

The coordination gap

01

Why medical-supply redistribution fails today

The problem is not only scarcity. It is disconnected visibility.

Facilities can hold usable surplus while others face urgent shortfalls. MediMatch makes both sides visible in one operating picture.

56.3%

face weekly or monthly stockouts

82.8%

rate manual methods ineffective or slow

57.8%

report wastage of valid supplies

89.1%

willing to pilot the system

A supply gap becomes a coordination question

Which available source is close enough, sufficiently stocked, verified, product-compatible—and practical to move now?

57%

KEMSA national order-fill rate,
as of mid-2025 (per the abstract)

The baseline is historical; the deck does not present it as the current 2026 rate.

SECTION 02

The field evidence

What 64 healthcare professionals told us


02

Who we surveyed

64 healthcare professionals · Nairobi County · 80% response rate · unedited Google Forms output


A frontline sample — the clinicians and staff who manage stock every day.

Q1. What is your gender?
64 responses




Q1 · Gender — slight female majority

Q2. What is your age bracket?
64 responses



Q2 · Age — majority under 40

Q3. What is your primary role at this facility?
64 responses




Q3 · Role — clinical staff majority

The current system, in their words

Questions 4–6 · frequency of stockouts, how surplus is handled, and how they rate today's methods


Frequent stockouts, ad-hoc handling, and locating methods they rate as ineffective or slow.

Q4. How often does your facility experience stockouts of essential items?
64 responses



Q4 · 56.3% weekly or monthly stockouts

Q5. What is your facility's current method for handling surplus (near-expiry) supplies?
64 responses



Q5 · Surplus handled ad-hoc

Q6. How would you rate the effectiveness of your current method for locating emergency supplies from nearby facilities?
64 responses




Q6 · 82.8% ineffective or slow

Challenges, value & readiness

Questions 7–9 · the main system challenges, the benefits they value, and willingness to pilot


Wastage tops the operational challenges — and readiness to pilot MediMatch is high.

Q7. Which of the following do you consider the main challenges of the current supply system?
64 responses




Q7 · 57.8% cite wastage of supplies

Q8. Which of the following benefits would be most valuable if a new digital platform (MediMatch) were implemented?
64 responses



Q8 · Most-valued benefits

Q9. Would you recommend your facility explore piloting the MediMatch platform?
64 responses



Q9 · 89.1% would pilot (Yes + Maybe)

SECTION 03


The platform

From redistribution engine to live demonstration

03

How the redistribution engine works

Every listing becomes a geocoded surplus offer or an urgent request, then flows through a transparent pipeline.




Ranking signals



Beyond routing: a demand heatmap surfaces clusters, a one-year impact projection models the gain, and a live Copilot answers from current state — all shown next in the demo.

A production-minded spatial stack with a human decision boundary



Human verification is the final control

No diagnosis · no autonomous transfers · synthetic demo inventory · explicit assumptions · coordinator sign-off

See it run — live

Switching to the running platform.

1

National command floor

Detect, rank and route surplus to urgent need across Kenya

2

Demand heatmap

Where shortfall concentrates, against hubs and corridors

3

Nairobi research base

The 64-facility study area at street scale

4

Impact projection

A transparent one-year model of the gain

5

Copilot

Live coordination questions, answered from current state

Location is not just a field. It is a coordination advantage.

Evidence-based

64 healthcare professionals quantified the coordination gap.

Location-aware

Real-time, road-routed matching of surplus to urgent need.

Explainable

Transparent, multi-factor scoring — no black box.

Human-governed

Coordinator verification before every transfer.

MEDIMATCH

**See surplus. Detect need.
Coordinate impact.**

Thank you

References & sources

Davis, F. D. (1989). Perceived usefulness, perceived ease of use, and user acceptance of information technology. *MIS Quarterly*, 13(3), 319–340.

HealthcareMEA. (2025). Supply chain challenges and the impact of wastage in East African healthcare.

Kenya Medical Supplies Authority (KEMSA). (2025). Supply chain performance and order-fill rates: Mid-year report 2025. Nairobi: KEMSA.

Kenya Ministry of Health. (2023). National health supply chain strategy and universal health coverage. Nairobi: Ministry of Health.

Kenya News Agency. (2025). Addressing stockouts: Inter-county redistribution measures.

Lee, H. L., Padmanabhan, V., & Whang, S. (1997). Information distortion in a supply chain: The bullwhip effect. *Management Science*, 43(4), 546–558.

MedShare. (2024). Recovering surplus medical supplies: Global impact report.

Ministry of Health Kenya. (2020). Kenya National e-Health Policy 2016–2030. Nairobi: Ministry of Health.

Mugenda, O. M., & Mugenda, A. G. (2003). Research methods: Quantitative and qualitative approaches. Nairobi: Acts Press.

Nation Africa. (2024). Global Fund audit reveals inconsistencies in Kenya's stock management. *Daily Nation*.

NHS England. (2022). NHS supply chain redistribution programme: Lessons from the COVID-19 pandemic. London: NHS.

Republic of Kenya. (2019). The Data Protection Act. Nairobi: Government Printer.