Tecnológico de estudios Superiores de Villa Guerrero.

Ingeniería en Sistemas Computacionales

UNIDAD DE APRENDIZAJE:

SISTEMAS OPERATIVOS

PRÁCTICA:

PRACTICA 1. Explorando procesos con ps en Linux

PRESENTA:

HERNANDEZ MILLAN LETICIA

GRUPO:

3501

DOCENTE:

ISC. REYNOSO ELIAS JUAN

LA FINCA, VILLA GUERRERO, ESTADO DE MÉXICO.

OCTUBRE DE 2026

INDICE

INTRODUCION 3
OBJETIVO 4
REQUISITOS 4
DESARROLLO 4
Ver procesos del usuario actual 4
Comando: ps 4
Ver procesos con formato extendido 4
Comando: ps -ef 4
Filtrar procesos 7
Comando: ps -ef | grep firefox 7
Ver procesos por ID de usuario 8
Comando: ps -u nombre_usuario 8
Ver solo PID y comando 9
Comando: ps -eo pid,comm 9
Ver procesos ordenados por uso de CPU 13
Comando: ps -eo pid,comm,%cpu --sort=-%cpu 13
CONCLUSIÓN 15

INTRODUCION

En esta práctica se trabajó con diferentes opciones del comando ps en un sistema Linux, con la finalidad de conocer cómo consultar y visualizar los procesos que se están ejecutando. A través de estos comandos es posible obtener información importante sobre cada proceso, como su identificador (PID), el comando que lo ejecuta y los recursos que utiliza.

También se realizaron consultas, filtros y ordenamientos para facilitar la búsqueda de información específica dentro de los procesos del sistema. Esto permitió observar que el comando ps cuenta con distintas formas de utilizarse, dependiendo del tipo de información que se necesite obtener.

La realización de esta práctica ayudó a comprender mejor el funcionamiento de los procesos en Linux y a desarrollar mayor familiaridad con el uso de la terminal para administrar y consultar información del sistema.

OBJETIVO

Aprender a usar el comando ps para visualizar, filtrar y entender los procesos activos en el sistema.


REQUISITOS

- Sistema Linux (Debian, Ubuntu, Arch, etc.)
- Terminal activa

DESARROLLO


Ver procesos del usuario actual

Comando: ps




Ver procesos con formato extendido


Comando: ps -ef




2026. "Año del Humanismo Mexicano en el Estado de México"





```
root          42      2  0 18:23 ?        00:00:00 [cpuhp/4]
root          43      2  0 18:23 ?        00:00:00 [idle_inject/4]
root          44      2  0 18:23 ?        00:00:00 [migration/4]
root          45      2  0 18:23 ?        00:00:00 [ksoftirqd/4]
root          47      2  0 18:23 ?        00:00:00 [kworker/4:0H-events_highpri]
root          48      2  0 18:23 ?        00:00:00 [cpuhp/5]
root          49      2  0 18:23 ?        00:00:00 [idle_inject/5]
root          50      2  0 18:23 ?        00:00:00 [migration/5]
root          51      2  0 18:23 ?        00:00:00 [ksoftirqd/5]
root          53      2  0 18:23 ?        00:00:00 [kworker/5:0H-events_highpri]
root          54      2  0 18:23 ?        00:00:00 [cpuhp/6]
root          55      2  0 18:23 ?        00:00:00 [idle_inject/6]
root          56      2  0 18:23 ?        00:00:00 [migration/6]
root          57      2  0 18:23 ?        00:00:00 [ksoftirqd/6]
root          59      2  0 18:23 ?        00:00:00 [kworker/6:0H-events_highpri]
root          60      2  0 18:23 ?        00:00:00 [cpuhp/7]
root          61      2  0 18:23 ?        00:00:00 [idle_inject/7]
root          62      2  0 18:23 ?        00:00:00 [migration/7]
root          63      2  0 18:23 ?        00:00:00 [ksoftirqd/7]
root          65      2  0 18:23 ?        00:00:00 [kworker/7:0H-events_highpri]
root          68      2  0 18:23 ?        00:00:03 [kworker/u32:2-i915]
root          73      2  0 18:23 ?        00:00:01 [kworker/u32:7-kvfree_rcu_reclaim]
root          74      2  0 18:23 ?        00:00:00 [kdevtmpfs]
root          75      2  0 18:23 ?        00:00:00 [kworker/R-inet_frag_wq]
root          76      2  0 18:23 ?        00:00:00 [kauditd]
root          77      2  0 18:23 ?        00:00:00 [khungtaskd]
root          78      2  0 18:23 ?        00:00:00 [oom_reaper]
root          79      2  0 18:23 ?        00:00:00 [kworker/R-writeback]
root          80      2  0 18:23 ?        00:00:00 [kcompactd0]
root          81      2  0 18:23 ?        00:00:00 [ksmd]
root          82      2  0 18:23 ?        00:00:00 [khugepaged]
root          83      2  0 18:23 ?        00:00:00 [kworker/R-kintegrityd]
root          84      2  0 18:23 ?        00:00:00 [kworker/R-kblockd]
root          85      2  0 18:23 ?        00:00:00 [kworker/R-blkcg_punt_bio]
root          86      2  0 18:23 ?        00:00:01 [irq/9-acpi]
root          87      2  0 18:23 ?        00:00:00 [kworker/4:1-events]
root          88      2  0 18:23 ?        00:00:00 [kworker/1:1-cgroup_free]
```





```
root          91      2  0 18:23 ?        00:00:00 [kworker/R-tpm_dev_wq]
root          92      2  0 18:23 ?        00:00:00 [kworker/R-edac-poller]
root          93      2  0 18:23 ?        00:00:00 [kworker/R-devfreq_wq]
root          94      2  0 18:23 ?        00:00:00 [kworker/R-quota_events_unbound]
root          95      2  0 18:23 ?        00:00:00 [kworker/1:1H-events_highpri]
root          96      2  0 18:23 ?        00:00:00 [kswapd0]
root         104      2  0 18:23 ?        00:00:00 [kworker/R-kthrotld]
root         108      2  0 18:23 ?        00:00:00 [irq/122-aerdrv]
root         109      2  0 18:23 ?        00:00:00 [irq/122-pcie-dpc]
root         110      2  0 18:23 ?        00:00:00 [kworker/R-acpi_thermal_pm]
root         111      2  0 18:23 ?        00:00:00 [hwrng]
root         112      2  0 18:23 ?        00:00:00 [kworker/R-mld]
root         113      2  0 18:23 ?        00:00:00 [kworker/0:2-events_power_efficient]
root         114      2  0 18:23 ?        00:00:00 [kworker/R-ipv6_addrconf]
root         115      2  0 18:23 ?        00:00:00 [kworker/0:1H-kblockd]
root         120      2  0 18:23 ?        00:00:00 [kworker/R-kstrp]
root         122      2  0 18:23 ?        00:00:00 [kworker/u33:0-rtw_tx_wq]
root         186      2  0 18:23 ?        00:00:00 [kworker/4:1H-events_highpri]
root         204      2  0 18:23 ?        00:00:00 [kworker/3:1-i915-unordered]
root         212      2  0 18:23 ?        00:00:00 [kworker/3:1H-kblockd]
root         232      2  0 18:23 ?        00:00:00 [kworker/2:1H-events_highpri]
root         233      2  0 18:23 ?        00:00:00 [kworker/4:2-events]
root         234      2  0 18:23 ?        00:00:00 [kworker/7:1H-events_highpri]
root         258      2  0 18:23 ?        00:00:00 [kworker/6:1H-kblockd]
root         259      2  0 18:23 ?        00:00:00 [kworker/5:1H-events_highpri]
root         263      2  0 18:23 ?        00:00:00 [watchdogd]
root         264      2  0 18:23 ?        00:00:01 [irq/118-ELAN0712:00]
root         265      2  0 18:23 ?        00:00:00 [irq/150-aerdrv]
root         266      2  0 18:23 ?        00:00:00 [irq/150-pcie-dpc]
root         267      2  0 18:23 ?        00:00:00 [kworker/R-nvme-wq]
root         268      2  0 18:23 ?        00:00:00 [kworker/R-nvme-reset-wq]
root         269      2  0 18:23 ?        00:00:00 [kworker/R-nvme-delete-wq]
root         270      2  0 18:23 ?        00:00:00 [kworker/R-nvme-auth-wq]
root         271      2  0 18:23 ?        00:00:00 [kworker/2:2-events]
root         272      2  0 18:23 ?        00:00:00 [kworker/R-ttm]
root         273      2  0 18:23 ?        00:00:00 [card0-crtc0]
root         274      2  0 18:23 ?        00:00:00 [card0-crtc1]
```





```
root         275       2  0 18:23 ?        00:00:00 [card0-crtc2]
root         276       2  0 18:23 ?        00:00:00 [card0-crtc3]
root         280       2  0 18:23 ?        00:00:00 [scsi_eh_0]
root         281       2  0 18:23 ?        00:00:00 [kworker/R-scsi_tmf_0]
root         282       2  0 18:23 ?        00:00:00 [usb-storage]
root         283       2  0 18:23 ?        00:00:00 [kworker/R-uas]
root         293       2  0 18:23 ?        00:00:00 [kworker/R-md]
root         294       2  0 18:23 ?        00:00:00 [kworker/R-md_bitmap]
root         300       2  0 18:23 ?        00:00:00 [kworker/R-raid5wq]
root         448       2  0 18:23 ?        00:00:00 [kworker/5:4-events]
root         479       2  0 18:23 ?        00:00:00 [psimon]
root         493       1  0 18:23 ?        00:00:02 /usr/lib/systemd/systemd-journald
root         538       1  0 18:23 ?        00:00:00 /usr/lib/systemd/systemd-udevd
root         546       2  0 18:23 ?        00:00:00 [kworker/6:3-events]
root         551       2  0 18:23 ?        00:00:00 [psimon]
root         607       2  0 18:23 ?        00:00:00 [irq/161-mei_me]
root         629       2  0 18:23 ?        00:00:00 [kworker/R-cfg80211]
root         636       2  0 18:23 ?        00:00:00 [kworker/R-cryptd]
root         756       2  2 18:23 ?        00:00:22 [irq/162-rtw88_pci]
root         891       2  0 18:23 ?        00:00:00 [irq/163-AudioDSP]
root        1432       1  0 18:23 ?        00:00:00 /usr/libexec/accounts-daemon
avahi       1434       1  0 18:23 ?        00:00:00 avahi-daemon: running [debian.local]
root        1435       1  0 18:23 ?        00:00:00 /usr/libexec/bluetooth/bluetoothd
root        1436       1  0 18:23 ?        00:00:00 /usr/sbin/cron -f
message+    1437       1  0 18:23 ?        00:00:01 /usr/bin/dbus-daemon --system --address=systemd:
root        1441       1  0 18:23 ?        00:00:00 /usr/libexec/low-memory-monitor
polkitd     1442       1  0 18:23 ?        00:00:00 /usr/lib/polkit-1/polkitd --no-debug --log-level
root        1443       1  0 18:23 ?        00:00:00 /usr/sbin/smartd -n
root        1444       1  0 18:23 ?        00:00:00 /usr/libexec/switcheroo-control
avahi       1446    1434  0 18:23 ?        00:00:00 avahi-daemon: chroot helper
root        1447       1  0 18:23 ?        00:00:00 /usr/lib/systemd/systemd-logind
root        1448       1  0 18:23 ?        00:00:00 /usr/libexec/udisks2/udisksd
root        1494       1  0 18:23 ?        00:00:00 /usr/sbin/NetworkManager --no-daemon
root        1495       1  0 18:23 ?        00:00:01 /usr/sbin/wpa_supplicant -u -s -O DIR=/run/wpa_s
root        1503       2  0 18:23 ?        00:00:00 [psimon]
root        1536       1  0 18:23 ?        00:00:00 /usr/sbin/ModemManager
root        1549       2  0 18:23 ?        00:00:00 [krfcommd]
```




```
root        1565       1  0 18:23 ?        00:00:00 /usr/sbin/cupsd -l
root        1578       1  0 18:23 ?        00:00:00 /usr/sbin/gdm3
root        1585    1578  0 18:23 ?        00:00:00 gdm-session-worker [pam/gdm-autologin]
user        1593       1  0 18:23 ?        00:00:00 /usr/lib/systemd/systemd --user
user        1595    1593  0 18:23 ?        00:00:00 (sd-pam)
user        1615    1593  0 18:23 ?        00:00:00 /usr/bin/dbus-daemon --session --address=systemd
user        1617    1593  0 18:23 ?        00:00:00 /usr/bin/pipewire
user        1619    1593  0 18:23 ?        00:00:00 /usr/bin/pipewire -c filter-chain.conf
user        1620    1593  0 18:23 ?        00:00:00 /usr/bin/wireplumber
user        1621    1593  0 18:23 ?        00:00:00 /usr/bin/pipewire-pulse
user        1623    1593  0 18:23 ?        00:00:00 /usr/bin/mpris-proxy
user        1624    1593  0 18:23 ?        00:00:00 /usr/bin/gnome-keyring-daemon --foreground --com
rtkit       1633       1  0 18:23 ?        00:00:00 /usr/libexec/rtkit-daemon
user        1636    1585  0 18:23 tty2     00:00:00 /usr/libexec/gdm-wayland-session /usr/bin/gnome-
user        1640    1636  0 18:23 tty2     00:00:00 /usr/libexec/gnome-session-binary
user        1695    1593  0 18:23 ?        00:00:00 /usr/libexec/gcr-ssh-agent --base-dir /run/user/
user        1696    1593  0 18:23 ?        00:00:00 /usr/libexec/gnome-session-ctl --monitor
user        1697    1593  0 18:23 ?        00:00:00 /usr/bin/ssh-agent -D
user        1709    1593  0 18:23 ?        00:00:00 /usr/libexec/gvfsd
user        1715    1593  0 18:23 ?        00:00:00 /usr/libexec/gvfsd-fuse /run/user/1000/gvfs -f
user        1717    1593  0 18:23 ?        00:00:00 /usr/libexec/gnome-session-binary --systemd-serv
user        1748    1717  0 18:23 ?        00:00:00 /usr/libexec/at-spi-bus-launcher --launch-immedi
user        1765    1748  0 18:23 ?        00:00:00 /usr/bin/dbus-daemon --config-file=/usr/share/de
user        1772    1593  4 18:23 ?        00:00:41 /usr/bin/gnome-shell
user        1796    1593  0 18:23 ?        00:00:00 /usr/libexec/xdg-permission-store
user        1821    1593  0 18:23 ?        00:00:00 /usr/libexec/at-spi2-registryd --use-gnome-sessi
colord      1822       1  0 18:23 ?        00:00:00 /usr/libexec/colord
user        1856    1593  0 18:24 ?        00:00:00 /usr/libexec/gnome-shell-calendar-server
user        1865    1593  0 18:24 ?        00:00:00 /usr/libexec/evolution-source-registry
user        1868    1593  0 18:24 ?        00:00:00 /usr/bin/gjs -m /usr/share/gnome-shell/org.gnome
user        1889    1593  0 18:24 ?        00:00:00 /usr/libexec/dconf-service
root        1890       1  2 18:24 ?        00:00:28 /usr/libexec/upowerd
user        1894    1593  0 18:24 ?        00:00:00 /usr/bin/ibus-daemon --panel disable
user        1895    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-a11y-settings
user        1897    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-color
user        1898    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-datetime
user        1899    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-housekeeping
```




```
user        1900    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-keyboard
user        1901    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-media-keys
user        1902    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-power
user        1905    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-print-notifications
user        1906    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-rfkill
user        1912    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-screensaver-proxy
user        1917    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-sharing
user        1918    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-smartcard
user        1919    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-sound
user        1920    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-usb-protection
user        1921    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-wacom
user        1972    1593  0 18:24 ?        00:00:00 /usr/libexec/gvfs-udisks2-volume-monitor
user        2027    1593  0 18:24 ?        00:00:00 /usr/bin/gjs -m /usr/share/gnome-shell/org.gnome.ScreenSaver
user        2033    1717  0 18:24 ?        00:00:00 /usr/libexec/gsd-disk-utility-notify
user        2042    1717  1 18:24 ?        00:00:10 /usr/bin/gnome-software --gapplication-service
user        2049    1717  0 18:24 ?        00:00:00 /usr/libexec/evolution-data-server/evolution-alarm-notify
user        2121    1593  0 18:24 ?        00:00:00 /usr/libexec/gvfs-mtp-volume-monitor
user        2127    1593  0 18:24 ?        00:00:00 /usr/libexec/gvfs-gphoto2-volume-monitor
user        2154    1593  0 18:24 ?        00:00:00 /usr/libexec/goa-daemon
user        2162    1593  0 18:24 ?        00:00:00 /usr/libexec/goa-identity-service
user        2169    1593  0 18:24 ?        00:00:00 /usr/libexec/gvfs-goa-volume-monitor
user        2174    1593  0 18:24 ?        00:00:00 /usr/libexec/gvfs-afc-volume-monitor
user        2181    1772  0 18:24 ?        00:00:00 /usr/bin/Xwayland :0 -rootless -noreset -accessx -core -auth /run/user/1000/.mutter-Xwaylandauth.U
user        2183    1593  0 18:24 ?        00:00:00 /usr/libexec/evolution-calendar-factory
user        2235    1593  0 18:24 ?        00:00:00 /usr/libexec/evolution-addressbook-factory
user        2239    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-printer
user        2278    1593  0 18:24 ?        00:00:00 /usr/libexec/xdg-desktop-portal
user        2290    1593  0 18:24 ?        00:00:00 /usr/libexec/xdg-document-portal
root        2296    2290  0 18:24 ?        00:00:00 fusermount3 -o rw,nosuid,nodev,fsname=portal,auto_unmount,subtype=portal -- /run/user/1000/doc
user        2315    1593  0 18:24 ?        00:00:00 /usr/libexec/gsd-xsettings
user        2321    1894  0 18:24 ?        00:00:00 /usr/libexec/ibus-dconf
user        2322    1894  0 18:24 ?        00:00:02 /usr/libexec/ibus-extension-gtk3
user        2329    1593  0 18:24 ?        00:00:00 /usr/libexec/ibus-portal
user        2347    1593  0 18:24 ?        00:00:00 /usr/libexec/localsearch-3
user        2348    1593  0 18:24 ?        00:00:00 /usr/libexec/xdg-desktop-portal-gnome
user        2349    1894  0 18:24 ?        00:00:00 /usr/libexec/ibus-engine-simple
user        2351    1772  0 18:24 ?        00:00:00 /usr/libexec/mutter-x11-frames
user        2378    1593  0 18:24 ?        00:00:00 /usr/libexec/gvfsd-metadata
```




```
user        2442    1593  0 18:24 ?        00:00:00 /usr/libexec/ibus-x11
user        2447    1894  0 18:24 ?        00:00:00 /usr/lib/ibus-mozc/ibus-engine-mozc --ibus
user        2452    2447  0 18:24 ?        00:00:00 /usr/lib/mozc/mozc_server
user        2456    1593  0 18:24 ?        00:00:00 /usr/libexec/xdg-desktop-portal-gtk
root        2479       1  0 18:24 ?        00:00:02 /usr/libexec/fwupd/fwupd
root        2487       1  0 18:24 ?        00:00:00 /usr/sbin/cups-browsed
user        2523    1772 12 18:24 ?        00:02:02 /usr/lib/firefox-esr/firefox-esr
user        2530    1593  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/crashhelper 2523 9 /tmp/ 11
user        2623    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -prefsHandle 0:26640 -
user        2698    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28015 -prefMapHandle 1:
user        2706    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -prefsHandle 0:28060 -
user        2738    2523  0 18:24 ?        00:00:01 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28266 -prefMapHandle 1:
user        2778    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28058 -prefMapHandle 1:
user        2842    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -sandboxingKind 0 -pre
root        2934       1  0 18:24 ?        00:00:00 /usr/libexec/power-profiles-daemon
user        3233    2523 22 18:26 ?        00:03:17 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:38968 -prefMapHandle 1:
root        3353       2  0 18:26 ?        00:00:02 [kworker/u33:3-rtw_tx_wq]
root        4150       2  0 18:28 ?        00:00:00 [kworker/7:2-events]
root        4165       2  0 18:29 ?        00:00:00 [kworker/0:0-events]
root        4184       2  0 18:29 ?        00:00:00 [kworker/3:2-events]
root        4207       2  0 18:29 ?        00:00:00 [kworker/5:0-mm_percpu_wq]
user        4224    2523  0 18:30 ?        00:00:02 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42283 -prefMapHandle 1:
root        4273       2  0 18:30 ?        00:00:00 [kworker/6:0-events]
user        4274    1593  0 18:30 ?        00:00:01 /usr/libexec/gnome-terminal-server
user        4282    4274  0 18:30 pts/0    00:00:00 bash
root        4319       2  0 18:30 ?        00:00:00 [kworker/2:0-events]
root        4381       2  0 18:34 ?        00:00:00 [kworker/7:0-cgroup_free]
root        4404       2  0 18:34 ?        00:00:01 [kworker/u32:0-events_unbound]
usbmux      4428       1  0 18:34 ?        00:00:00 /usr/sbin/usbmuxd --user usbmux --systemd
user        4461    1709  0 18:34 ?        00:00:00 /usr/libexec/gvfsd-gphoto2 --spawner :1.16 /org/gtk/gvfs/exec_spaw/3
user        4533    2523  0 18:35 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42283 -prefMapHandle 1:
root        4577       2  0 18:35 ?        00:00:00 [kworker/5:1-i915-unordered]
root        4578       2  0 18:35 ?        00:00:00 [kworker/1:0-events]
root        4641       2  0 18:36 ?        00:00:00 [kworker/0:1-events_freezable_pwr_efficient]
root        4687       2  0 18:37 ?        00:00:00 [kworker/6:1-i915-unordered]
root        4690       2  0 18:37 ?        00:00:00 [kworker/u33:1-i915_flip]
user        4694    1593  1 18:37 ?        00:00:02 /usr/bin/nautilus --gapplication-service
user        4698    1709  0 18:37 ?        00:00:00 /usr/libexec/gvfsd-trash --spawner :1.16 /org/gtk/gvfs/exec_spaw/4
```

```
user        4698    1709  0 18:37 ?        00:00:00 /usr/libexec/gvfsd-trash --spawner :1.16 /org/gtk/gvfs/exec_spaw/4
user        4749    1709  0 18:37 ?        00:00:00 /usr/libexec/gvfsd-recent --spawner :1.16 /org/gtk/gvfs/exec_spaw/5
user        4751    1709  0 18:37 ?        00:00:00 /usr/libexec/gvfsd-network --spawner :1.16 /org/gtk/gvfs/exec_spaw/6
user        4762    1709  0 18:37 ?        00:00:00 /usr/libexec/gvfsd-dnssd --spawner :1.16 /org/gtk/gvfs/exec_spaw/7
user        4846    1593  1 18:38 ?        00:00:02 /usr/lib/libreoffice/program/oosplash --writer file:///home/user/Downloads/Practica1.docx
user        4885    4846  8 18:38 ?        00:00:13 /usr/lib/libreoffice/program/soffice.bin --writer file:///home/user/Downloads/Practica1.docx
user        4996    1709  0 18:38 ?        00:00:00 /usr/libexec/gvfsd-http --spawner :1.16 /org/gtk/gvfs/exec_spaw/10
user        5020    2523  0 18:38 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42578 -prefMapHandle 1:
root        5045       2  0 18:38 ?        00:00:00 [kworker/2:1-events]
user        5047    2523  0 18:38 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42578 -prefMapHandle 1:
root        5170       2  0 18:39 ?        00:00:00 [kworker/4:0-events]
root        5200       2  0 18:40 ?        00:00:00 [kworker/u32:1-events_unbound]
root        5207       2  0 18:40 ?        00:00:00 [kworker/7:1]
root        5232       2  0 18:40 ?        00:00:00 [kworker/3:0]
user        5249    4282  0 18:40 pts/0    00:00:00 ps -ef
user@debian:~$
```


Filtrar procesos

Comando: ps -ef | grep firefox

```
Oct 5  6:47 PM                                                    A
user@debian: ~
-c013164f1496} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 2 tab
user        2706    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -prefsHandle 0:28060 -
prefMapHandle 1:268799 -sandboxReporter 2 -chrootClient 3 -ipcHandle 4 -initialChannelId {e2b36c07-3e99-45b8-9b0a-3cef2ef02e02} -parentPid 2523 -crash
Reporter 5 -crashHelper 6 -appDir /usr/lib/firefox-esr/browser 3 rdd
user        2738    2523  0 18:24 ?        00:00:02 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28266 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {4a8b89a8-9bfe-44be-bad7
-b7e0c74d1ce6} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 4 tab
user        2778    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28058 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {0c2b4f5b-1e61-4a92-8ce6
-d53600a098f6} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 5 tab
user        2842    2523  0 18:24 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -sandboxingKind 0 -pre
fsHandle 0:48107 -prefMapHandle 1:268799 -sandboxReporter 2 -chrootClient 3 -ipcHandle 4 -initialChannelId {507989a1-5619-4062-9e8d-015919efc42d} -par
entPid 2523 -crashReporter 5 -crashHelper 6 -appDir /usr/lib/firefox-esr/browser 6 utility
user        3233    2523 26 18:26 ?        00:05:35 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:38968 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {167e2353-4fab-4ff3-b626
-f331b8b8b936} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 11 tab
user        4224    2523  0 18:30 ?        00:00:02 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42283 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {f68fa344-d307-4b56-badc
-336937b04535} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 15 tab
user        4533    2523  0 18:35 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42283 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {671e8c4e-b5f9-4df2-94d7
-7496cf5025a3} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 16 tab
user        5020    2523  0 18:38 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42578 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {09b5f361-e9a7-4863-9fae
-f21880aeb5e5} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 17 tab
user        5047    2523  0 18:38 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:42578 -prefMapHandle 1:
268799 -jsInitHandle 2:242716 -parentBuildID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {2033072f-bcd0-497c-8a87
-ab84edb75348} -parentPid 2523 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/firefox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -ap
pDir /usr/lib/firefox-esr/browser 18 tab
user        5626    5619  0 18:46 pts/0    00:00:00 grep firefox
user@debian:~$
```

Ver procesos por ID de usuario

Comando: ps -u nombre_usuario







```
   2623 ?        00:00:00 Socket Process
   2698 ?        00:00:00 WebExtensions
   2706 ?        00:00:00 RDD Process
   2738 ?        00:00:02 Privileged Cont
   2778 ?        00:00:00 Isolated Web Co
   2842 ?        00:00:00 Utility Process
   3233 ?        00:05:52 Isolated Web Co
   4224 ?        00:00:02 Isolated Web Co
   4461 ?        00:00:00 gvfsd-gphoto2
   4533 ?        00:00:00 Web Content
   4694 ?        00:00:03 nautilus
   4698 ?        00:00:00 gvfsd-trash
   4749 ?        00:00:00 gvfsd-recent
   4751 ?        00:00:00 gvfsd-network
   4762 ?        00:00:00 gvfsd-dnssd
   4846 ?        00:00:02 oosplash
   4885 ?        00:00:23 soffice.bin
   4996 ?        00:00:00 gvfsd-http
   5020 ?        00:00:00 Web Content
   5047 ?        00:00:00 Web Content
   5611 ?        00:00:01 gnome-terminal-
   5619 pts/0    00:00:00 bash
   5678 pts/0    00:00:00 ps
user@debian:~$
```

Ver solo PID y comando

Comando: ps -eo pid,comm




Oct 5 6:52 PM
user@debian: ~
43 idle_inject/4
44 migration/4
45 ksoftirqd/4
47 kworker/4:0H-events_highpri
48 cpuhp/5
49 idle_inject/5
50 migration/5
51 ksoftirqd/5
53 kworker/5:0H-events_highpri
54 cpuhp/6
55 idle_inject/6
56 migration/6
57 ksoftirqd/6
59 kworker/6:0H-events_highpri
60 cpuhp/7
61 idle_inject/7
62 migration/7
63 ksoftirqd/7
65 kworker/7:0H-events_highpri
68 kworker/u32:2-events_unbound
74 kdevtmpfs
75 kworker/R-inet_frag_wq
76 kauditd
77 khungtaskd
78 oom_reaper
79 kworker/R-writeback
80 kcompactd0
81 ksmd
82 khugepaged
83 kworker/R-kintegrityd
84 kworker/R-kblockd
85 kworker/R-blkcg_punt_bio
86 irq/9-acpi
87 kworker/4:1-events
88 kworker/1:1-cgroup_free
91 kworker/R-tpm_dev_wq
92 kworker/R-edac-poller


Oct 5 6:53 PM
user@debian: ~
93 kworker/R-devfreq_wq
94 kworker/R-quota_events_unbound
95 kworker/1:1H-events_highpri
96 kswapd0
104 kworker/R-kthrotld
108 irq/122-aerdrv
109 irq/122-pcie-dpc
110 kworker/R-acpi_thermal_pm
111 hwrng
112 kworker/R-mld
113 kworker/0:2-events
114 kworker/R-ipv6_addrconf
115 kworker/0:1H-events_highpri
120 kworker/R-kstrp
186 kworker/4:1H-kblockd
204 kworker/3:1-events
212 kworker/3:1H-events_highpri
232 kworker/2:1H-events_highpri
234 kworker/7:1H-events_highpri
258 kworker/6:1H-events_highpri
259 kworker/5:1H-events_highpri
263 watchdogd
264 irq/118-ELAN0712:00
265 irq/150-aerdrv
266 irq/150-pcie-dpc
267 kworker/R-nvme-wq
268 kworker/R-nvme-reset-wq
269 kworker/R-nvme-delete-wq
270 kworker/R-nvme-auth-wq
271 kworker/2:2-events
272 kworker/R-ttm
273 card0-crtc0
274 card0-crtc1
275 card0-crtc2
276 card0-crtc3
280 scsi_eh_0
281 kworker/R-scsi_tmf_0
282 usb-storage


2026. "Año del Humanismo Mexicano en el Estado de México"






Oct 5 6:54 PM
user@debian: ~
1919 gsd-sound
1920 gsd-usb-protect
1921 gsd-wacom
1972 gvfs-udisks2-vo
2027 gjs
2033 gsd-disk-utilit
2042 gnome-software
2049 evolution-alarm
2121 gvfs-mtp-volume
2127 gvfs-gphoto2-vo
2154 goa-daemon
2162 goa-identity-se
2169 gvfs-goa-volume
2174 gvfs-afc-volume
2181 Xwayland
2183 evolution-calen
2235 evolution-addre
2239 gsd-printer
2278 xdg-desktop-por
2290 xdg-document-po
2296 fusermount3
2315 gsd-xsettings
2321 ibus-dconf
2322 ibus-extension-
2329 ibus-portal
2347 localsearch-3
2348 xdg-desktop-por
2349 ibus-engine-sim
2351 mutter-x11-fram
2378 gvfsd-metadata
2442 ibus-x11
2447 ibus-engine-moz
2452 mozc_server
2456 xdg-desktop-por
2479 fwupd
2487 cups-browsed
2523 firefox-esr
2530 crashhelper
Oct 5 6:54 PM
user@debian: ~
2623 Socket Process
2698 WebExtensions
2706 RDD Process
2738 Privileged Cont
2778 Isolated Web Co
2842 Utility Process
2934 power-profiles-
3233 Isolated Web Co
4150 kworker/7:2-events
4224 Isolated Web Co
4273 kworker/6:0-i915-unordered
4404 kworker/u32:0-i915
4428 usbmuxd
4461 gvfsd-gphoto2
4533 Web Content
4577 kworker/5:1-events
4687 kworker/6:1-i915-unordered
4690 kworker/u33:1-rtw_tx_wq
4694 nautilus
4698 gvfsd-trash
4749 gvfsd-recent
4751 gvfsd-network
4762 gvfsd-dnssd
4846 oosplash
4885 soffice.bin
4996 gvfsd-http
5020 Web Content
5045 kworker/2:1-mm_percpu_wq
5047 Web Content
5200 kworker/u32:1-kvfree_rcu_reclaim
5207 kworker/7:1-events
5232 kworker/3:0-events
5321 kworker/0:0-events
5340 kworker/u33:2-i915_flip
5373 kworker/1:2-events
5474 kworker/4:2-mm_percpu_wq
5513 kworker/7:0-mm_percpu_wq
5549 kworker/5:0-cgroup_free
5549 kworker/5:0-cgroup_free
5568 kworker/6:2-i915-unordered
5611 gnome-terminal-
5619 bash
5628 kworker/2:0
5642 kworker/u32:3-events_unbound
5669 kworker/0:1-events
5677 kworker/u33:0
5693 kworker/3:2-events
5786 kworker/4:0-events
5802 ps
ser@debian:~$


Ver procesos ordenados por uso de CPU


Comando: ps -eo pid,comm,%cpu --sort=-%cpu






Oct 5 7:00 PM
user@debian: ~
1822 colord 0.0
4749 gvfsd-recent 0.0
2351 mutter-x11-fram 0.0
2278 xdg-desktop-por 0.0
1448 udisksd 0.0
258 kworker/6:1H-ev 0.0
2183 evolution-calen 0.0
17 ksoftirqd/0 0.0
1434 avahi-daemon 0.0
4461 gvfsd-gphoto2 0.0
1536 ModemManager 0.0
2934 power-profiles- 0.0
2315 gsd-xsettings 0.0
1447 systemd-logind 0.0
1917 gsd-sharing 0.0
1897 gsd-color 0.0
1432 accounts-daemon 0.0
2623 Socket Process 0.0
234 kworker/7:1H-ev 0.0
88 kworker/1:1-eve 0.0
1921 gsd-wacom 0.0
1717 gnome-session-b 0.0
1640 gnome-session-b 0.0
1435 bluetoothd 0.0
27 ksoftirqd/1 0.0
45 ksoftirqd/4 0.0
5619 bash 0.0
2456 xdg-desktop-por 0.0
1900 gsd-keyboard 0.0
1624 gnome-keyring-d 0.0
1443 smartd 0.0
115 kworker/0:1H-kb 0.0
95 kworker/1:1H-kb 0.0
80 kcompactd0 0.0
26 migration/1 0.0
32 migration/2 0.0
33 ksoftirqd/2 0.0
51 ksoftirqd/5 0.0


Oct 5 7:00 PM
user@debian: ~
56 migration/6 0.0
1899 gsd-housekeepin 0.0
1856 gnome-shell-cal 0.0
1565 cupsd 0.0
44 migration/4 0.0
50 migration/5 0.0
1709 gvfsd 0.0
232 kworker/2:1H-ev 0.0
212 kworker/3:1H-ev 0.0
186 kworker/4:1H-ev 0.0
38 migration/3 0.0
39 ksoftirqd/3 0.0
62 migration/7 0.0
63 ksoftirqd/7 0.0
2027 gjs 0.0
1578 gdm3 0.0
2154 goa-daemon 0.0
1972 gvfs-udisks2-vo 0.0
1868 gjs 0.0
1633 rtkit-daemon 0.0
259 kworker/5:1H-ev 0.0
4762 gvfsd-dnssd 0.0
2487 cups-browsed 0.0
2290 xdg-document-po 0.0
2162 goa-identity-se 0.0
1619 pipewire 0.0
1585 gdm-session-wor 0.0
1444 switcheroo-cont 0.0
1441 low-memory-moni 0.0
2378 gvfsd-metadata 0.0
2329 ibus-portal 0.0
1918 gsd-smartcard 0.0
1919 gsd-sound 0.0
1906 gsd-rfkill 0.0
1898 gsd-datetime 0.0
111 hwrng 0.0
21 migration/0 0.0
4751 gvfsd-network 0.0


Oct 5 7:01 PM
user@debian: ~
551 psimon 0.0
607 irq/161-mei_me 0.0
629 kworker/R-cfg80 0.0
636 kworker/R-crypt 0.0
1446 avahi-daemon 0.0
1503 psimon 0.0
1549 krfcommd 0.0
1595 (sd-pam) 0.0
1636 gdm-wayland-ses 0.0
1695 gcr-ssh-agent 0.0
1696 gnome-session-c 0.0
1715 gvfsd-fuse 0.0
1796 xdg-permission- 0.0
1821 at-spi2-registr 0.0
1912 gsd-screensaver 0.0
1920 gsd-usb-protect 0.0
2169 gvfs-goa-volume 0.0
2296 fusermount3 0.0
2321 ibus-dconf 0.0
2442 ibus-x11 0.0
2530 crashhelper 0.0
4996 gvfsd-http 0.0
5513 kworker/7:0-mm_ 0.0
5549 kworker/5:0-eve 0.0
5628 kworker/2:0-eve 0.0
5786 kworker/4:0-eve 0.0
5954 kworker/u33:0 0.0
6031 kworker/2:2-eve 0.0
6051 kworker/2:3-eve 0.0
6102 kworker/1:0-eve 0.0
6111 kworker/6:3 0.0
6113 (udev-worker) 0.0
6116 kworker/0:0 0.0
6140 kworker/3:0-eve 0.0
6144 kworker/5:2-eve 0.0
6148 kworker/4:1-mm_ 0.0
6259 ps 0.0
ser@debian:~$

CONCLUSIÓN

Al finalizar la práctica, logramos conocer y utilizar diferentes formas del comando ps para consultar los procesos activos en Linux. Mediante sus distintas opciones fue posible visualizar información específica, aplicar filtros y organizar los resultados para facilitar su análisis.

Además, la práctica permitió comprender la importancia de conocer los procesos que se ejecutan dentro del sistema y la información relacionada con ellos, como el PID y el uso de los recursos. De esta manera, se obtuvo una mejor comprensión del manejo de procesos mediante la terminal y de cómo los comandos pueden ayudarnos a supervisar el funcionamiento del sistema.